



VELUX®

2024 Reference Guide

Residential Skylights and Sun Tunnel® Skylights

Effective February 5, 2024

All retail prices are not valid in Alaska, Hawaii, or Mexico due to additional freight cost.

Contents

8 Unit Skylights

VSS/VSE Deck-Mounted Solar/Electric Venting	8
VCS/VCE Curb-Mounted Solar/Electric Venting	10
EVMS Self-Flushed Solar Venting	12
VS Deck-Mounted Manual Venting	14
VCM Curb-Mounted Manual Venting	16
EV Self-Flushed Manual Venting	18
FS Deck-Mounted Fixed	20
FCM Curb-Mounted Fixed	22
FCM Curb-Mounted Fixed Custom Sizes	24
QPF Self-Flushed Fixed	26
EF Self-Flushed Fixed	28
GSM Curb-Mounted Fixed	30

32 Sun Tunnel® Skylights

Rigid/Flex Tube	32
Wildfire/Impact Glass	34

36 Flat Roof Skylights

FXG Curb-Mounted Domed	36
CXP Domed Polycarbonate Hatch	36
CFU CurveTech Glass	38

40 Flashing and Accessories

EKL/EKW Combi Flashing	40
Skylight Shades	42
Skylight Accessories	44
Sun Tunnel® Accessories	46

48 Roof Windows

GPU Top-Hinged	48
GXU Roof Access	50
GDL Balcony	52
GGU Center-Pivot	54

56 Architectural Skylights

Custom Skylight Systems: Pinnacle, Classic, Low Profile	56
VMS VELUX Modular Skylights	58



HGTV
**DREAM
HOME**
2023
PROUD SPONSOR

VELUX Online Dealer Support

Dealer Support Center

The VELUX Dealer Support Center has everything you need to complete your VELUX orders. Through our online dealer support page, you can:

- Check warehouse inventory
- Create quick quotes
- Track your orders
- Locate product data
- And so much more!

Use your phone's camera to scan the QR code below to access the Dealer Support Center today.



DEALER SUPPORT CENTER
veluxsolutions.com/dealersupport

How to Order Your Product



Online - Dealer Extranet¹

dealerextranet3.veluxusa.com



Email

ordersusa@velux.com

Hours of Operation

24 hours a day, 7 days a week



Call Residential

1-800-888-3589



Call/Email Commercial

1-800-888-3589

commercialteam@velux.com

Hours of Operation (ET)

(Mon - Fri) 7:30 a.m. - 8 p.m.

(Sat) 9 a.m. - 5 p.m.

Hours of Operation (ET)

(Mon - Fri) 7:30 a.m. - 8 p.m.

(Sat) 9 a.m. - 5 p.m.

¹ Dealer Extranet allows a dealer to order products and perform routine inquiries 24/7 using real-time pricing and inventory availability.

Plan for Delivery Time

- S** In-stock at regional warehouses
Allow 2 - 4 bus. days
- A** In-stock at Sparks, NV region
Allow 2 - 3 bus. days; other areas call for availability
- B** At Sparks, NV and White Marsh, MD
Allow 2 - 5 bus. days
- C** In-stock at Greenwood, SC and Kent, WA regions
Allow 2 - 5 bus. days
- T** Trans-shipped from central warehouse
Allow 7 - 10 bus. days
- F** In-stock at Greenwood, SC and Sparks, NV regions
Allow 2 - 4 bus. days; other areas allow 7 - 10 bus. days
- G** In-stock at Greenwood, SC, Aurora, IL, and Sparks, NV
Allow 2 - 3 bus. days; other areas allow 5 - 7 bus. days
- R** Not stocked; Manufactured on demand
Allow approximately 10 bus. days
- D** Not stocked; Manufactured on demand
Allow approximately 26 bus. days
- N** Not stocked; Manufactured on demand
Allow approximately 37 bus. days
- L** Not Stocked; Manufactured on demand
Allow approximately 50 bus. days

Please note: large orders may be subject to additional ship times

Order Code Examples



no shades

$\frac{\text{VSS}}{\text{product}} + \frac{\text{C01}}{\text{size}} + \frac{\text{2004}}{\text{code}}$



with shades

$\frac{\text{VSS}}{\text{product}} + \frac{\text{C01}}{\text{size}} + \frac{\text{2004}}{\text{code}} + \frac{\text{CS00}}{\text{shade}}$

The No Leak Skylight

No leaks. No worries.

It's our biggest promise that the skylights you sell or install will not leak. The three patented layers of water protection in VELUX skylights work seamlessly to ensure no rain will leak into a home through our skylights.

1 Pre-Attached Seal

Pre-attached deck seal (deck-mounted) or gasket (curb-mounted) provides a tight seal for leak-proof installation.

2 Adhesive Underlayment

Adhesive underlayment for secondary water protection against the harshest weather conditions.

3 Engineered Flashing

Engineered flashing for easy installation and primary water protection.



The Glass in Our Skylights

Clean, Quiet & Safe Glass

The name says it all: it's cleaner, quieter, and safer than any skylight glass on the market today.

Clean, Quiet & Safe Glass is made with silicon dioxide, making it much smoother than ordinary glass so water disperses evenly to evaporate quickly and reduce water spotting. It reduces up to 25% more of unwanted outside noise than standard double pane glass and up to 50% more than plastic skylights. And since Clean, Quiet & Safe Glass is a laminated glass, it's safe and compliant with all building codes for out-of-reach applications.

Clean, Quiet & Safe Glass (xx04)

This laminated glass evaporates water quickly and reduces spotting. Standard on all **FS, VS, VSS, VSE, VCS, VCE, FCM, VCM, QPF, EV, EF, EVMS** models.

Tempered Glass (xx05)

Built with an additional degree of hardness for added safety. Available with **FCM, VCM, QPF** only.

Impact Glass (xx06)

Our toughest glass, resistant to penetration from wind-borne debris.

White Laminated Glass (xx08)

White coating diffuses 100% of light flowing to the space below.

Snowload Glass (xx10)

Reinforced glass to withstand added weight from accumulated snow.

What is a Roof Pitch?

The roof pitch is defined as the angle of the roof, and it's calculated by the number of inches it rises vertically for every 12" it extends horizontally. This angle is measured by placing a pitch-gauge directly on the roof and taking an accurate reading.

This calculation is important because each VELUX skylight and flashing kit is engineered with specific pitch requirements that match the roof's slope in order to effectively drain water off the skylight.



CFU
CXP



VCS
VCM
VCE
FCM
TZR
TCR
FXG



GSM



QPF
TZRL
TZRQ



TLR
TMR
TGR
TMF
TGF



VSS
VSE
VS
FS
EVMS
EV
EF



GPU



GXU



GGU



GDL

The new VELUX Touch



MORE INFORMATION



Simple control of all VELUX skylights and shades with one remote.

We believe your customers should have an easier experience creating the perfect home environment with their VELUX skylights and shades. Now, with VELUX Touch, they only need to reach for one remote to take control of their skylights and shades. It is all about indoor comfort at your customer's fingertips.

- Remote operation inside the room
- Operation of multiple products
- Group products
- Ventilation timer
- Lock home option (close all skylights)
- Preset shade and skylight positions



VELUX Touch Remote Control

Delivery

KLR 300 WW

S

VELUX ACTIVE



MORE INFORMATION



Download the
VELUX app



Smart sensor-based operation of VELUX skylights and shades.

VELUX ACTIVE uses the Climate Sensor to monitor the indoor air quality, then automatically opens or closes skylights and shades based on conditions and homeowner's preferences. The system is connected to the home's Wi-Fi through the Internet Gateway so the customer can control skylights and shades, even if they're away from home, through the app on their phone.

- Remote operation from anywhere
- Operation of multiple grouped products
- Compatible with Apple HomeKit® and Google Assistant™
- Ventilation timer
- Scheduling to personal preferences
- Voice control
- Live sensor-based data and automation
- Use of weather data



VELUX ACTIVE with NETATMO

KIX 300 US

Delivery

S

Unit Skylights


Deck-Mounted VSS/VSE



VSS Solar
“Fresh Air”

VSE Electric
“Fresh Air”

Remote and insect screen included with VSS and VSE skylight



Add a Solar-Powered Pre-Installed Shade

Room-Darkening, Double-Pleated White
CS00

See page 43 for special order shade options.



The New VELUX Touch

Control all of your skylights and shades from one touch screen remote control.

KLR 300 WW

See page 6 for more information.



VELUX App Control

Control your VELUX skylights and shades anytime, anywhere with your smartphone or smart home device.

KIG 300 US



VELUX ACTIVE

Add smart home automation to your fresh air skylights and control all products with your phone.

KIX 300 US

See page 7 for more information.












* For more information visit: veluxusa.com/go-solar

Pre-Installed shades not available on copper cladding or stain grade wood models.

All base models are available to have pre-installed shades, however, some optional skylight models may not be available. VELUX Customer Service will confirm availability.



HGTV
**URBAN
OASIS**
PROUD SPONSOR
— 2023 —

Standard Sizes (W-in. x H-in.)	C01	C04	C06	C08	M02 ¹	M04	M06	M08	S01	S06
 14° - 85° 3:12 - 137:12										
Rough Opening	21 x 26 7/8	21 x 37 7/8	21 x 45 3/4	21 x 54 7/16	30 1/16 x 30	30 1/16 x 37 7/8	30 1/16 x 45 3/4	30 1/16 x 54 7/16	44 1/4 x 26 7/8	44 1/4 x 45 3/4
Outside Frame	21 1/2 x 27 3/8	21 1/2 x 38 3/8	21 1/2 x 46 1/4	21 1/2 x 54 15/16	30 9/16 x 30 1/2	30 9/16 x 38 3/8	30 9/16 x 46 1/4	30 9/16 x 54 15/16	44 3/4 x 27 3/8	44 3/4 x 46 1/4

Base Model	C01	C04	C06	C08	M02 ¹	M04	M06	M08	S01	S06
Laminated LowE ³ Glass Code 2004 Delivery S	—	—	—	—	—	—	—	—	—	—

Optional Models² Add price to base model; any size. Applies to standard sizes only.

Impact Glass Code 2006 Delivery N	Copper Cladding VSE only excluding M02 Code 2104 Delivery D	Snowload Glass Code 2010 Delivery A	Stain Grade Wood Interior VSS only Code 0004 Delivery D
--	---	--	---

Flashing Adhesive underlayment included. VELUX flashing required for the No Leak Warranty.

	C01	C04	C06	C08	M02 ¹	M04	M06	M08	S01	S06
Step Asphalt Shingles/Wood Shake/Slate 1/2 in. max thickness Code EDL Delivery S		—		—			—		—	
Copper Step ³ Asphalt Shingles/Wood Shakes/Slate 1/2 in. max thickness Code EDL COPPER Delivery D		—		—			—		—	
High Profile ³ Tile - over 3/4 in. thickness Code EDW Delivery S		—		—			—		—	
Metal Roof Code EDM Delivery S		—		—			—		—	
Biepack ⁴ Counter Flashing for Deck-Mounted Code ECB Delivery S		—		—			—		—	

¹ VSS only. ² Lead time/size availability may vary from base model. ³ VSE only. ⁴ Adhesive underlayment not included.

Order Code Example $\frac{\text{VSS}}{\text{product}} + \frac{\text{C06}}{\text{size}} + \frac{\text{2004}}{\text{code}} + \frac{\text{CS00W}}{\text{shade}}$

Unit Skylights


Curb-Mounted VCS/VCE



VCS Solar
“Fresh Air”

VCE Electric
“Fresh Air”

Remote and insect screen included with VSS and VSE skylight



Add a Solar-Powered Pre-Installed Shade

Room-Darkening, Double-Pleated White
CS00

See page 43 for special order shade options.



The New VELUX Touch

Control all of your skylights and shades
from one touch screen remote control.

KLR 300 WW

See page 6 for more information.



VELUX App Control

Control your VELUX skylights and
shades anytime, anywhere with your
smartphone or smart home device.

KIG 300 US



VELUX ACTIVE

Add smart home automation to your
fresh air skylights and control all
products with your phone.












KIX 300 US

See page 7 for more information.

* For more information visit: veluxusa.com/go-solar

All base models are available to have pre-installed shades, however, some optional skylight models may not be available. VELUX Customer Service will confirm availability.



Standard Sizes (W-in. x H-in.)	2222	2234	2246	3030	3046	3434	3737 ¹	4622 ¹	4630 ¹	4646
 0° - 60° 0.12 - 20.12										
Inside Curb	22 1/2 x 22 1/2	22 1/2 x 34 1/2	22 1/2 x 46 1/2	30 1/2 x 30 1/2	30 1/2 x 46 1/2	34 1/2 x 34 1/2	37 1/2 x 37 1/2	46 1/2 x 22 1/2	46 1/2 x 30 1/2	46 1/2 x 46 1/2
Outside Curb	25 1/2 x 25 1/2	25 1/2 x 37 1/2	25 1/2 x 49 1/2	33 1/2 x 33 1/2	33 1/2 x 49 1/2	37 1/2 x 37 1/2	40 1/2 x 40 1/2	49 1/2 x 25 1/2	49 1/2 x 33 1/2	49 1/2 x 49 1/2
Maximum Skylight Clearance	26 5/8 x 26 5/8	26 5/8 x 38 5/8	26 5/8 x 50 5/8	34 5/8 x 34 5/8	34 5/8 x 50 5/8	38 5/8 x 38 5/8	41 5/8 x 41 5/8	50 5/8 x 26 5/8	50 5/8 x 34 5/8	50 5/8 x 50 5/8

Base Model	2222	2234	2246	3030	3046	3434	3737 ¹	4622 ¹	4630 ¹	4646
Clean, Quiet & Safe Glass Laminated LowE ³ Glass Code 2004 Delivery S	—	—	—	—	—	—	—/F	—	—/F	—

Optional Models Add price to base model; any size. Applies to standard sizes only.

Impact Glass ² VCS only Code 2006 Delivery N	White Laminated Glass VCS only Code 2008 Delivery N
---	---

Flashing Adhesive underlayment included. VELUX flashing required for the No Leak Warranty.

	2222	2234	2246	3030	3046	3434	3746 ¹	4622 ¹	4630 ¹	4646
Step 10° - 60° Asphalt Shingles/Wood Shake/Slate 1/2 in. max thickness Code ECL Delivery S		—		—	—	—	—/F		—	
High Profile 14° - 60° Tile - over 3/4 in. thickness Code ECW Delivery S		—		—	—	—	N/A		—	

¹Only available in VCS. ²Not available in VCS 4646 or 4622 with Impact Glass. Lead time and size availability may vary from base model.

Order Code Example $\frac{\text{VCS}}{\text{product}} + \frac{2246}{\text{size}} + \frac{2004}{\text{code}} + \frac{\text{CS00W}}{\text{shade}}$

Unit Skylights

Self-Flashed E-Class EVMS



EVMS Solar
"Fresh Air"

Remote and insect screen included with EVMS skylight
Shades not available



EVMS Roof Pitch

Federal Solar Tax Credit

Eligible for a 30% federal solar tax
credit on product and installation*

Custom Sizes

1-800-888-3589
Call for pricing

Remote Upgrade

Upgrade to the VELUX Touch:
Simple control of multiple EVMS
skylights with one remote
See page 6 for more information

- Ready to install right out of the box shingle/
slate/wood roofs up to $\frac{3}{4}$ " thickness.
- One-piece, impenetrable ultra-seal
integrated flashing.
- Requires no sealants.

*For more information visit: veluxusa.com/go-solar




HGTV
**SMART
HOME**
PROUD SPONSOR
2022

How to Order Custom EVMS Skylights

We require exact rough opening (RO) dimensions for width and height.

Up to 15 sq ft | Min RO: 22 1/4" W or H | Max RO: 48" W or 54" H | Delivery N



Choose Your Glass

☐ Laminated

☐ White Laminated

EVMS Custom Finish Colors

VELUX Neutral Grey AAMA 2604 powder coat finish standard.

Other custom finish colors are available, call 1-800-888-3589 for pricing and lead time information.



How to Place Your Order

1. _____ Width
(dimension parallel to ridge)

2. _____ Height

3. Call **1-800-888-3589**
(for pricing)

Unit Skylights

Deck-Mounted VS



VS Manual
"Fresh Air"

Insect screen and operating hook included with VS skylight. Operated by ZCT 300 control rod or crank handle ZZZ 201, sold separately.



Add a Solar-Powered Pre-Installed Shade

Room-Darkening, Double-Pleated White

CS00

See page 43 for special order shade options.



VELUX App Control

Control your VELUX shades anytime, anywhere with your smartphone or smart home device.

Included free with pre-installed shade purchase.

App Control must be purchased separately for special order shades, see page 44.



The New VELUX Touch












Control all of your shades from one touch screen remote control.

KLR 300 WW

See page 6 for more information.

All base models are available to have pre-installed shades, however, some optional skylight models may not be available. VELUX Customer Service will confirm availability. Manual Shades not available for VS model.



Standard Sizes (W-in. x H-in.)	C01	C04	C06	C08	M02	M04	M06	M08	S01	S06
 14° - 85° 3:12 - 137:12										
Outside Frame	21 1/2 x 27 3/8	21 1/2 x 38 3/8	21 1/2 x 46 1/4	21 1/2 x 54 15/16	30 9/16 x 30 1/2	30 9/16 x 38 3/8	30 9/16 x 46 1/4	30 9/16 x 54 15/16	44 3/4 x 27 3/8	44 3/4 x 46 1/4
Rough Opening	21 x 26 7/8	21 x 37 7/8	21 x 45 3/4	21 x 54 7/16	30 1/16 x 30	30 1/16 x 37 7/8	30 1/16 x 45 3/4	30 1/16 x 54 7/16	44 1/4 x 26 7/8	44 1/4 x 45 3/4

Base Model	C01	C04	C06	C08	M02	M04	M06	M08	S01	S06
Laminated LowE ³ Glass Code 2004 Delivery S	—	—	—	—	—	—	—	—	—	—

Optional Models¹ Add price to base model; any size. Applies to standard sizes only.

Impact Glass Code 2006 Delivery N	Copper Cladding Code 2104 Delivery D	Snowload Glass Code 2010 Delivery A	Stain Grade Wood Interior Code 0004 Delivery D
--	---	--	---

Flashing Adhesive underlayment included. VELUX flashing required for the No Leak Warranty.

	C01	C04	C06	C08	M02	M04	M06	M08	S01	S06
Step Asphalt Shingles/Wood Shake/Slate 1/2 in. max thickness Code EDL Delivery S		—		—			—		—	
Copper Step Asphalt Shingles/Wood Shakes/Slate 1/2 in. max thickness Code EDL COPPER Delivery D		—		—			—		—	
High Profile Tile - over 3/4 in. thickness Code EDW Delivery S		—		—			—		—	
Metal Roof Code EDM Delivery S		—		—			—		—	
Biepack ³ Counter Flashing for Deck-Mounted Code ECB Delivery S		—		—			—		—	

¹Lead time/size availability may vary from base model. ²Visit veluxusa.com/go-solar. ³Adhesive underlayment not included.

Order Code Example $\frac{\text{VS}}{\text{product}} + \frac{\text{C06}}{\text{size}} + \frac{\text{2004}}{\text{code}} + \frac{\text{CS00W}}{\text{shade}}$

Unit Skylights

Curb-Mounted VCM



VCM Manual “Fresh Air”

Insect screen and operating hook included with VCM skylight. Operated by ZCT 300 control rod or crank handle ZZZ 212, sold separately.



Add a Solar-Powered Pre-Installed Shade

Room-Darkening, Double-Pleated
White

CS00

See page 43 for special order shade options.



VELUX App Control

Control your VELUX shades
anytime, anywhere with your
smartphone or smart home device.

Included free with pre-installed shade
purchase.

App Control must be purchased separately
for special order shades, see page 44.



The New VELUX Touch

Control all of your shades from one
touch screen remote control.









KLR 300 WW

See page 6 for more information.

* For more information visit: veluxusa.com/go-solar

All base models are available to have pre-installed shades, however, some optional skylight models may not be available. VELUX Customer Service will confirm availability. Manual Shades not available for VCM model.



Standard Sizes (W-in. x H-in.)	2222	2234	2246	3030	3046	3434	4646
							
Inside Curb	22 1/2 x 22 1/2	22 1/2 x 34 1/2	22 1/2 x 46 1/2	30 1/2 x 30 1/2	30 1/2 x 46 1/2	34 1/2 x 34 1/2	46 1/2 x 46 1/2
Outside Curb	25 1/2 x 25 1/2	25 1/2 x 37 1/2	25 1/2 x 49 1/2	33 1/2 x 33 1/2	33 1/2 x 49 1/2	37 1/2 x 37 1/2	49 1/2 x 49 1/2
Maximum Skylight Clearance	26 5/8 x 26 5/8	26 5/8 x 38 5/8	26 5/8 x 50 5/8	34 5/8 x 34 5/8	34 5/8 x 50 5/8	38 5/8 x 38 5/8	50 5/8 x 50 5/8
Base Model	2222	2234	2246	3030	3046	3434	4646
Laminated LowE ³ Glass	—	—	—	—	—	—	—
Code 2004 Delivery S							

Optional Models¹ Add price to base model; any size. Applies to standard sizes only.

Impact Glass
Code 2006 | Delivery N

White Laminated Glass
2222, 2246, 4646 only. Call for additional sizes
Code 2008 | Delivery N – Delivery A for 2222, 2246, 4646

In-Reach Application Model	2222	2234	2246	3030	3046	3434	4646
Tempered LowE ³ Glass	—	—	—	—	—	—	—
Code 2005 Delivery T							

Flashing Adhesive underlayment included. VELUX flashing required for the No Leak Warranty.

	2222	2234	2246	3030	3046	3434	4646
Step 10° - 60° Asphalt Shingles/Wood Shake/Slate 1/2 in. max thickness		—		—		—	—
Code ECL Delivery S							
High Profile 14° - 60° Tile - over 3/4 in. thickness		—		—		—	—
Code ECW Delivery S							

¹Lead time/size availability may vary from base model. ² Visit veluxusa.com/go-solar.

Order Code Example $\frac{\text{VCM}}{\text{product}} + \frac{2246}{\text{size}} + \frac{2004}{\text{code}} + \frac{\text{CS00W}}{\text{shade}}$

Unit Skylights

Self-Flashed E-Class EV



EV Manual
“Fresh Air”











Insect screen and operating hook included with EV skylight.
Operated by ZCT 300 control rod or crank handle ZZZ 201,
sold separately. Shades not available.

Custom	1-800-888-3589
Sizes	Call for pricing

- Ready to install right out of the box shingle/slate/wood roofs up to 3/4" thickness.
- One-piece, impenetrable ultra-seal integrated flashing.
- Requires no sealants.



Standard Sizes Available While Supplies Last

Standard Sizes (W-in. x H-in.)	2222	2230	2238	2246	2254	3030	3046	3054	4646
									
Rough Opening	22 1/2 x 22 1/2	22 1/2 x 30 1/2	22 1/2 x 38 1/2	22 1/2 x 46 1/2	22 1/2 x 54 1/2	30 1/2 x 30 1/2	30 1/2 x 46 1/2	30 1/2 x 54 1/2	46 1/2 x 46 1/2
Base Model	2222	2230	2238	2246	2254	3030	3046	3054	4646
Clean, Quiet & Safe Glass									
Laminated LowE ³ Glass	—	—	—/R	—	—	—	—	—	—
Code 2004 Delivery T									

Optional Models¹ Add price to base model; any size.

White Laminated Glass
Standard on 2222, 2246, 4646
Code 2008 | Delivery N


Order Code Example

EV	+	2246	+	2004
product		size		code

How to Order Custom EV Skylights

We require exact rough opening (RO) dimensions for width and height.

Up to 15 sq ft
Min RO: 22 1/4" W or H
Max RO: 48" W or 54" H



EV Custom Finish Colors

VELUX Neutral Grey finish standard.

Other custom finish colors are available, call 1-800-888-3589 for pricing and lead time information.



How to Place Your Order

- _____ Width
(dimension parallel to ridge)
- _____ Height
- Call **1-800-888-3589**
(for pricing)

Unit Skylights

Deck-Mounted FS



FS Fixed



Add a Solar-Powered Pre-Installed Shade

Room-Darkening, Double-Pleated White

CS00

See page 43 for special order shade options.



VELUX App Control

Control your VELUX shades anytime, anywhere with your smartphone or smart home device.

Included free with pre-installed shade purchase.

App Control must be purchased separately for special order shades, see page 44.



The New VELUX Touch

Control all of your shades from one touch screen remote control.
















KLR 300 WW

See page 6 for more information.

All base models are available to have pre-installed shades, however, some optional skylight models may not be available. VELUX Customer Service will confirm availability.



HGTV
**URBAN
OASIS**
PROUD SPONSOR
— 2022 —

Standard Sizes (W-in. x H-in.)	A06	C01	C04	C06	C08	C12	D26	D06	M02	M04	M06	M08	S01	S06
 14° - 85° 3:12 - 137:12														
Outside Frame	15 1/4 x 46 1/4	21 1/2 x 27 3/8	21 1/2 x 38 3/8	21 1/2 x 46 1/4	21 1/2 x 54 15/16	21 1/2 x 70 3/4	23 1/4 x 23 7/16	23 1/4 x 46 1/4	30 9/16 x 30 1/2	30 9/16 x 38 3/8	30 9/16 x 46 1/4	30 9/16 x 54 15/16	44 3/4 x 27 3/8	44 3/4 x 46 1/4
Rough Opening	14 1/2 x 45 3/4	21 x 26 7/8	21 x 37 7/8	21 x 45 3/4	21 x 54 7/16	21 x 70 1/4	22 1/2 x 22 15/16	22 1/2 x 45 3/4	30 1/16 x 30	30 1/16 x 37 7/8	30 1/16 x 45 3/4	30 1/16 x 54 7/16	44 1/4 x 26 7/8	44 1/4 x 45 3/4
Base Model	A06	C01	C04	C06	C08	C12	D26	D06	M02	M04	M06	M08	S01	S06
Clean, Quiet & Safe Glass														
Laminated LowE ³ Glass	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Code 2004 Delivery S														

Optional Models¹ Add price to base model; any size. Applies to standard sizes only.

Impact Glass

excluding C12

Code 2006 | Delivery N

except for A06, C01, C08, M02, S01

Copper Cladding

Code 2104 | Delivery D

Snowload Glass

excludes C12, D26, D06

Code 2010 | Delivery A

Stain Grade Wood Interior

Code 0004 | Delivery D

Flashing Adhesive underlayment included. VELUX flashing required for the No Leak Warranty.

	A06	C01	C04	C06	C08	C12	D26	D06	M02	M04	M06	M08	S01	S06
Step														
Asphalt Shingles/Wood Shake/Slate 1/2 in. max thickness	—		—		—		—				—		—	
Code EDL Delivery S														
Copper Step														
Asphalt Shingles/Wood Shakes/Slate 1/2 in. max thickness	—		—		—		—				—		—	
Code EDL COPPER Delivery D														
High Profile														
Tile - over 3/4 in. thickness	N/A		—		—		—				—		—	
Code EDW Delivery S														
Metal Roof														
Code EDM Delivery S														
Biepack ³														
Counter Flashing for Deck-Mounted	N/A		—		—	N/A	N/A				—		—	
Code ECB Delivery S														

¹ Lead time/size availability may vary from base model. ² Visit veluxusa.com/go-solar. ³ Adhesive underlayment not included.

Order Code Example $\frac{\text{FS}}{\text{product}} + \frac{\text{C06}}{\text{size}} + \frac{\text{2004}}{\text{code}} + \frac{\text{CS00W}}{\text{shade}}$

Unit Skylights

Curb-Mounted FCM



FCM Fixed

Shades not available on 1430, 1446, 3055, 4672



Add a Solar-Powered Pre-Installed Shade

Room-Darkening, Double-Pleated White

CS00

See page 43 for special order shade options.



VELUX App Control

Control your VELUX shades anytime, anywhere with your smartphone or smart home device.

Included free with pre-installed shade purchase.

App Control must be purchased separately for special order shades, see page 44.



The New VELUX Touch

Control all of your shades from one touch screen remote control.

KLR 300 WW
















See page 6 for more information.

Factory installed shades for FCM skylights includes accessory tray.

Most base models are available to have pre-installed shades, however, some optional skylight models may not be available. VELUX Customer Service will confirm availability.



HGTV
**SMART
HOME**
PROUD SPONSOR
2022

Standard Sizes (W-in. x H-in.)	1430	1446	2222	2230	2234	2246	2270	3030	3046	3055	3434	3446	4646	4672
 0° - 60° 0.12 - 20.12														
Inside Curb	14 1/2 x 30 1/2	14 1/2 x 46 1/2	22 1/2 x 22 1/2	22 1/2 x 30 1/2	22 1/2 x 34 1/2	22 1/2 x 46 1/2	22 1/2 x 70 1/2	30 1/2 x 30 1/2	30 1/2 x 46 1/2	30 1/2 x 55 1/2	34 1/2 x 34 1/2	34 1/2 x 46 1/2	46 1/2 x 46 1/2	46 1/2 x 72 1/2
Outside Curb	17 1/2 x 33 1/2	17 1/2 x 49 1/2	25 1/2 x 25 1/2	25 1/2 x 33 1/2	25 1/2 x 37 1/2	25 1/2 x 49 1/2	25 1/2 x 73 1/2	33 1/2 x 33 1/2	33 1/2 x 49 1/2	33 1/2 x 58 1/2	37 1/2 x 37 1/2	37 1/2 x 49 1/2	49 1/2 x 49 1/2	49 1/2 x 75 1/2
Maximum Skylight Clearance	18 5/8 x 34 5/8	18 5/8 x 50 5/8	26 5/8 x 26 5/8	26 5/8 x 34 5/8	26 5/8 x 38 5/8	26 5/8 x 50 5/8	26 5/8 x 74 5/8	34 5/8 x 34 5/8	34 5/8 x 50 5/8	34 5/8 x 59 5/8	38 5/8 x 38 5/8	38 5/8 x 50 5/8	50 5/8 x 50 5/8	50 5/8 x 76 5/8

Base Model	1430	1446	2222	2230	2234	2246	2270	3030	3046	3055	3434	3446	4646	4672
Clean, Quiet & Safe Glass														
Laminated LowE ³ Glass	-/T	-	-	-	-	-	-	-	-	-	-	-	-	-/F
Code 0004 Delivery S														

Optional Models¹ Add price to base model; any size. Applies to standard sizes only.

Impact Glass

not available on 2270, 3055, 4672

Code 0006 | Delivery N

White Laminated Glass

for 1430, 1446, 2230, 3055, 3446, 4672 call for pricing

Code 0008 | Delivery R

Triple Pane Glass

2222, 2246, 4646 only, call for pricing

Code 0029 | Delivery R

In-Reach Application Model	1430	1446	2222	2230	2234	2246	2270	3030	3046	3055	3434	3446	4646	4672
Tempered LowE ³ Glass	-	-	-	-	-	-	-	-	-	N/A	-	N/A	-	N/A
Code 0005 Delivery S														

Flashing Adhesive underlayment included. VELUX flashing required for the No Leak Warranty.

	1430	1446	2222	2230	2234	2246	2270	3030	3046	ECL 3055 S0000C	3434	3446	4646	ECL 4672 S0000C
Step 10° - 60° Asphalt Shingles/Wood Shake/Slate 1/2 in. max thickness	-			-			-	-	-	-*	-	-	-	-*
Code ECL Delivery S														
High Profile 14° - 60° Tile - over 3/4 in. thickness	-			-			-	-	-	N/A	-	-	-	N/A
Code ECW Delivery S														

*Includes extra step flashing and adhesive underlayment.

¹ Lead time/size availability may vary from base model. ² Factory installed shades for FCM skylights includes accessory tray. ³ Visit veluxusa.com/go-solar.

Order Code Example $\frac{\text{FCM}}{\text{product}} + \frac{2246}{\text{size}} + \frac{2004}{\text{code}} + \frac{\text{CS00W}}{\text{shade}}$

Unit Skylights

Curb-Mounted Custom Size FCM




FCM Fixed

Flashings and shades not available on custom FCM sizes.



FCM roof pitch













- We require maximum skylight clearance dimensions in 1/4" increments (0, 1/4, 1/2, 3/4) for width and height.
- Custom size flashing kits and shades are not available
- Some specialty glass options require longer lead times











Call for pricing and availability

Width	18 3/4 to 50 3/4
Length	18 3/4 to 76 1/2
Allow	15 days or less




HGTV
SMART HOME
PROUD SPONSOR
2023

Standard Sizes	190365	190435	210455	225225	225470	245245	245470	245490	260540	280525
										
Flashed Outside Curb Width Range	22 – 23 1/2	22 – 23 1/2	24 – 25 1/2	25 1/2 – 27	25 1/2 – 27	27 1/2 – 29	27 1/2 – 29	27 1/2 – 29	29 – 30 1/2	31 – 32 1/2
Flashed Outside Curb Height Range	39 1/2 – 41	46 1/2 – 48	48 1/2 – 50	25 1/2 – 27	50 – 51 1/2	27 1/2 – 29	50 – 51 1/2	52 – 53 1/2	57 – 58 1/2	55 1/2 – 57
Maximum Skylight Clearance (W" or H")	23 5/8 x 41 1/8	23 5/8 x 48 1/8	25 5/8 x 50 1/8	27 1/8 x 27 1/8	27 1/8 x 51 5/8	29 1/8 x 29 1/8	29 1/8 x 51 5/8	29 1/8 x 53 5/8	30 5/8 x 58 5/8	32 5/8 x 57 1/8
	190365	190435	210455	225225	225470	245245	245470	245490	260540	280525
Laminated LowE ³ Glass Code 0004D Delivery C	—	—	—	—	—	—	—	—	—	—


Standard Sizes Continued	315315	315470	315700	315715	365365	385385	385540	420435	460470	460700
										
Flashed Outside Curb Width Range	34 1/2 – 36	34 1/2 – 36	34 1/2 – 36	34 1/2 – 36	39 1/2 – 41	41 1/2 – 43	41 1/2 – 43	45 – 46 1/2	49 – 50 1/2	49 – 50 1/2
Flashed Outside Curb Height Range	34 1/2 – 36	50 – 51 1/2	73 – 74 1/2	74 1/2 – 76	39 1/2 – 41	41 1/2 – 43	57 – 58 1/2	46 1/2 – 48	50 – 51 1/2	73 – 74 1/2
Maximum Skylight Clearance (W" or H")	36 1/8 x 36 1/8	36 1/8 x 51 5/8	36 1/8 x 74 5/8	36 1/8 x 76 1/8	41 1/8 x 41 1/8	43 1/8 x 43 1/8	43 1/8 x 58 5/8	46 5/8 x 48 1/8	50 5/8 x 51 5/8	50 5/8 x 74 5/8
	315315	315470	315700	315715	365365	385385	385540	420435	460470	460700
Laminated LowE ³ Glass Code 0004D Delivery C	—	—	—	—	—	—	—	—	—	—

Flashed Outside Curb Range

Standard clearance between flashed outside curb and counterflashing leg:



FCM can accommodate a smaller curb (~3/4") and still use the same skylight. Longer screws are provided as distance between the flashed outside curb and counterflashing increases.



Unit Skylights

Self-Flashed QPF



QPF Fixed



Add a Solar-Powered Pre-Installed Shade

Room-Darkening, Double-Pleated White

CS00

See page 43 for special order shade options.



VELUX App Control

Control your VELUX shades anytime, anywhere with your smartphone or smart home device.

Included free with pre-installed shade purchase.

App Control must be purchased separately for special order shades, see page 44.










The New VELUX Touch

Control all of your shades from one touch screen remote control.

KLR 300 WW

See page 6 for more information.



Standard Sizes (W-in. x H-in.)	2222	2230	2246	3030	3046	4646
 10° - 60° 2:12 - 20:12						
Outside Flashing	29 5/8 x 29 5/8	29 5/8 x 37 5/8	29 5/8 x 53 5/8	37 5/8 x 37 5/8	37 5/8 x 53 5/8	53 5/8 x 53 5/8
Rough Opening/ Finished Frame	22 1/2 x 22 1/2	22 1/2 x 30 1/2	22 1/2 x 46 1/2	30 1/2 x 30 1/2	30 1/2 x 46 1/2	46 1/2 x 46 1/2

Base Model	2222	2230	2246	3030	3046	4646
Clean, Quiet & Safe Glass Laminated LowE ³ Glass Code 2004 Delivery S	—	—	—	—	—	—

Optional Models¹ Add price to base model; any size. Applies to standard sizes only.

Impact Glass Code 2006 Delivery N	White Laminated Glass Code 2008 Delivery N
--	---

In-Reach Application Model	2222	2230	2246	3030	3046	4646
Tempered LowE ³ Glass Code 2005 Delivery S	—	—	—	—	—	—

¹ Lead time/size availability may vary from base model. ² Visit veluxusa.com/go-solar.

Order Code Example $\frac{\text{QPF}}{\text{product}} + \frac{2246}{\text{size}} + \frac{2004}{\text{code}} + \frac{\text{CS00W}}{\text{shade}}$

Unit Skylights

Self-Flashed E-Class EF



EF Fixed

Factory installed shades for EF skylights include accessory tray. Shades not available on 2238, 2254, 3054, or custom sizes



Add a Solar-Powered Pre-Installed Shade

Room-Darkening, Double-Pleated White

CS00

See page 43 for special order shade options.



VELUX App Control

Control your VELUX shades anytime, anywhere with your smartphone or smart home device.

Included free with pre-installed shade purchase.

App Control must be purchased separately for special order shades, see page 44.



The New VELUX Touch

Control all of your shades from one touch screen remote control.











KLR 300 WW

See page 6 for more information.

All base models are available to have pre-installed shades, however, some optional skylight models may not be available. VELUX Customer Service will confirm availability.



Standard Sizes Available While Supplies Last

Standard Sizes (W-in. x H-in.)	2222	2230	2238	2246	2254	3030	3046	3054	4646
									
Rough Opening	22 1/2 x 22 1/2	22 1/2 x 30 1/2	22 1/2 x 38 1/2	22 1/2 x 46 1/2	22 1/2 x 54 1/2	30 1/2 x 30 1/2	30 1/2 x 46 1/2	30 1/2 x 54 1/2	46 1/2 x 46 1/2
Base Model	2222	2230	2238	2246	2254	3030	3046	3054	4646
Laminated LowE ³ Glass	—	—	—/N	—	—/N	—	—	—/N	—
Code 2004 Delivery T									

Optional Models¹ Add price to base model; any size. Applies to standard sizes only.

Impact Glass
Code 2006 | Delivery N

White Laminated Glass
Code 2008 | Delivery N

Order
Code
Example


EF + 2246 + 2004 + CS00
product size code shade

¹Lead time/size availability may vary from base model. ²Factory installed shades for EF skylights includes accessory tray. ³Visit veluxusa.com/go-solar.

How to Order Custom EF Skylights

We require exact rough opening (RO) dimensions for width and height.

Up to 23 sq ft
Min RO: 14 1/2" W or H
Max RO: 72" W or H



EF Custom Finish Colors

VELUX Neutral Grey finish standard. Other custom finish colors are available, call 1-800-888-3589 for pricing and lead time information.



How to Place Your Order

1. _____ Width
(dimension parallel to ridge)
2. _____ Height
3. Call **1-800-888-3589**
(for pricing and lead time)

Unit Skylights

Curb-Mounted SkyMax GSM



GSM Fixed

Custom
Sizes
up to 35 sq ft

1-800-888-3589
Call for pricing

- Sizes are based upon the outside curb dimension (OCD).
- For use with site-built curb and flashing minimum 3 ½ curb.
- Available custom finish colors and copper cladding.



Standard Sizes (W-in. x H-in.)**4896****5199**

Inside Curb Dimension

45 x 93

48 x 96

Outside Curb Dimension

48 x 96

51 x 99

Max Skylight Clearance

49 1/4 x 97 1/4

52 1/4 x 100 1/4

Base Model**4896****5199**

Solarban 70XL Clear

Code 0090

-/B

-/R

Optional Models¹ Other glass options available as custom.¹Lead time/size availability may vary from base model. Additional models do not apply to custom sizes.

Order Code Example $\frac{\text{GSM}}{\text{product}} + \frac{4896}{\text{size}} + \frac{0090}{\text{code}}$

Call 1-800-888-3589 for sizes 4896 and 5199 listed above.


How to Order Custom SkyMax GSM Skylights

We require exact outside curb dimensions (OCD) for width and height

Up to 35 sq ft (OCD)

Min OCD: 17 1/2" W or H

Max OCD: 120" W or H



GSM Custom Finish Colors

VELUX Neutral Grey finish standard. Other custom finish colors are available, call 1-888-878-3589 for pricing and lead time information.



Bone White

Quaker Bronze

Black

Dark Bronze Matte

Silver Matte

Copper Clad

How to Place Your Order

1. _____ Width
(dimension parallel to ridge)

2. _____ Height

3. Call **1-800-888-3589**
(Call Customer Service for custom size pricing)

Sun Tunnel® Skylights

Rigid & Flex Tube



TGR

Rigid One-piece Low-profile Metal Flashing



TGF

Flexible One-piece Low-profile Metal Flashing



TMR

Rigid Pitched One-piece Metal Flashing



TMF

Flexible Pitched One-piece Metal Flashing



TLR

Rigid Low-profile Flat Glass



TCR

Rigid Curb Metal Flashing




Roof Pitch:
TGR, TMR, TSR,
TGF, TMF, TLR




Roof Pitch:
TCR




HGTV
**SMART
HOME**
PROUD SPONSOR
2023



10" Sun Tunnel	TGR 010	TSR 010	TMR 010
Tube length with kit Rigid kits include 2 elbows & 24" extension	48"	48"	48"
Tube type	Rigid	Rigid	Rigid
Maximum recommended installation length	20'	20'	20'
Dome/Flashing	TGR 010	TSR 010	TMR 010
Acrylic Dome Shingle/shake roof Code 0000 Delivery S	—	N/A	—
Impact Dome Shingle/shake roof Code 1000 Delivery T	—	N/A	—
Acrylic Dome Plastic/metal flashing - shingle/shake roof Code 0000 Delivery S	N/A	—	N/A



14" Sun Tunnel	TGR 014	TMR 014	TLR 014	TCR 014	TMF 014	TGF 014
Tube length with kit Rigid kits include 2 elbows & 24" extension	48"	48"	48"	48"	8'	8'
Tube type	Rigid	Rigid	Rigid	Rigid	Flexible	Flexible
Maximum recommended installation length	30'	30'	30'	30'	8'	8'
Dome/Flashing	TGR 014	TMR 014	TLR 014	TCR 014	TMF 014	TGF 014
Flat Glass Shingle/shake roof Code 2000 Delivery S	N/A	N/A	—	N/A	N/A	N/A
Acrylic Dome Shingle/shake roof Code 0000 Delivery S	—	—	N/A	—	—	—
Impact Dome Shingle/shake roof Code 1000 Delivery T	—	—	N/A	—	—	—



22" Sun Tunnel	TGF 022	TGR 022
Tube length with kit Rigid kits include 2 elbows & 24" extension Subtract approximately 6" for flashing	8'	48"
Tube type	Flexible	Rigid
Maximum recommended installation length	12'	40'
Dome/Flashing	TGF 022	TGR 022
Acrylic Dome Shingle Code 0000 Delivery S	—	N/A
Impact Dome Shingle Code 1000 Delivery T	—	N/A
Acrylic Dome Shingle - ships in multiple boxes Code S0000 Delivery F	N/A	—
Impact Dome Shingle - ships in multiple boxes Code S1000 Delivery F	N/A	—



Save Big*

Add a Solar Night Light to the purchase of a rigid Sun Tunnel® and your homeowners become eligible for a 30% Federal Solar Tax Credit on the entire purchase, including installation!

Order Code Example $\frac{\text{TMR}}{\text{product}} + \frac{\text{010}}{\text{size}} + \frac{\text{0000}}{\text{code}} + \frac{\text{SL}}{\text{light}}$

*For more information visit: veluxusa.com/go-solar
Only available for Rigid Residential Sun Tunnel®

Sun Tunnel accessories on pages 46 and 47.

Sun Tunnel® Skylights

Wildfire & Impact Glass



TZR/TZRL
Wildfire or Impact Glass
Curb-Mount



TZRQ
Wildfire or Impact Glass
Pan-Flushed




Roof Pitch
TZR



Roof Pitch
TZRL / TZRQ





Model	TZR 014	TZRL 014	TZRQ 014
Tube length with kit Rigid kits include 2 elbows & 24" extension	64"	64"	52"
Tube type	Rigid	Rigid	Rigid
Maximum recommended installation length	30'	30'	30'
Flashing	Not included	Step-flashing Included	Pan-flashed


Glass Options	TZR 014	TZRL 014	TZRQ 014
Wildfire Glass Shingle/tile (TZR), shingle (TZRL, TZRQ) Code 2A00 Delivery F	—	—	—
Impact Glass Shingle/tile (TZR), shingle (TZRL, TZRQ) Code 1A00 Delivery T	—	—	—

Flashing	TZR 014	TZRL 014	TZRQ 014
ECW 014Z Curb Mounted Flashing - Shingle/tile Delivery F	—	Order TZR ²	N/A
ECL Curb Mounted Flashing - Shingle	Order TZRL ¹	Included	N/A

¹ TZRL is a TZR with an ECL flashing kit included. ² Order as a TZR with ECW 014Z.



Diamond Wire
Wildfire Glass



Hurricane Resistant
Impact Glass

Flat Roof Skylights


Curb-Mounted Domed Units



FXG Acrylic
Double Dome

Custom Sizes	1-800-888-3589 Call for pricing
-----------------	------------------------------------

- Neutral gray exterior color.
- Encapsulated inner frame is 100% thermally broken.









CXP Hatch with
ISD Polycarbonate Protective Cover

- Opens manually up to 60° for roof access.
- Highly impact resistant domed polycarbonate outer with inner laminated glass pane for added safety, sound control, and thermal protection.
- Insulated PVC frame.



Acrylic Double Dome FXG

Standard Sizes (W-in. x H-in.)
(previous size)

	225225	225465	305305	345345	465465
					
Outside Curb	25 1/2 x 25 1/2	25 1/2 x 49 1/2	33 1/2 x 33 1/2	37 1/2 x 37 1/2	49 1/2 x 49 1/2
Maximum Skylight Clearance	26 11/16 x 26 11/16	26 11/16 x 50 11/16	34 11/16 x 34 11/16	38 11/16 x 38 11/16	50 11/16 x 50 11/16





Glazing	225225	225465	305305	345345	465465
Clear over clear Code 0A1A1	—/S	—/S	—/S	—/S	—/S
Clear over white Code 0A1A2	—/R	—/R	—/R	—/R	—/R

Please contact Customer Service 800-888-3589 for sizes above in bronze over clear glazing.

Hatch CXP with Polycarbonate Top Cover ISD

(Both are required)

Standard Sizes (W-in. x H-in.)

	090120	100100	120120
			
Rough Opening	35 7/16 x 47 1/4	39 3/8 x 39 3/8	47 1/4 x 47 1/4
Exterior Frame	42 1/2 x 54 5/16	46 7/16 x 46 7/16	54 5/16 x 54 5/16
Top Cover	090120	100100	120120
Polycarbonate ISD Code 0010 Delivery G	—	—	—
Base Unit (Required)	090120	100100	120120
Hatch CXP Code 0473Q Delivery G	—	—	—

Note: Must order both base unit and top cover to make a complete skylight unit. Base and cover will ship and invoice separately.

Flat Roof Skylights

Curb-Mounted CFU/ISU



CFU Fixed Base with
ISU CurveTech Protective Top Cover



CFU Fixed Base

- Laminated thermal pane for added safety, sound control, and thermal protection.














ISU CurveTech Protective Top Cover

- CurveTech glass lets rainwater easily roll off for a clean look while preventing leaks.
- Tempered glass is virtually scratch-proof, providing a durable layer of protection.
- Unique curved glass with a modern and innovative design.



Curb-Mounted CFU/ISU

Standard Sizes (W-in. x H-in.)	060060	080080	090060	120090	120120
 0° - 15° 0:12 - 3:12					
Rough Opening	23 11/16 x 23 11/16	31 9/16 x 31 9/16	35 1/2 x 23 11/16	47 5/16 x 35 1/2	47 5/16 x 47 5/16
Exterior Frame	32 1/16 x 32 1/16	39 15/16 x 39 15/16	43 7/8 x 32 1/16	55 11/16 x 43 7/8	55 11/16 x 55 11/16
Standard Sizes Continued (W-in. x H-in.)	090090	100100	150100	150150	200100
					
Rough Opening	35 1/2 x 35 1/2	39 7/16 x 39 7/16	59 1/8 x 39 7/16	59 1/8 x 59 1/8	78 3/4 x 39 7/16
Exterior Frame	43 7/8 x 43 7/8	47 13/16 x 47 13/16	67 1/2 x 47 13/16	67 1/2 x 67 1/2	87 3/16 x 47 13/16

CFU Fixed Base Unit

ISU Top Cover required when purchasing CFU fixed base unit

Standard Sizes	060060	080080	090060	120090	120120
Code 0020Q Delivery G	—	—	—	—	—
Standard Sizes	090090	100100	150100	150150	200100
Code 0020Q Delivery N	—	—	—	—	—

ISU Top Cover

Standard Sizes	060060	080080	090060	120090	120120
Code 1093 Delivery G	—	—	—	—	—
Standard Sizes	090090	100100	150100	150150	200100
Code 1093 Delivery N	—	—	—	—	—

Note: Must order both base unit and top cover to make a complete skylight unit. Base and cover will ship and invoice separately.

Skylight Flashing

Deck-Mounted Combi-Flashing™



EKL

low-profile roofing material
shingles/shakes

EKW

high-profile roofing material
tile/corrugated metal



EKL/EKW Roof Pitch

- Combi-Flashing™ allows for large installations of multiple skylights.
- Must specify vertical gutter spacing when ordering. May be from 2.5" to 12" in 1/2" increments. Combi-Flashings™ with gutters 4.5" or wider have additional charges.
- Only the 2 1/2", 3", 3 1/2" and 4" gutters are stocked; all other widths are special order and carry a 15-day production time.
- 1 x (over/under) combinations have 4" horizontal gutter only.
- EKW has 4" gutter side by side configuration only,
- Gutter sizes listed are frame to frame – RO to RO will be 1/2" larger, ex. 3" listed gutter = 3 1/2" RO to RO.




**URBAN
OASIS**
PROUD SPONSOR
— 2022 —

Sizes		C01	C04	C06	C08	C12	M02	M04	M06	M08	S01	S06
1 by 2 Flashing Configuration												
<div><div></div><div></div></div>	EKL Low-Profile Delivery T	—	—	—	—	—	—	—	—	—	—	—
1 by 3 Flashing Configuration												
<div><div></div><div></div><div></div></div>	EKL Low-Profile Delivery T	—	—	—	—	—	—	—	—	—	—	—
2 by 1 Flashing Configuration												
<div><div></div><div></div></div>	EKL Low-Profile Delivery T	—	—	—	—	—	—	—	—	—	—	—
	EKW High-Profile Delivery T	Call	Call	Call	N/A	N/A	Call	Call	Call	Call	Call	Call
2 by 2 Flashing Configuration												
<div><div></div><div></div><div></div><div></div></div>	EKL Low-Profile Delivery T	—	—	—	—	—	—	—	—	—	—	—
2 by 3 Flashing Configuration												
<div><div></div><div></div><div></div><div></div><div></div></div>	EKL Low-Profile Delivery T	—	—	—	—	—	—	—	—	—	—	—
3 by 1 Flashing Configuration												
<div><div></div><div></div><div></div></div>	EKL Low-Profile Delivery T	—	—	—	—	—	—	—	—	—	—	—
	EKW High-Profile Delivery T	—	—	—	N/A	N/A	—	—	—	—	—	—
3 by 2 Flashing Configuration												
<div><div></div><div></div><div></div><div></div><div></div></div>	EKL Low-Profile Delivery T	—	—	—	—	—	—	—	—	—	—	—
4 by 1 Flashing Configuration												
<div><div></div><div></div><div></div><div></div></div>	EKL Low-Profile Delivery T	—	—	—	—	—	—	—	—	—	—	—
	EKW High-Profile Delivery T	—	—	—	N/A	N/A	—	—	—	—	—	—

Many other combinations can be made beyond what is listed in the pricing chart. Call customer service for more combi-flashing™ options and pricing. Measurement must be taken from rough opening to rough opening.

Large orders may require longer lead times. Combi-flashings™ are not available for models FCM, VCM, VCE, QPF, or VCS. VSS is not available in 1 by 3 or 2 by 3 configurations due to the solar panel.

Skylight Accessories

Shades



Room-Darkening Double-Pleated

Unique honeycomb structure adds an extra layer of fabric to block bright sunlight.



Light-Filtering Single-Pleated

The single-pleated shades softly diffuse natural light, helping prevent glare.



Venetian

Available for roof windows only

Lightweight, horizontal slats provide style and easy light control for any room.

Model and size code on your skylight:



Order code example:

FSCD	C06	1045SWL
shade model	+ skylight size	+ color code




HGTV
**URBAN
OASIS**
PROUD SPONSOR
— 2023 —

In-Stock Shade Options¹

Solar-Powered

Available for factory installation

Solar Room-Darkening, Double-Pleated


	Skylight Model	Shade Model
	VSS/VSE	FSCH
	VS	FSCH
	FS	FSCD
	VCS/VCE/VCM/QPF	FSCC
	FCM - accessory tray needed add to shade price	FSCC

1045
White

Manual


Ships separately from Roof Window

Manual Venetian³

	Roof Window Model	Shade Model
	GPU/GXU/GGU	PAL
	Slats measure 1.375"	

7001
White


Manual Light Filtering, Single Pleated⁴

	Roof Window Model	Shade Model
	GPU/GXU/GGU	FHL

















1016
White

Special Order Shade Options²

Room-Darkening, Double-Pleated






					
1047 Charcoal	1049 Golden Beige	1156 Blue	1165 Light Brown	1166 Ivory	1167 Orange
					
1168 Dusty Green	1169 Light Blue	1170 Dark Taupe	1172 Light Grey	1173 Petrol	1155 Beige
					
1163 Grey	1164 Grey Melange	1171 Dark Sand			

Light Filtering, Single-Pleated

					
1016 White	1274 Charcoal	1276 Dusty Brown	1277 Dusty Sand	1278 Beige	1279 Red Wine
					
1280 Forest Green	1281 Mint Green	1283 Light Beige	1284 Grey	1285 Soft Blue	1259 Classic Sand
					
1256 Classic White	1275 Natural	1282 Dark Grey	1286 Jeans Blue		

Manual - Venetian

Available for roof windows only

				
7057 Brushed Silver	7062 Matte Black	7063 Matte Grey	7064 Natural	7065 Taupe

Solar-Powered Special Order Shades

Skylight Model	Room-Darkening, Double-Pleated	Light-Filtering, Single-Pleated
VSS/VSE	FSCH	FSLH
VS	FSCH	FSLH
FS	FSCD	FSLD
VCS/VCE/VCM/QPF	FSCC	FSLC
FCM - accessory tray needed add to shade price	FSCC	FSLC

Manual Special Order Roof Window Shades

Roof Window Model	Room-Darkening, Double-Pleated	Light-Filtering, Single-Pleated	Venetian
GPU/GXU/GGU*	FHC	FHL	PAL

*GPU/GXU/GGU shades subject to longer lead time, up to 8 weeks.

¹**In-Stock:** Available for factory installation, 2-4 business days. Custom sizes must be placed as special order. Roof windows not eligible for factory installation.

²**Special Order:** Not available for factory installation. Shades ship separately from your skylight, 14 business days.

³ Manual venetian stocked for roof windows only. ⁴ Manual shades stocked for roof windows only, solar option available for skylights as special order.

Skylight Accessories

Home Automation

VELUX ACTIVE

Includes Climate Sensor, Departure Switch, and Internet Gateway

Model	Price	Delivery
KIX 300 US	—	S



VELUX ACTIVE Indoor Climate Sensor

Additional sensor for other rooms with VELUX skylights

Model	Price	Delivery
KLA 300 US	—	S



VELUX ACTIVE Departure Switch

Additional departure switch

Model	Price	Delivery
KLN 300 US	—	S



VELUX App Control

Control your VELUX skylights and shades anytime, anywhere with your smartphone or smart home device.

Model	Price	Delivery
KIG 300 US	—	S



Home Automation Integration Kit

Wirelessly control up to five groups of solar/electric-powered skylights or shades

Model	Price	Delivery
KLF 200 US	—	S



Installation Accessories

Additional Step Flashing Deck/Curb

Deck-mounted = 14 pieces - ZZZ 200 0000
Curb-mounted = 12 pieces - ZZZ 200 0000C

Model	Price	Delivery
ZZZ 200 0000	—	S
ZZZ 200 0000C	—	S



Adhesive Underlayment

9" x 26' per roll


Model	Price	Delivery
ZOZ 216L	—	S



Replacement Kit

4 pre-cut drywall groove filler pieces and 4 structural brackets. Use in deck-mounted applications. Sizes: C01, C04, C06, C08, D06, D26, M02, M04, M06, M08, S01, S06

Model	Price	Delivery
ZZZ 238 + size	—	S



Structural Brackets 4 brackets

Use in deck-mounted applications with an oversized rough opening

Model	Price	Delivery
ZZZ 219	—	T



Trim Groove Filler Kit

Three 57 1/2" pieces. One kit will work for most sizes

Model	Price	Delivery
ZZZ 213B	—	S



Shade Accessory Tray

Needed for shade installation on Fixed Curb-Mounted Skylights (2222-4646)

Model	Price	Delivery
ZZZ 199 + size	—	S


Also for EF skylights, excluding sizes 2239, 2254, 3054



Sun Screen Adapter Kit

Allows skylight models manufactured prior to January 1, 2010 to have special order shades. V-venting, F-fixed

Model	Price	Delivery
ZZZ 232V	—	T
ZZZ 232F	—	T



Wildfire Screen

Made to meet California's strictest fire codes for new skylight installations, these screens are compatible with all our Deck-Mounted and Curb-Mounted skylights.

Model	Price	Delivery
ZZZ 256 + size	—	F



Remotes & Electric

Basic Remote Control

Remote control allows users to operate single skylights or shades from anywhere in the room

Model	Price	Delivery
KLI 310 US	—	S



Battery Backup

Provides limited operation of VSE, VCE skylights and during power outages

Model	Price	Delivery
KLB 100 WW	—	S



VELUX Touch Remote Control

Remote control allows users to operate multiple skylights and shades with one remote from anywhere in the room, not dependent on Wi-Fi

Model	Price	Delivery
KLR 300 WW	—	S



Manual Controls

VS/VCM Crank Handle

Operate in-reach manual venting skylight

Model	Price	Delivery
ZZZ 201 (VS)	—	S
ZZZ 212 (VCM)*	—	S

*Includes the ZZZ 208 extension.



VS/VCM Replacement Hook

Replacement hook for out-of-reach manual venting skylight

Model	Price	Delivery
ZZZ 202 (VS)	—	S
ZZZ 211 (VCM)	—	S



Extension Chain Operator

Extension for manual crank handle or manual angle adaptor to make skylights easier to operate

Model	Price	Delivery
ZZZ 208	—	S



Angle Adaptor for Chain Operator

Used in conjunction with the manual hook for out-of-reach applications to make the skylight easier to operate with a manual pole

Model	Price	Delivery
ZZZ 203	—	S



Telescopic Rod 6'–10' Manual Skylights

For VS and VCM skylights from 1982 to present and sun screen accessories made prior to 2010

Model	Price	Delivery
ZCT 300	—	S



Telescopic Rod 3'–6' Manual Shades

For operation of manual sun screen accessories


Model	Price	Delivery
ZXT 200	—	S



Universal Extension 3'

Extension piece for telescopic rods. Extends control rods for an additional 3'

Model	Price	Delivery
ZCT 100	—	S



Sun Tunnel® Skylight Accessories

Lighting

Solar Night Light

Provides low level light available for rigid tube only

Model	Price	Delivery
ZTZ 213	—	S

*For more information visit: veluxusa.com/help/tax-credit



Daylight Controller

Motorized variable positioning daylight control device. Requires ZZZ 233 Power Supply

Model	10"	14"	Delivery
ZTP	N/A	—	F



Power Supply

Power supply for control devices

Model	Price	Delivery
ZZZ 233	—	F



Universal Electric Light Kit

Designed to let Sun Tunnel® be a source of light at night and during the day

Model	10"	14"	22"	Delivery
ZTL 114	—	—	N/A	S
ZTL 122	N/A	N/A	—	S



Discontinued – While Supplies Last

Diffusion Enhancer - 6" band

Highly reflective obscure 6" band designed to diffuse direct sunlight

Model	10"	22"	Delivery
ZTZ 209	—	—	S



Tube

Rotation Coupler

Enables quick tube connections when getting around obstacles in the attic is required

Model	10"	14"	Delivery
ZTZ 211	—	—	S



Elbows

Can be used at bottom, middle, or top of your installation - can form a 90 degree bend using multiple elbows with rotating couplers

Model	10"	14"	22"	Delivery
ZTE 0000	—	—	—	S



Rigid Tube 24" reflective tunnel sections

Available in bulk quantities

Model	10"	14"	22"	Delivery
ZTR 2' - 1 unit	—	—	—	S
ZTR 4'- 2 units	—	—	—	S
ZTR 6'- 3 units	—	—	—	S
ZTR 12'- 6 units	—	—	—	S
ZTR 24'- 12 units	—	—	—	S



Suspension Wire Kit

12-gauge wire and fastener set to secure longer tube sections

Model	Price	Delivery
ZTZ 203	—	F



Performance Enhancing

Energy Kit

Designed to increase energy efficiency; includes a thermal plate and a diffusing disc



Model	10"	14"	22"	Delivery
ZTC 0051US	—	—	N/A	S
ZTC 0041US	N/A	N/A	—	S

Exterior Fire Band

Designed to meet fire prevention requirements of building codes - not available for TSR 10"



Model	10"	14"	22"	Delivery
ZZZ 192	—	—	—	F

Vapor Barrier

Designed for protecting flashing components and ceiling opening from condensation



Model	10"	14"	22"	Delivery
ZTY	—	—	—	T

Decorative Diffusers

Simple way to enhance your ceiling and ensure that your diffuser film matches the décor and feel of the room



Model	Description	10"	14"	Delivery
	Micro Fresnel ZTB 4004US	—	—	S
	Triple Wave ZTB 4005US	—	—	S
	Brushed Metal ZTB 4006US	—	—	S
	Prismatic ZTB 4007US	—	—	S
	Bubbles ZTB 4008US	—	—	S
	Neutral light ZTB 4009US	—	—	S

Flashing

Curb-Mounted Flashing - Tile

Install on tile roofing material over 3/4" thickness for roof pitch 14-60° for TCR and TZR models



Sun Tunnel	Flashing Model	14"	Delivery
TCR	ECW 014 0000	—	S
TZR	ECW 014Z 0000	—	F

Sun Tunnel® Flashing - Tile


Water-tight flashing without the use of sealants Only for TMR and TMF



Model	10"	14"	Delivery
ZTM 0000 50	—	—	F

Roof Windows

Top-Hinged GPU



GPU Top-hinged
Roof Window



GPU Roof Pitch

- Designed for in-reach applications, such as bonus rooms or attics.
- **Stocked GPU Units are for Roofs with a Maximum of 55° Roof Pitch.** Roofs with a pitch greater than 55° need to order GPU units with special springs for an additional cost per unit.











Opens to a maximum of 45° to satisfy egress requirements for emergency escape.

(MK06, MK08, PK10, SK06, UK08 meet egress requirements. CK04, CK06, MK04 do not meet egress requirements.)



Special order shade options
See page 43



Standard Sizes	CK04	CK06	MK04	MK06	MK08	PK10	SK06	UK08
(W-in. x H-in.)								
Outside Frame	21 5/8 x 38 1/2	21 5/8 x 46 3/8	30 3/4 x 38 1/2	30 3/4 x 46 3/8	30 3/4 x 55	37 1/8 x 63	44 7/8 x 46 3/8	52 3/4 x 55 1/16
Rough Opening	22 1/8 x 39	22 1/8 x 46 7/8	31 1/4 x 39	31 1/4 x 46 7/8	31 1/4 x 55 1/2	37 5/8 x 63 1/2	45 3/8 x 46 7/8	53 1/4 x 55 1/2

Base Model	CK04	CK06	MK04	MK06	MK08	PK10	SK06	UK08
Laminated Glass Code 0070 Delivery T	—	—	—	—	—	—	—	—


Flashing	CK04	CK06	MK04	MK06	MK08	PK10	SK06	UK08
Step Flashing Asphalt Shingles, Wood Shakes, or Slate Up to 1/2 inch maximum thickness Code EDL Delivery T	—	—	—	—	—	—	—	—
High Profile Flashing Tile - Over 3/4 inch thickness Code EDW Delivery T	—	—	—	—	—	—	—	—

All cladding components for roof windows are included in the flashing box. If VELUX flashing is not used, then ZWC cladding pieces must be ordered. Call Customer Service for pricing on Flashing Kits available for when replacing old Roof Windows with new Roof Windows.

Accessories	CK04	CK06	MK04	MK06	MK08	PK10	SK06	UK08
Manual Shade White, Room-Darkening, Double-Pleated Code FHC 1045SWL Delivery T					—			
Manual Shade White, Light-Filtering, Single-Pleated Code FHL 1016SWL Delivery T					—			
Manual Shade White Venetian Code PAL 7001SWL Delivery T					—			
Insect Screen Code ZIL 0000SWL Delivery T					—			

Roof Windows

Roof Access GXU



GXU Roof Access
Roof Window



GXU Roof Pitch

- Opens 90° for easy access to the outdoors.
- Designed for in-reach applications.



FK06 satisfies egress requirements
for emergency escape.

(CK06 size does not meet requirements
for emergency escape.)



Special order shade options
See page 43



Standard Sizes

(W-in. x H-in.)

CK06**FK06**

Outside Frame

21 ⁵/₈ x
46 ³/₈26 x
46 ³/₈

Rough Opening

22 ¹/₈ x
46 ⁷/₈26 ¹/₂ x
46 ⁷/₈**Base Model****CK06****FK06**

Laminated Glass

Code 0070 | Delivery T

—

—

Flashing**CK06****FK06**

Step Flashing

Asphalt Shingles, Wood Shakes, or Slate
Up to 1/2 inch maximum thickness**Code EDL** | Delivery T

—

—

High Profile Flashing

Tile - Over ³/₄ inch thickness**Code EDW** | Delivery T

—

—

All cladding components for roof windows are included in the flashing box. If VELUX flashing is not used, then ZWC cladding pieces must be ordered.

Accessories**CK06****FK06**

Manual Shade

White, Room-Darkening, Double-Pleated

Code FHC 1045SWL | Delivery T

—

—

Manual Shade

White, Light-Filtering, Single-Pleated

Code FHL 1016SWL | Delivery T

—

—

Manual Shade

White Venetian

Code PAL 7001SWL | Delivery T

—

—

Insect Screen

Code ZIL 0000SWL | Delivery T

—

—

Roof Windows

Balcony GDL



GDL Balcony Roof Window



GDL Balcony Roof Pitch

- Dual-sash operation: top opens for ventilation and bottom opens outward to create a roof balcony.
- When the GDL Balcony Roof Window is closed, a ventilation flap can be opened to provide a breath of fresh air, even if it is raining outside.
- For in-reach application only.



Standard Sizes**MK19****PK19**

(W-in. x H-in.)



Outside Frame

30 ³/₄ x
99 ¹/₄37 ¹/₁₆ x
99 ¹/₄

Rough Opening

33 ¹/₁₆ x
10139 ³/₈ x
101**Base Model****MK19****PK19**

Laminated Glass/Aluminum

—

—

Code 3066 | Delivery T**Flashing****MK19****PK19**

Step Flashing

Asphalt Shingles, Wood Shakes, or Slate
Up to 1/2 inch maximum thickness

—

—

Code EDL | Delivery T

High Profile Flashing

Tile - Over ³/₄ inch thickness

—

—

Code EDW | Delivery T**Accessories****MK19****PK19**

Manual Shade

White, Room-Darkening, Double-Pleated

Code FHC SD1045SWL | Delivery T

—

—

Manual Shade

White, Light-Filtering, Single-Pleated

Code FHL SD1016SWL | Delivery T

—

—

Insect Screen

Three parts are required for each
Balcony Roof Window**Code ZOZ 157SWL** | Delivery T

—

—

Code ZIL MK06 0000SWLG | Delivery T

—

—

Code ZIL MK10 0000SWL | Delivery T

—

N/A

Code ZIL PK06 0000SWL | Delivery T

N/A

—

Code ZIL PK10 0000SWL | Delivery T

N/A

—

Roof Windows

Center-Pivot GGU



GGU Center-Pivot
Roof Window




















GGU Roof Pitch

- Easy to open and quick to close with the top control bar.
- For in-reach application only.



Special order shade options
See page 43



Standard Sizes	CK02	CK04	CK06	FK04	FK06	FK08	MK04	MK06	MK08	MK10	PK06	PK08	PK10	SK06	SK08	UK04	UK08
(W-in. x H-in.)																	
Outside Frame	21 ⁵ / ₈ x 30 ⁵ / ₈	21 ⁵ / ₈ x 38 ¹ / ₂	21 ⁵ / ₈ x 46 ³ / ₈	26x 38 ¹ / ₂	26x 46 ³ / ₈	26x 55	30 ³ / ₄ x 38 ¹ / ₂	30 ³ / ₄ x 46 ³ / ₈	30 ³ / ₄ x 55	30 ³ / ₄ x 63	37 ¹ / ₈ x 46 ³ / ₈	37 ¹ / ₈ x 55	37 ¹ / ₈ x 63	44 ⁷ / ₈ x 46 ³ / ₈	44 ⁷ / ₈ x 55	52 ³ / ₄ x 38 ¹ / ₂	52 ³ / ₄ x 55 ¹ / ₁₆
Rough Opening	22 ¹ / ₈ x 31 ¹ / ₈	22 ¹ / ₈ x 39	22 ¹ / ₈ x 46 ⁷ / ₈	26 ¹ / ₂ x 39	26 ¹ / ₂ x 46 ⁷ / ₈	26 ¹ / ₂ x 55 ¹ / ₂	31 ¹ / ₄ x 39	31 ¹ / ₄ x 46 ⁷ / ₈	31 ¹ / ₄ x 55 ¹ / ₂	31 ¹ / ₄ x 63 ¹ / ₂	37 ⁵ / ₈ x 46 ⁷ / ₈	37 ⁵ / ₈ x 55 ¹ / ₂	37 ⁵ / ₈ x 63 ¹ / ₂	45 ³ / ₈ x 46 ⁷ / ₈	45 ³ / ₈ x 55 ¹ / ₂	53 ¹ / ₄ x 39	53 ¹ / ₄ x 55 ¹ / ₂

Base Model	CK02	CK04	CK06	FK04	FK06	FK08	MK04	MK06	MK08	MK10	PK06	PK08	PK10	SK06	SK08	UK04	UK08
Laminated Glass Code 0070 Delivery N	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Flashing	CK02	CK04	CK06	FK04	FK06	FK08	MK04	MK06	MK08	MK10	PK06	PK08	PK10	SK06	SK08	UK04	UK08
Step Flashing Code EDL Delivery T	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
High Profile Flashing Code EDW Delivery T	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

All cladding components for roof windows are included in the flashing box. If VELUX flashing is not used, then ZWC cladding pieces must be ordered. Call Customer Service for pricing on Flashing Kits available for when replacing old Roof Windows with new Roof Windows.

Accessories	CK02	CK04	CK06	FK04	FK06	FK08	MK04	MK06	MK08	MK10	PK06	PK08	PK10	SK06	SK08	UK04	UK08
Manual Shade White, Room Darkening, Double-Pleated Code FHC 1045SWL Delivery T	—N	—	—	—N	—	—	—N	—	—	—	—N	—N	—	—	—N	—	—
Manual Shade White, Light-Filtering, Single-Pleated Code FHL 1016SWL Delivery T	—N	—	—	—N	—	—	—N	—	—	—N	—N	—N	—	—	—N	—	—
Manual Shade White Venetian Code PAL 7001SWL Delivery T	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insect Screen Code ZIL 0000SWL Delivery T	—	—	—	—N	—	—	—N	—	—	—N	—N	—N	—	—	—N	—	—


Architectural Skylights

Custom Skylight Systems



- Unlimited design capabilities to create spectacular daylighting applications.
- Capable of spanning up to 40 feet.
- Broad range of glass options to select from, including hurricane-rated, electrochromic, photovoltaic, and insulated glass, or cellular polycarbonate with option for aerogel fill.
- Available in standard or custom sizes, both with reliable engineering, construction, and installation.
- Choose from a broad range of interior and exterior finishes.

Custom Finish Colors:



Mill finish standard. Other custom finish colors are available.
Visit commercial.veluxusa.com/products/finishes for full list of finish colors.



Pinnacle System

- Spans up to 40' wide, unlimited length
- Self-supporting structural system
- Custom skylight pitches 15° - 60°
- Flat or pitched roof applications
- Custom glazing options
- Custom finish colors
- Site-built system




Square
Pyramid



Polygonal
Pyramid



Extended
Pyramid



Single
Pitch



Double
Pitch



Structural
Ridge

Classic System

- Spans up to 6' wide, unlimited length
- Self-supporting structural system
- Three standard skylight pitches: 5:12, 7:12, 12:12
- Flat or pitched roof applications
- Custom glazing options
- Custom finish colors
- Factory welded and assembled



Square
Pyramid



Polygonal
Pyramid



Extended
Pyramid



Double
Pitch

Low Profile System

- Unlimited width and length
- Structural support required
- Pitched roof applications
- Custom glazing options
- Custom finish colors
- Factory-built or site-built system



Low Profile

Architectural Skylights

VELUX Modular Skylights – VMS



HFC Fixed
5° Module

HVC Ventilating
5° Module




VMS Roof Pitch

- Pre-glazed module with 100% prefabricated components and unique bracket system guarantees a predictable installation process
- Watertight design ensures moisture protection without need for sealants
- Hidden chain actuators allow modules to vent allowing fresh air into the building
- Internal shades can be pre-installed allowing for shading throughout the day
- Velux Modular Skylight systems available for roof pitches between 0°–90°
- Email commercialestimating.us@velux.com for details


The installer is responsible for curb-flashing material and installation of the curb to the roof.




The unique bracket system that makes every single module fit every solution




VMS modules can be equipped with electrically-operated roller shades



White



Grey



Black

Delivery time approximately 10-15 weeks for product and shades.

Transforming spaces since 1941. For over 80 years, VELUX has helped people envision and achieve the transformation of spaces using daylight and fresh air through the roof. Our product program includes skylights, Sun Tunnel® skylights, decorative shades and roof windows, as well as installation and smart home solutions. By creating brighter, healthier, more sustainable places to live, work, learn, and play we enable a better everyday life for people around the world. We work globally with sales and manufacturing operations in more than 40 countries and around 11,500 employees worldwide. The VELUX Group is owned by VKR Holding A/S, a limited company wholly owned by non-profit, charitable foundations (THE VELUX FOUNDATIONS) and family.

For more information, visit veluxusa.com.

VELUX America LLC
215 Puckett Ferry Road
PO Box 5001
Greenwood, SC 29648-5001

1-800-888-3589

veluxusa.com
whyskylights.com