



**VELUX®**

Skylights

# 2025 Reference Guide

Residential Skylights and Sun Tunnel® Skylights

**Effective April 7, 2025**

All retail prices are not valid in Alaska, Hawaii, or Mexico due to additional freight cost.



# Contents

## 8 Unit Skylight Systems

<b>VSS/VSE</b> Deck-Mounted Solar/Electric Venting	8
<b>VCS/VCE</b> Curb-Mounted Solar/Electric Venting	10
<b>VS</b> Deck-Mounted Manual Venting	12
<b>VCM</b> Curb-Mounted Manual Venting	14
<b>FS</b> Deck-Mounted Fixed	16
<b>QPF</b> Self-Flashed Fixed	18
<b>FCM</b> Curb-Mounted Fixed	20

## 22 Custom Size Skylights

<b>FCM</b> Curb-Mounted Fixed In Stock Custom Sizes	22
<b>FCM</b> Curb-Mounted Fixed Custom Sizes	24
<b>EVMS/EV</b> Self-Flashed Venting	26
<b>EF</b> Self-Flashed Fixed	28
<b>GSM</b> Curb-Mounted Fixed SkyMax	30

## 32 Sun Tunnel® Skylights

Rigid/Flex Tube	32
Wildfire/Impact Glass	34

## 36 Flat Roof Skylights

<b>FXG</b> Curb-Mounted Acrylic Double Dome	36
<b>CXP</b> Domed Polycarbonate Hatch	36
<b>CFU</b> CurveTech Glass	38

## 40 Flashing and Accessories

<b>EKL/EKW</b> Combi Flashing	40
Shades	42
Skylight Accessories	44
Sun Tunnel® Accessories	46

## 48 Roof Windows

<b>GPU</b> Top-Hinged	48
<b>GXU</b> Roof Access	50
<b>GDL</b> Balcony	52
<b>GGU</b> Center-Pivot	54

## 56 Architectural Skylights

Custom Skylight Systems: Pinnacle, Classic, Low Profile	56
<b>VMS</b> VELUX Modular Skylights	58







## VELUX Online Dealer Support

### Dealer Support Center

The VELUX Dealer Support Center has everything you need to complete your VELUX orders. Through our online dealer support page, you can:

- Check warehouse inventory
- Create quick quotes
- Track your orders
- Locate product data
- And so much more!

Use your phone's camera to scan the QR code below to access the Dealer Support Center today.



DEALER SUPPORT CENTER  
veluxsolutions.com/dealersupport

## How to Order Your Product



Online - Dealer Extranet<sup>1</sup>  
dealerextranet3.veluxusa.com



Email  
ordersusa@velux.com

Hours of Operation  
24 hours a day, 7 days a week



Call Residential  
1-800-888-3589



Call/Email Commercial  
1-888-878-3589  
commercialteam@velux.com

Hours of Operation (ET)  
(Mon - Fri) 7:30 a.m. - 8 p.m.  
(Sat) 9 a.m. - 5 p.m.

Hours of Operation (ET)  
(Mon - Fri) 7:30 a.m. - 8 p.m.  
(Sat) 9 a.m. - 5 p.m.

<sup>1</sup> Dealer Extranet allows a dealer to order products and perform routine inquiries 24/7 using real-time pricing and inventory availability.

## Plan for Delivery Time

- S** In-stock at regional warehouses  
**Allow 2 - 4 bus. days**
- A** In-stock at Sparks, NV region  
**Allow 2 - 3 bus. days; other areas call for availability**
- B** At Sparks, NV and White Marsh, MD  
**Allow 2 - 5 bus. days**
- C** In-stock at Greenwood, SC and Kent, WA regions  
**Allow 2 - 5 bus. days**
- T** Trans-shipped from central warehouse  
**Allow 7 - 10 bus. days**
- F** In-stock at Greenwood, SC and Sparks, NV regions  
**Allow 2 - 4 bus. days; other areas allow 7 - 10 bus. days**
- G** In-stock at Greenwood, SC, Aurora, IL, and Sparks, NV  
**Allow 2 - 3 bus. days; other areas allow 5 - 7 bus. days**
- R** Not stocked; Manufactured on demand  
**Allow approximately 10 bus. days**
- D** Not stocked; Manufactured on demand  
**Allow approximately 26 bus. days**
- N** Not stocked; Manufactured on demand  
**Allow approximately 37 bus. days**
- L** Not Stocked; Manufactured on demand  
**Allow approximately 50 bus. days**

Please note: large orders may be subject to additional ship times

## Order Code Examples



Skylights  
product    VSS    C01    2004S  
                 product    size    code



Sun Tunnel Skylights  
product    TMR    010    0000    SL  
                 product    size    code    light

A new skylight experience from VELUX

Solar-Powered  
Remote-Controlled  
**Shade**  
**Pre-Installed**  
for Total Light &  
Climate Control

# Meet the Complete VELUX Skylight System

Designed for Better Everyday Living.

Beginning this year, remote-controlled solar-powered shades will be included as the standard in most VELUX glass skylights!

Introducing the VELUX Skylight System, a complete daylighting experience that makes the very most of skylights and the benefits they provide. The main component that makes Skylight Systems stand out as a better alternative is the remote-controlled, solar-powered shade, which comes factory-installed in each unit.

VELUX Skylight Systems are available in fixed and venting models, as well as in curb-mount, deck-mount, and self-flashed installation configurations.

Each Skylight System consists of:

- The world-class VELUX glass unit skylight
- A solar-powered, room-darkening white skylight shade
- Pre-paired remote controls for each skylight and shade
- Compatible VELUX flashing kits\* are available for a waterproof seal and to qualify for our industry-leading installation warranty

\*Flashing kits sold and packaged separately.



# The VELUX Skylight System

Includes Skylight, Shade, and Remote Control

## 1 Unit Skylight

The base of the VELUX Skylight System is our industry-leading skylight! With deck-mount, curb-mount, and self-flashed installation options, the skylight can be fixed or venting to provide fresh air. Venting models are available in solar-powered (pictured below), electric, and manual operations.

## 2 Solar-Powered Shade

The included room-darkening skylight shade is solar-powered and offers total light control, increasing the Skylight System's energy performance up to 45%\*.

\*Actual percentage varies by skylight model and size

## 3 Remote Controls

Each shade included in a Skylight System comes with a factory-paired remote control for easy set-up and operation. Electric and solar venting Skylight Systems also include a pre-paired remote to open and close the skylight.

**Manual venting Skylight Systems can be operated with a handle or control rod, sold separately.**

**See all remote and control options on page 44.**

## 4 Standard Safety Glass

Standard laminated glass has advanced Low-E protective coating, dual-sealed and injected with argon gas for increased protection and indoor comfort.

**See all glass options on page 6.**

## 5 Rain Sensors

Each solar and electric venting Skylight System features an integrated rain sensor to close the skylight automatically at the first signs of inclement weather.

## 6 Insect Screens


Every venting Skylight System includes an insect screen to prevent bugs and debris from entering the home through an open skylight.

## 7 Weathertight Guarantee

VELUX flashing is required to create a weathertight seal around deck- and curb-mount Skylight Systems, as well as to qualify for our 10-year installation warranty.

**Flashing kits packaged and sold separately. See page 6.**

VELUX Skylight Systems available in venting and fixed models.



## Why Skylight Shades?

It's simple: a skylight isn't complete without a shade! VELUX skylights have always provided abundant natural light, and now it is the standard that they also provide light control. Not only does this create a better user experience, adding solar-powered shades to skylights also improves their energy efficiency and helps create an overall more sustainable home.

## Shades Benefits for Pros

- The competitively priced VELUX Skylight System – a skylight with a shade – satisfies a top homeowner desire (light and climate control) while increasing your revenue.
- Increased engagement with the Skylight System through daily shade use helps drive referrals from your existing customers to new ones and distinguishes you from other local installers.
- With everything included, the Skylight System reduces the number of purchase choices for you to present and homeowners to make.
- Shade remotes are pre-paired and flashing is sold and packaged separately but shipped with the skylight and shade, so the Skylight System is ready to be installed on site.

## Shades Benefits for Homeowners

- Preinstalled solar-powered shades deliver the ideal homeowner experience – total control over light and glare in the home.
- Skylight shades also offer climate control, blocking out heat in the hot summer sun and keeping more heat in during cold winters.
- Solar-powered shades increase skylight energy efficiency while natural light and ventilation from skylights allow homeowners to rely less on electricity.



# Quick Reference Guide

## Types of Installation

### Deck-Mounted

Skylight is nailed directly to the roof-deck



### Curb-Mounted

Skylight is installed on top of a site-built curb or frame attached to the roof




### Self-Flashed

Flashing is integrated into the skylight, so no additional kit is needed




## Flashing Systems Sold separately. Available for standard sizes only.


### Deck-Mounted




Shingles/Shakes/Slate




Tile




Metal



Combi Applications



Biopack Counterflashing



Shingles/Shakes/Slate



Tile

### Curb-Mounted

**EDL**  
**Copper EDL**

**EDW**

**EDM**

**EKL** Low-Profile  
**EKW** High-Profile

**ECB**

**ECL**

**ECW**

## Roof Pitch

	Roof Pitch	Model	Page
Flat Roof	0° - 15° 0:12 - 3:12	<b>CFU</b>	38
		<b>CXP</b>	36
	0° - 60° 0:12 - 20:12	<b>VCS</b>	10
		<b>VCE</b>	10
Pitched Roof		<b>VCM</b>	14
		<b>FCM</b>	20, 22
		<b>TZR</b>	34
		<b>TCR</b>	32
		<b>FXG</b>	36
	1° - 60° ¼:12 - 20:12	<b>GSM</b>	30
	10° - 60° 2:12 - 20:12	<b>QPF</b>	18
		<b>TZRL</b>	34
		<b>TZRQ</b>	34
	14° - 60° 3:12 - 20:12	<b>TLR</b>	32
		<b>TMR</b>	32
		<b>TGR</b>	32
		<b>TMF</b>	32
		<b>TGF</b>	32
		<b>TSR</b>	33
	14° - 85° 3:12 - 137:12	<b>VSS</b>	8
		<b>VSE</b>	8
		<b>VS</b>	12
		<b>FS</b>	16
		<b>EVMS</b>	24
		<b>EV</b>	26
		<b>EF</b>	28
	15° - 55° 3:12 - 17:12	<b>GPU</b>	48
	15° - 85° 3:12 - 137:12	<b>GXU</b>	50
	15° - 90° 3:12 - 137:12	<b>GGU</b>	54
	35° - 53° 8:4:12 - 15:12	<b>GDL</b>	52

- Unit Skylight System
- Unit Skylight
- Sun Tunnel® Skylight
- Flat Roof Skylight
- Roof Window

## Glass Options

### Standard Safety Glass (xx04)

This laminated glass is standard on all FS, VS, VSS, VSE, VCS, VCE, FCM, VCM, QPF, EV, EF, EVMS models.

### Tempered Glass (xx05)

Available with FCM only.

### Impact Glass (xx06)

Our toughest glass, resistant to penetration from wind-borne debris.

### White Laminated Glass (xx08)

Diffuses 100% of light flowing to the space below.

### Snowload Glass (xx10)

Reinforced glass to withstand added weight from accumulated snow.



## Remote Comparison



### VELUX Wall Switch

For customers who want simple control over a single or group of skylights or shades in one room.

### VELUX Touch

For customers who want simple control over multiple skylights and shades with one remote.

### VELUX App Control

For customers who wish for more benefits and smartphone control without full automation.

### VELUX ACTIVE

For customers who wish to improve indoor air quality while gathering insights with smart automated ventilation and climate control.


Price	Included with Product	\$	\$	\$ \$
Remote Operation Inside the Room	✓	✓	✓	✓
Remote Operation from Anywhere			✓	✓
Operate Multiple Ungrouped Products		✓	✓	✓
Requires Wi-Fi Connection			✓	✓
Compatible with Apple HomeKit® and Google Assistant™			✓	✓
Group Products		✓	✓	✓
Ventilation Timer		✓	✓	✓
Lock Home Option (close all skylights)		✓	✓	✓
Accessible to All Household Members	✓	✓	✓	✓
Scheduling to Personal Preferences			✓	✓
Voice Control			✓	✓
Sensor-based Automation				✓
Use of Weather Data				✓
Live Indoor Sensor Data				✓

## The VELUX Skylight Guarantee

Our skylight warranty is our commitment that VELUX skylights installed with our flashing will stand strong in all types of weather. We're able to make this commitment with a 10-year installation warranty backed by our patented three layers of water protection on deck- and curb-mounted skylights.



Deck-Mounted



Curb-Mounted

- 1 Pre-Attached Seal**  
Pre-attached deck seal (deck-mounted) or gasket (curb-mounted) provides a tight seal for leak-proof installation.
- 2 Adhesive Underlayment**  
Adhesive underlayment for secondary water protection against the harshest weather conditions.
- 3 Engineered Flashing**  
Engineered flashing for easy installation and primary water protection. See page 6 for flashing systems.



# Unit Skylight System

## Deck-Mounted Solar/Electric Venting



**VSS Solar**  
Fresh Air

**VSE Electric**  
Fresh Air



### The Skylight System Includes:

- Pre-installed white room-darkening solar-powered shade
- Skylight and shade remotes
- Laminated safety glass
- Insect screen
- Rain sensor



### The New VELUX Touch

Control all of your skylights and shades from one touch screen remote control.

#### KLR 300 WW

See page 7 for more information.



### VELUX App Control

Automated scheduling and smart device control of your VELUX venting skylights and shades.

#### KIG 300 US



### VELUX ACTIVE

Improve indoor air and climate quality with air quality sensors and smart automation of VELUX venting skylights and shades.

#### KIX 300 US

See page 7 for more information.














Unless noted, all base models include pre-installed room-darkening, double pleated white (1045) shade. Special order shades must be purchased separately. See page 42 for special order shade options.



Solar-Powered  
Remote-Controlled  
**Shade**  
**Pre-Installed**  
for Total Light &  
Climate Control

HGTV  
**URBAN  
OASIS**  
PROUD SPONSOR  
— 2023 —

## Skylight System Prices Include Skylight, Solar-Powered Shade & Remote Control

Standard Sizes (W-in. x H-in.)	C01	C04	C06	C08	M02 <sup>1</sup>	M04	M06	M08	S01	S06
 +  +  Skylight    Shade    Remotes										
Outside Frame	21 1/2 x 27 3/8	21 1/2 x 38 3/8	21 1/2 x 46 1/4	21 1/2 x 54 15/16	30 9/16 x 30 1/2	30 9/16 x 38 3/8	30 9/16 x 46 1/4	30 9/16 x 54 15/16	44 3/4 x 27 3/8	44 3/4 x 46 1/4
Rough Opening	21 x 26 7/8	21 x 37 7/8	21 x 45 3/4	21 x 54 7/16	30 1/16 x 30	30 1/16 x 37 7/8	30 1/16 x 45 3/4	30 1/16 x 54 7/16	44 1/4 x 26 7/8	44 1/4 x 45 3/4

Base Model	C01	C04	C06	C08	M02 <sup>1</sup>	M04	M06	M08	S01	S06
Standard Safety Glass Stocked for all standard sizes	VELUX Skylight System Includes Skylight, Shade, and Remote Controls									
Code 2004S   Delivery S	—	—	—	—	—	—	—	—	—	—

**Optional Models<sup>2</sup>** Add price to base model; any size. Applies to standard sizes only.

Impact Glass (Special Order) Contact Customer Service for pricing	Copper Cladding (Special Order) VSE only Contact Customer Service for pricing	Snowload Glass (Special Order) Contact Customer Service for pricing	Stain Grade Wood Interior <sup>3</sup> See details below) Code 0004S   Delivery T
----------------------------------------------------------------------	-------------------------------------------------------------------------------------	------------------------------------------------------------------------	-----------------------------------------------------------------------------------------

<sup>1</sup> Size M02 only stocked in VSS. <sup>2</sup> Lead time/size availability may vary from base model. <sup>3</sup> VSS C04, C06, M06, M08, and S06 sizes stocked. VSE and other VSS standard sizes available as special order.

**Flashing** Adhesive underlayment included. VELUX flashing required for the 10-Year Installation Warranty and to complete the Skylight System.

	C01	C04	C06	C08	M02 <sup>1</sup>	M04	M06	M08	S01	S06
Step Asphalt Shingles/Wood Shake/Slate 1/2 in. max thickness Code EDL   Delivery S		—		—			—		—	
Copper Step <sup>4</sup> Asphalt Shingles/Wood Shakes/Slate 1/2 in. max thickness Code EDL COPPER   Delivery D		—		—			—		—	
High Profile <sup>4</sup> Tile - over 3/4 in. thickness Code EDW   Delivery S		—		—			—		—	
Metal Roof Code EDM   Delivery S		—		—			—		—	
Biepack <sup>5</sup> Counter Flashing for Deck-Mounted Code ECB   Delivery S		—		—			—		—	

<sup>4</sup> VSE only. <sup>5</sup> Adhesive underlayment not included.

Order Code Example     $\frac{\text{VSS}}{\text{product}} + \frac{\text{C06}}{\text{size}} + \frac{\text{2004S}}{\text{code}}$



# Unit Skylight System

## Curb-Mounted Solar/Electric Venting



**VCS Solar**  
Fresh Air

**VCE Electric**  
Fresh Air



### The Skylight System Includes:

- Pre-installed white room-darkening solar-powered shade
- Skylight and shade remotes
- Laminated safety glass
- Insect screen
- Rain sensor



### The New VELUX Touch

Control all of your skylights and shades from one touch screen remote control.

#### KLR 300 WW

See page 7 for more information.



### VELUX App Control

Automated scheduling and smart device control of your VELUX venting skylights and shades.

#### KIG 300 US



### VELUX ACTIVE

Improve indoor air and climate quality with air quality sensors and smart automation of VELUX venting skylights and shades.


#### KIX 300 US

See page 7 for more information.

Unless noted, all base models include pre-installed room-darkening, double pleated white (1045) shade. Special order shades must be purchased separately. See page 42 for special order shade options.
















Solar-Powered  
Remote-Controlled  
**Shade**  
**Pre-Installed**  
for Total Light &  
Climate Control



HGTV  
**DREAM  
HOME**  
2022  
PROUD SPONSOR

## Skylight System Prices Include Skylight, Solar-Powered Shade & Remote Control

Standard Sizes (W-in. x H-in.)	2222	2234	2246	3030	3046	3434	3737 <sup>1</sup>	4622 <sup>1</sup>	4630 <sup>1</sup>	4646
 +  +  Skylight    Shade    Remotes										
Inside Curb	22 1/2 x 22 1/2	22 1/2 x 34 1/2	22 1/2 x 46 1/2	30 1/2 x 30 1/2	30 1/2 x 46 1/2	34 1/2 x 34 1/2	37 1/2 x 37 1/2	46 1/2 x 22 1/2	46 1/2 x 30 1/2	46 1/2 x 46 1/2
Outside Curb	25 1/2 x 25 1/2	25 1/2 x 37 1/2	25 1/2 x 49 1/2	33 1/2 x 33 1/2	33 1/2 x 49 1/2	37 1/2 x 37 1/2	40 1/2 x 40 1/2	49 1/2 x 25 1/2	49 1/2 x 33 1/2	49 1/2 x 49 1/2
Maximum Skylight Clearance	26 5/8 x 26 5/8	26 5/8 x 38 5/8	26 5/8 x 50 5/8	34 5/8 x 34 5/8	34 5/8 x 50 5/8	38 5/8 x 38 5/8	41 5/8 x 41 5/8	50 5/8 x 26 5/8	50 5/8 x 34 5/8	50 5/8 x 50 5/8

Base Model	2222	2234	2246	3030	3046	3434	3737 <sup>1</sup>	4622 <sup>1</sup>	4630 <sup>1</sup>	4646
Standard Safety Glass Stocked for all standard sizes <b>Code 2004S</b>   Delivery S	VELUX Skylight System Includes Skylight, Shade, and Remote Controls									
	—	—	—	—	—	—	—/F	—	—/F	—

**Optional Models<sup>2</sup>** Add price to base model; any size. Applies to standard sizes only.

Impact Glass <sup>3</sup> VCS only (See Details Below) <b>Code 2006S</b>   Delivery T	White Laminated Glass (Special Order) VCS only Contact Customer Service for pricing
---------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------

<sup>1</sup> VCS only. <sup>2</sup> Lead time and size availability may vary from base model. <sup>3</sup> VCS only, excluding 4646. VCS 2222 and 2246 sizes stocked. Other standard VCS sizes available as special order.

**Flashing** Adhesive underlayment included. VELUX flashing required for the 10-Year Installation Warranty and to complete the Skylight System.

	2222	2234	2246	3030	3046	3434	3746 <sup>1</sup>	4622 <sup>1</sup>	4630 <sup>1</sup>	4646
Step 10° - 60° Asphalt Shingles/Wood Shake/Slate 1/2 in. max thickness <b>Code ECL</b>   Delivery S		—		—	—	—	—/F		—	
High Profile 14° - 60° Tile - over 3/4 in. thickness <b>Code ECW</b>   Delivery S		—		—	—	—	N/A		—	

Order Code Example     $\frac{\text{VCS}}{\text{product}} + \frac{2246}{\text{size}} + \frac{2004S}{\text{code}}$



# Unit Skylight System

## Deck-Mounted Manual Venting



**VS Manual**  
Fresh Air



### The Skylight System Includes:

- Pre-installed white room-darkening solar-powered shade
- Shade remote
- Laminated safety glass
- Insect screen



### The New VELUX Touch

Control all of your shades from one touch screen remote control.

#### KLR 300 WW

See page 7 for more information.



### VELUX App Control

Automated scheduling and smart device control of your VELUX shades.

#### KIG 300 US














Insect screen and operating hook included with VS skylight. Operated by ZCT 300 control rod or crank handle ZZZ 201, sold separately.

Unless noted, all base models include pre-installed room-darkening, double pleated white (1045) shade. Special order shades must be purchased separately. See page 42 for special order shade options.



Solar-Powered  
Remote-Controlled  
**Shade**  
**Pre-Installed**  
for Total Light &  
Climate Control

## Skylight System Prices Include Skylight, Solar-Powered Shade & Remote Control

Standard Sizes (W-in. x H-in.)	C01	C04	C06	C08	M02	M04	M06	M08	S01	S06
 +  +  Skylight    Shade    Remote										
Outside Frame	21 1/2 x 27 3/8	21 1/2 x 38 3/8	21 1/2 x 46 1/4	21 1/2 x 54 15/16	30 9/16 x 30 1/2	30 9/16 x 38 3/8	30 9/16 x 46 1/4	30 9/16 x 54 15/16	44 3/4 x 27 3/8	44 3/4 x 46 1/4
Rough Opening	21 x 26 7/8	21 x 37 7/8	21 x 45 3/4	21 x 54 7/16	30 1/16 x 30	30 1/16 x 37 7/8	30 1/16 x 45 3/4	30 1/16 x 54 7/16	44 1/4 x 26 7/8	44 1/4 x 45 3/4

Base Model	C01	C04	C06	C08	M02	M04	M06	M08	S01	S06
Standard Safety Glass Stocked for all standard sizes	VELUX Skylight System Includes Skylight, Shade, and Remote Control									
Code 2004S   Delivery S	—	—	—	—	—	—	—	—	—	—

**Optional Models<sup>1</sup>** Add price to base model; any size. Applies to standard sizes only.

Impact Glass (Special Order) Contact Customer Service for pricing	Copper Cladding (Special Order) Contact Customer Service for pricing	Snowload Glass (Special Order) Contact Customer Service for pricing	Stain Grade Wood Interior <sup>2</sup> See details below Code 0004S   Delivery T
----------------------------------------------------------------------	-------------------------------------------------------------------------	------------------------------------------------------------------------	----------------------------------------------------------------------------------------

<sup>1</sup> Lead time/size availability may vary from base model. <sup>2</sup> VS C04, C06, M06, M08, and S06 sizes stocked. Other standard sizes available as special order.

**Flashing** Adhesive underlayment included. VELUX flashing required for the 10-Year Installation Warranty and to complete the Skylight System.

	C01	C04	C06	C08	M02	M04	M06	M08	S01	S06
Step Asphalt Shingles/Wood Shake/Slate 1/2 in. max thickness Code EDL   Delivery S		—		—			—		—	
Copper Step Asphalt Shingles/Wood Shakes/Slate 1/2 in. max thickness Code EDL COPPER   Delivery D		—		—			—		—	
High Profile Tile - over 3/4 in. thickness Code EDW   Delivery S		—		—			—		—	
Metal Roof Code EDM   Delivery S		—		—			—		—	
Biopack <sup>3</sup> Counter Flashing for Deck-Mounted Code ECB   Delivery S		—		—			—		—	

<sup>3</sup> Adhesive underlayment not included.

Order Code Example     $\frac{\text{VS}}{\text{product}} + \frac{\text{C06}}{\text{size}} + \frac{\text{2004S}}{\text{code}}$




# Unit Skylight System

## Curb-Mounted Manual Venting



**VCM Manual**  
Fresh Air



### The Skylight System Includes:

- Pre-installed white room-darkening solar-powered shade
- Shade remote
- Laminated safety glass
- Insect screen



### The New VELUX Touch

Control all of your shades from one touch screen remote control.

#### KLR 300 WW

See page 7 for more information.



### VELUX App Control

Automated scheduling and smart device control of your VELUX shades.

#### KIG 300 US











Insect screen and operating hook included with VCM skylight. Operated by ZCT 300 control rod or crank handle ZZZ 212, sold separately.

Unless noted, all base models include pre-installed room-darkening, double pleated white (1045) shade. Special order shades must be purchased separately. See page 42 for special order shade options.



Solar-Powered  
Remote-Controlled  
**Shade**  
**Pre-Installed**  
for Total Light &  
Climate Control

## Skylight System Prices Include Skylight, Solar-Powered Shade & Remote Control

Standard Sizes (W-in. x H-in.)	2222	2234	2246	3030	3046	3434	4646
 +  +  Skylight    Shade    Remote							
Inside Curb	22 1/2 x 22 1/2	22 1/2 x 34 1/2	22 1/2 x 46 1/2	30 1/2 x 30 1/2	30 1/2 x 46 1/2	34 1/2 x 34 1/2	46 1/2 x 46 1/2
Outside Curb	25 1/2 x 25 1/2	25 1/2 x 37 1/2	25 1/2 x 49 1/2	33 1/2 x 33 1/2	33 1/2 x 49 1/2	37 1/2 x 37 1/2	49 1/2 x 49 1/2
Maximum Skylight Clearance	26 5/8 x 26 5/8	26 5/8 x 38 5/8	26 5/8 x 50 5/8	34 5/8 x 34 5/8	34 5/8 x 50 5/8	38 5/8 x 38 5/8	50 5/8 x 50 5/8

Base Model	2222	2234	2246	3030	3046	3434	4646
Standard Safety Glass Stocked for all standard sizes	VELUX Skylight System Includes Skylight, Shade, and Remote Control						
Code 2004S   Delivery S	—	—	—	—	—	—	—

**Optional Models**<sup>1</sup> Add price to base model; any size. Applies to standard sizes only.

Impact Glass (Special Order)	White Laminated Glass (Special Order)
Contact Customer Service for pricing	Contact Customer Service for pricing

<sup>1</sup>Lead time/size availability may vary from base model.

**Flashing** Adhesive underlayment included. VELUX flashing required for the 10-Year Installation Warranty and to complete the Skylight System.

	2222	2234	2246	3030	3046	3434	4646
Step 10° - 60° Asphalt Shingles/Wood Shake/Slate 1/2 in. max thickness		—		—	—	—	—
Code ECL   Delivery S							
High Profile 14° - 60° Tile - over 3/4 in. thickness		—		—	—	—	—
Code ECW   Delivery S							

Order Code Example     $\frac{\text{VCM}}{\text{product}} + \frac{2246}{\text{size}} + \frac{2004S}{\text{code}}$



# Unit Skylight System

Deck-Mounted Fixed



FS Fixed



## The Skylight System Includes:

- Pre-installed white room-darkening solar-powered shade
- Shade remote
- Laminated safety glass



## The New VELUX Touch

Control all of your shades from one touch screen remote control.

**KLR 300 WW**

See page 7 for more information.



## VELUX App Control

Automated scheduling and smart device control of your VELUX shades.


















**KIG 300 US**

Unless noted, all base models include pre-installed room-darkening, double pleated white (1045) shade. Special order shades must be purchased separately. See page 42 for special order shade options.

Solar-Powered  
Remote-Controlled  
**Shade**  
**Pre-Installed**  
for Total Light &  
Climate Control

HGTV  
**URBAN  
OASIS**  
PROUD SPONSOR  
2022

## Skylight System Prices Include Skylight, Solar-Powered Shade & Remote Control

Standard Sizes (W-in. x H-in.)	A06	C01	C04	C06	C08	C12	D26	D06	M02	M04	M06	M08	S01	S06
 +  +  Skylight   Shade   Remote														
Outside Frame	15 1/4 x 46 1/4	21 1/2 x 27 3/8	21 1/2 x 38 3/8	21 1/2 x 46 1/4	21 1/2 x 54 15/16	21 1/2 x 70 3/4	23 1/4 x 23 7/16	23 1/4 x 46 1/4	30 9/16 x 30 1/2	30 9/16 x 38 3/8	30 9/16 x 46 1/4	30 9/16 x 54 15/16	44 3/4 x 27 3/8	44 3/4 x 46 1/4
Rough Opening	14 1/2 x 45 3/4	21 x 26 7/8	21 x 37 7/8	21 x 45 3/4	21 x 54 7/16	21 x 70 1/4	22 1/2 x 22 15/16	22 1/2 x 45 3/4	30 1/16 x 30	30 1/16 x 37 7/8	30 1/16 x 45 3/4	30 1/16 x 54 7/16	44 1/4 x 26 7/8	44 1/4 x 45 3/4
<b>Base Model</b>	<b>A06</b>	<b>C01</b>	<b>C04</b>	<b>C06</b>	<b>C08</b>	<b>C12</b>	<b>D26</b>	<b>D06</b>	<b>M02</b>	<b>M04</b>	<b>M06</b>	<b>M08</b>	<b>S01</b>	<b>S06</b>
Standard Safety Glass Stocked for all standard sizes	<b>VELUX Skylight System Includes Skylight, Shade, and Remote Control</b>													
<b>Code 2004S</b>   Delivery S	—	—	—	—	—	—	—	—	—	—	—	—	—	—

**Optional Models<sup>1</sup>** Add price to base model; any size. Applies to standard sizes only.

Impact Glass<sup>2</sup>  
+ \$120 C12 Not Eligible  
(See details below)  
**Code 2006S** | Delivery T

Copper Cladding (Special Order)  
Contact Customer Service for pricing

Snowload Glass (Special Order)  
Contact Customer Service for pricing

Stain Grade Wood Interior<sup>3</sup>  
(See details below)  
**Code 0004S** | Delivery T

<sup>1</sup> Lead time/size availability may vary from base model. <sup>2</sup> FS C04, C06, M06, M08, and S06 sizes stocked Other standard sizes, excluding C12, available as special order. <sup>3</sup> FS C04, C06, M06, M08, and S06 sizes stocked. Other standard sizes available as special order.

**Flashing** Adhesive underlayment included. VELUX flashing required for the 10-Year Installation Warranty and to complete the Skylight System.

	A06	C01	C04	C06	C08	C12	D26	D06	M02	M04	M06	M08	S01	S06
<b>Step</b> Asphalt Shingles/Wood Shake/Slate 1/2 in. max thickness <b>Code EDL</b>   Delivery S	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>Copper Step</b> Asphalt Shingles/Wood Shakes/Slate 1/2 in. max thickness <b>Code EDL COPPER</b>   Delivery D	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>High Profile</b> Tile - over 3/4 in. thickness <b>Code EDW</b>   Delivery S	N/A	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>Metal Roof</b> <b>Code EDM</b>   Delivery S	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>Biepack<sup>4</sup></b> Counter Flashing for Deck-Mounted <b>Code ECB</b>   Delivery S	N/A	—	—	—	—	N/A	N/A	—	—	—	—	—	—	—

<sup>4</sup> Adhesive underlayment not included.

Order Code Example    $\frac{\text{FS}}{\text{product}} + \frac{\text{C06}}{\text{size}} + \frac{\text{2004S}}{\text{code}}$



# Unit Skylight System

Self-Flashed Fixed



**QPF Fixed**



## The Skylight System Includes:

- Pre-installed white room-darkening solar-powered shade
- Shade remote
- Laminated safety glass



## The New VELUX Touch

Control all of your shades from one touch screen remote control.

**KLR 300 WW**

See page 7 for more information.



## VELUX App Control

Automated scheduling and smart device control of your VELUX shades.

**KIG 300 US**










Unless noted, all base models include pre-installed room-darkening, double pleated white (1045) shade. Special order shades must be purchased separately. See page 42 for special order shade options.



Solar-Powered  
Remote-Controlled  
**Shade**  
**Pre-Installed**  
for Total Light &  
Climate Control

HGTV  
**SMART  
HOME**  
PROUD SPONSOR  
2022

## Skylight System Prices Include Skylight, Solar-Powered Shade & Remote Control

Standard Sizes (W-in. x H-in.)	2222	2230	2246	3030	3046	4646
 +  +  Skylight    Shade    Remote						
Outside Flashing	29 5/8 x 29 5/8	29 5/8 x 37 5/8	29 5/8 x 53 5/8	37 5/8 x 37 5/8	37 5/8 x 53 5/8	53 5/8 x 53 5/8
Rough Opening/ Finished Frame	22 1/2 x 22 1/2	22 1/2 x 30 1/2	22 1/2 x 46 1/2	30 1/2 x 30 1/2	30 1/2 x 46 1/2	46 1/2 x 46 1/2

Base Model	2222	2230	2246	3030	3046	4646
Standard Safety Glass Stocked for all standard sizes <b>Code 2004S</b>   Delivery S	VELUX Skylight System Includes Skylight, Shade, and Remote Control					
	—	—	—	—	—	—

**Optional Models<sup>1</sup>** Add price to base model; any size. Applies to standard sizes only.

Impact Glass (Special Order)

Contact Customer Service for pricing

<sup>1</sup> Lead time/size availability may vary from base model.

Order Code Example     $\frac{\text{QPF}}{\text{product}} + \frac{\text{2246}}{\text{size}} + \frac{\text{2004S}}{\text{code}}$



# Unit Skylight System

## Curb-Mounted Fixed



**FCM** Fixed



### The Skylight System Includes:

- White room-darkening solar-powered shade
- Shade accessory tray
- Shade remote
- Laminated safety glass



### The New VELUX Touch

Control all of your shades from one touch screen remote control.

#### KLR 300 WW

See page 7 for more information.



### VELUX App Control

Automated scheduling and smart device control of your VELUX shades.

#### KIG 300 US

Order Code Example      $\frac{\text{FCM}}{\text{product}} + \frac{2246}{\text{size}} + \frac{2004S}{\text{code}}$

Custom sizes available, see page 22.

Factory installed shades for FCM skylights includes accessory tray.












Unless noted, all base models include pre-installed room-darkening, double pleated white (1045) shade. Special order shades must be purchased separately. See page 42 for special order shade options.














Solar-Powered  
Remote-Controlled  
**Shade**  
**Pre-Installed**  
for Total Light &  
Climate Control



HGTV  
**SMART  
HOME**  
PROUD SPONSOR  
2022

## Skylight System Prices Include Skylight, Solar-Powered Shade & Remote Control

Standard Sizes (W-in. x H-in.)	2222	2230	2234	2246	2270	3030	3046	3055
 +  +  Skylight    Shade    Remote								
Inside Curb	22 1/2 x 22 1/2	22 1/2 x 30 1/2	22 1/2 x 34 1/2	22 1/2 x 46 1/2	22 1/2 x 70 1/2	30 1/2 x 30 1/2	30 1/2 x 46 1/2	30 1/2 x 55 1/2
Outside Curb	25 1/2 x 25 1/2	25 1/2 x 33 1/2	25 1/2 x 37 1/2	25 1/2 x 49 1/2	25 1/2 x 73 1/2	33 1/2 x 33 1/2	33 1/2 x 49 1/2	33 1/2 x 58 1/2
Maximum Skylight Clearance	26 5/8 x 26 5/8	26 5/8 x 34 5/8	26 5/8 x 38 5/8	26 5/8 x 50 5/8	26 5/8 x 74 5/8	34 5/8 x 34 5/8	34 5/8 x 50 5/8	34 5/8 x 59 5/8
<b>Base Model</b>	<b>2222</b>	<b>2230</b>	<b>2234</b>	<b>2246</b>	<b>2270</b>	<b>3030</b>	<b>3046</b>	<b>3055</b>
Standard Safety Glass Stocked for all standard sizes	<b>VELUX Skylight System Prices Include Skylight, Shade, and Remote Control</b>							
<b>Code 2004S</b>   Delivery S	—	—	—	—	—	—	—	—

Standard Sizes Continued	3422	3434	3446	4622	4630	4646	4672	1943 <sup>1</sup>	2347 <sup>1</sup>	3171 <sup>1</sup>
 +  +  Skylight    Shade    Remote										
Inside Curb	34 1/2 x 22 1/2	34 1/2 x 34 1/2	34 1/2 x 46 1/2	46 1/2 x 22 1/2	46 1/2 x 30 1/2	46 1/2 x 46 1/2	46 1/2 x 72 1/2	19 1/2 x 43 1/2	23 1/2 x 47 1/2	32 x 72
Outside Curb	37 1/2 x 25 1/2	37 1/2 x 37 1/2	37 1/2 x 49 1/2	49 1/2 x 25 1/2	49 1/2 x 33 1/2	49 1/2 x 49 1/2	49 1/2 x 75 1/2	22 1/2 x 46 1/2	26 1/2 x 50 1/2	35 x 75
Maximum Skylight Clearance	38 5/8 x 26 5/8	38 5/8 x 38 5/8	38 5/8 x 50 5/8	50 5/8 x 26 5/8	50 5/8 x 34 5/8	50 5/8 x 50 5/8	50 5/8 x 76 5/8	23 5/8 x 47 5/8	27 5/8 x 51 5/8	36 1/8 x 76 1/8
<b>Base Model Continued</b>	<b>3422</b>	<b>3434</b>	<b>3446</b>	<b>4622</b>	<b>4630</b>	<b>4646</b>	<b>4672</b>	<b>1943<sup>1</sup></b>	<b>2347<sup>1</sup></b>	<b>3171<sup>1</sup></b>
Standard Safety Glass Stocked for all standard sizes	<b>VELUX Skylight System Prices Include Skylight, Shade, and Remote Control</b>									
<b>Code 2004S</b>   Delivery S	—	—	—	—	—	—	—	—	—	—

**Optional Models<sup>2</sup>** Add price to base model; any size. Applies to standard sizes only.

Impact Glass <sup>3</sup>	White Laminated Glass <sup>4</sup>	Triple Pane Glass <sup>5</sup>
<b>Code 2006S</b>   Delivery T	<b>Code 2008S</b>   Delivery B	Contact Customer Service for pricing

<sup>1</sup> Flashing kits are not available for this model. <sup>2</sup> Lead time/size availability may vary from base model. <sup>3</sup> FCM 2222, 2234, 2246, 3030, 3046, 3434, and 4646 sizes stocked. Other standard sizes, excluding 2270, 3055, and 4672, are available as special order. <sup>4</sup> FCM 2222, 2234, 2246, 2270, 3030, 3046, 3434, 4622, and 4646 sizes stocked. Other standards sizes available as special order. <sup>5</sup> Shades are not available for this model.

	2222	2246	4646
Tempered Glass Sizes 2222, 2246, and 4646 only	<b>VELUX Skylight System Includes Skylight, Shade, and Remote Control</b>		
<b>Code 2005S</b>   Delivery S	—	—	—

**Flashing** Adhesive underlayment included. VELUX flashing required for the 10-Year Installation Warranty and to complete the Skylight System.

	1430	1446	2222	2230	2234	2246	2270	3030	3046	3055	3422	3434	3446	4622	4630	4646	4672
Step 10° - 60° Asphalt Shingles/Wood Shake/Slate 1/2 in. max thickness	—	—	—	—	—	—	—	—	—	—*	—	—	—	—	—	—	—*
<b>Code ECL</b>   Delivery S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
High Profile 14° - 60° Tile - over 3/4 in. thickness	—	—	—	—	—	—	—	—	—	N/A	—	—	—	—	—	—	N/A
<b>Code ECW</b>   Delivery S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

\*Includes extra step flashing and adhesive underlayment.



# Custom Size Skylights

## Curb-Mounted FCM



FCM Fixed

Flashing kits not available on custom FCM sizes.













FCM roof pitch

### Adding shades to a stock custom unit?

See Custom FCM Shades on page 25 for details.




HGTV  
**SMART  
HOME**  
PROUD SPONSOR  
2023


Standard Sizes	1430*	1446*	190365	190435	225225	225470	315470	315700	315715*	365365
										
Flashed Outside Curb Range - Width (see illustration below)	17 - 18 1/2	17 - 18 1/2	22 - 23 1/2	22 - 23 1/2	25 1/2 - 27	25 1/2 - 27	34 1/2 - 36	34 1/2 - 36	34 1/2 - 36	39 1/2 - 41
Flashed Outside Curb Range - Height (see illustration below)	33 - 34 1/2	49 - 50 1/2	39 1/2 - 41	46 1/2 - 48	25 1/2 - 27	50 - 51 1/2	50 - 51 1/2	73 - 74 1/2	74 1/2 - 76	39 1/2 - 41
Maximum Skylight Clearance (W" or H")	18 5/8 x 34 5/8	18 5/8 x 50 5/8	23 5/8 x 41 1/8	23 5/8 x 48 1/8	27 1/8 x 27 1/8	27 1/8 x 51 5/8	36 1/8 x 51 5/8	36 1/8 x 74 5/8	36 1/8 x 76 1/8	41 1/8 x 41 1/8
	1430	1446	190365	190435	225225	225470	315470	315700	315715	365365
Laminated LowE <sup>3</sup> Glass Code 0004   Delivery C	-	-	-	-	-	-	-	-	-	-

\* Shades are not available for sizes 1430, 1446, or 315715. Custom shade outside curb dimension (OCD) range: 20" x 49.5" width; 18.25" x 73.25" length.

## Flashed Outside Curb Range



Flashed curb at minimum range constraint will result in 3/4" gap between skylight frame and flashed curb.




Flashed curb at maximum range constraint will result in 1/8" gap between skylight frame and flashed curb.

# Custom Size Skylights

## Curb-Mounted FCM



**Custom FCM Skylight System** Fixed



Custom FCM Skylight System includes solar shade, remote control, and accessory tray.

## Custom FCM Skylight System



+



+



Skylight

Shade and  
Accessory Tray

Remote


- Custom FCM skylight, white room-darkening solar shade, remote control, and accessory tray
- To measure, provide Outside Curb Dimension including roofing and flashing material:
  - Min/max OCD width 20" to 49 1/2";
  - Min/max OCD length 18 1/4" to 73 1/4"
- 20 business days lead time for 04, 05, 08, 15 glazing
- 25 business days lead time for 04, 08 glazing > 72" length
- Flashing kits not available on custom FCM sizes
- Call Customer Service for assistance:  
1-800-888-3589





## Custom Size FCM Options

Call for pricing and availability



The skylight is manufactured to the **Maximum Skylight Clearance**, which is calculated by rounding the Outside Curb Dimension up to the nearest  $\frac{1}{4}$ " and adding 1" for roofing and flashing material clearance.

### Custom FCM Skylight Only



Skylight

- Custom FCM skylight only
- Min/max OCD width 17  $\frac{3}{4}$ " to 49  $\frac{3}{4}$ ";
- Min/max OCD length 17  $\frac{3}{4}$ " to 75  $\frac{1}{2}$ "
- 13 business days lead time for 04, 05, 08, 15 glazing
- 25 business days lead time for 04, 08 glazing > 72" length
- Flashing kits not available on custom FCM sizes

### Custom FCM Shades Only



Shade and  
Accessory Tray



Remote

- Custom white room-darkening solar shade, remote control, and shade accessory tray
- Min/max OCD width 20" to 49  $\frac{1}{2}$ ";
- Min/max OCD length 18  $\frac{1}{4}$ " to 73  $\frac{1}{4}$ "
- Up to 19 business days

- To measure, provide Outside Curb Dimension including roofing and flashing material
- Call Customer Service for assistance: 1-800-888-3589

# Custom Size Skylights

Self-Flashed E-Class Venting

Discontinued - Available While Supplies Last



**EVMS Solar**  
Fresh Air

**EV Manual**  
Fresh Air

EVMS: Remote and insect screen included with EVMS skylight. Shades not available

EV: Insect screen and operating hook included with EV skylight. Operated by ZCT 300 control rod or crank handle ZZZ 201, sold separately. Shades not available.



EVMS/EV Roof Pitch

Custom Sizes      1-800-888-3589  
Call for pricing

Remote Upgrade      Upgrade to the VELUX Touch:  
Simple control of multiple EVMS skylights with one remote  
EVMS model only.  
See page 6 for more information.


- Ready to install right out of the box shingle/slate/wood roofs up to 3/4" thickness.
- One-piece, impenetrable ultra-seal integrated flashing.
- Requires no sealants.



## How to Order Custom EVMS & EV Skylights

We require exact rough opening (RO) dimensions for width and height.

Up to 15 sq ft | Min RO: 22 1/4" W or H | Max RO: 48" W or 54" H | Delivery N



## Choose Your Glass


☐ Laminated

☐ White Laminated

## EVMS & EV Custom Finish Colors

VELUX Neutral Grey AAMA 2604 powder coat finish standard.

Other custom finish colors are available, call 1-800-888-3589 for pricing and lead time information.



## How to Place Your Order

1. \_\_\_\_\_ Width  
(dimension parallel to ridge)

2. \_\_\_\_\_ Height

3. Call **1-800-888-3589**  
(for pricing)



# Custom Size Skylights

Self-Flashed E-Class Fixed

**Discontinued - Available While Supplies Last**




EF Fixed



## How to Order Custom EF Skylights

We require exact rough opening (RO) dimensions for width and height.

Up to 23 sq ft | Min RO: 14 1/2" W or H | Max RO: 72" W or H | Delivery N



## Choose Your Glass


☐ Laminated

☐ White Laminated

## EF Custom Finish Colors

VELUX Neutral Grey AAMA 2604 powder coat finish standard.

Other custom finish colors are available, call 1-800-888-3589 for pricing and lead time information.



## How to Place Your Order

1. \_\_\_\_\_ Width  
(dimension parallel to ridge)

2. \_\_\_\_\_ Height

3. Call **1-800-888-3589**  
(for pricing)

# Custom Size Skylights

## Curb-Mounted SkyMax



**GSM Fixed**

---

Custom  
Sizes  
up to 35 sq ft

1-800-888-3589  
Call for pricing

---

- Sizes are based upon the outside curb dimension (OCD).
- For use with site-built curb and flashing minimum 3 ½ curb.
- Available custom finish colors and copper cladding.





**Standard Sizes** (W-in. x H-in.)**4896****5199**

Inside Curb Dimension

45 x 93

48 x 96

Outside Curb Dimension

48 x 96

51 x 99

Max Skylight Clearance

49 1/4 x 97 1/4

52 1/4 x 100 1/4

**Base Model****4896****5199**Laminated LowE<sup>3</sup> Glass**Code 0090**

-/B

-/R

**Optional Models**<sup>1</sup> Other glass options available as custom.<sup>1</sup>Lead time/size availability may vary from base model. Additional models do not apply to custom sizes.


Order Code Example      $\frac{\text{GSM}}{\text{product}} + \frac{4896}{\text{size}} + \frac{0090}{\text{code}}$

Call 1-800-888-3589 for sizes 4896 and 5199 listed above.

## How to Order Custom SkyMax GSM Skylights


We require exact outside curb dimensions (OCD)  
for width and height

Up to 35 sq ft (OCD)  
Min OCD: 17" W or H  
Max OCD: 120" W or H



## GSM Custom Finish Colors

VELUX Neutral Grey finish standard. The standard finish type is a powder coat finish meeting AAMA 2604 requirements. Custom Finish colors shown are available to meet both AAMA 2604 and 2605 requirements. Other custom finish colors are available, call 1-888-878-3589 for pricing and lead time information.



## How to Place Your Order

1. \_\_\_\_\_ Width  
(dimension parallel to ridge)
2. \_\_\_\_\_ Height
3. Call **1-800-888-3589**  
(Call Customer Service for custom size pricing)

# Sun Tunnel® Skylights

## Rigid & Flex Tube



**TGR**

Rigid One-piece Low-profile Metal Flashing



**TGF**

Flexible One-piece Low-profile Metal Flashing



**TMR**

Rigid Pitched One-piece Metal Flashing



**TMF**

Flexible Pitched One-piece Metal Flashing



**TLR**

Rigid Low-profile Flat Glass



**TCR**

Rigid Curb Metal Counterflashing




Roof Pitch:  
TGR, TMR, TSR,  
TGF, TMF, TLR



Roof Pitch:  
TCR




HGTV  
**SMART  
HOME**  
PROUD SPONSOR  
2023



10" Sun Tunnel	TGR 010	TSR 010	TMR 010
Tube length with kit Rigid kits include 2 elbows & 24" extension	48"	48"	48"
Tube type	Rigid	Rigid	Rigid
Maximum recommended installation length	20'	20'	20'
<b>Dome/Flashing</b>	<b>TGR 010</b>	<b>TSR 010</b>	<b>TMR 010</b>
Acrylic Dome Shingle/shake roof <b>Code 0000</b>   Delivery S	—	N/A	—
Impact Dome Shingle/shake roof <b>Code 1000</b>   Delivery T	—	N/A	—
Acrylic Dome Plastic/metal flashing - shingle/shake roof <b>Code 0000</b>   Delivery S	N/A	—	N/A




14" Sun Tunnel	TGR 014	TMR 014	TLR 014	TCR 014	TMF 014	TGF 014
Tube length with kit Rigid kits include 2 elbows & 24" extension	48"	48"	48"	48"	8'	8'
Tube type	Rigid	Rigid	Rigid	Rigid	Flexible	Flexible
Maximum recommended installation length	30'	30'	30'	30'	8'	8'
<b>Dome/Flashing</b>	<b>TGR 014</b>	<b>TMR 014</b>	<b>TLR 014</b>	<b>TCR 014</b>	<b>TMF 014</b>	<b>TGF 014</b>
Flat Glass Shingle/shake roof <b>Code 2000</b>   Delivery S	N/A	N/A	—	N/A	N/A	N/A
Acrylic Dome Shingle/shake roof <b>Code 0000</b>   Delivery S	—	—	N/A	—	—	—
Impact Dome Shingle/shake roof <b>Code 1000</b>   Delivery T	—	—	N/A	—	—	—



22" Sun Tunnel	TGF 022	TGR 022
Tube length with kit Rigid kits include 2 elbows & 24" extension Subtract approximately 6" for flashing	8'	48"
Tube type	Flexible	Rigid
Maximum recommended installation length	12'	40'
<b>Dome/Flashing</b>	<b>TGF 022</b>	<b>TGR 022</b>
Acrylic Dome Shingle <b>Code 0000</b>   Delivery S	—	N/A
Impact Dome Shingle <b>Code 1000</b>   Delivery T	—	N/A
Acrylic Dome Shingle - ships in multiple boxes <b>Code S0000</b>   Delivery F	N/A	—
Impact Dome Shingle - ships in multiple boxes <b>Code S1000</b>   Delivery F	N/A	—

Free light.  
Day or night.



Designed to fit inside the rigid tube of a VELUX Sun Tunnel skylight, the **VELUX Solar Night Light** gives off a soft, soothing glow from above when natural light isn't available. The night light's solar panel collects available sunlight, even on cloudy days, to power its rechargeable batteries.

Sun Tunnel accessories on pages 46 and 47.

Order Code Example    **TMR** product + **010** size + **0000** code + **SL** light



# Sun Tunnel® Skylights

## Wildfire & Impact Glass



**TZR/TZRL**  
Wildfire or Impact Glass  
Curb-Mount



**TZRQ**  
Wildfire or Impact Glass  
Pan-Flushed



Roof Pitch  
TZR



Roof Pitch  
TZRL / TZRQ





Model	TZR 014	TZRL 014	TZRQ 014
Tube length with kit Rigid kits include 2 elbows & 24" extension	64"	64"	52"
Tube type	Rigid	Rigid	Rigid
Maximum recommended installation length	30'	30'	30'
Flashing	Not included	Step-flashing Included	Pan-flashed


Glass Options	TZR 014	TZRL 014	TZRQ 014
Wildfire Glass Shingle/tile (TZR), shingle (TZRL, TZRQ) Code 2A00   Delivery F	—	—	—
Impact Glass Shingle/tile (TZR), shingle (TZRL, TZRQ) Code 1A00   Delivery T	—	—	—

Flashing	TZR 014	TZRL 014	TZRQ 014
ECW 014Z Curb Mounted Flashing - Shingle/tile Delivery F	—	Order TZR <sup>2</sup>	N/A
ECL Curb Mounted Flashing - Shingle	Order TZRL <sup>1</sup>	Included	N/A

<sup>1</sup> TZRL is a TZR with an ECL flashing kit included. <sup>2</sup> Order as a TZR with ECW 014Z.



Diamond Wire  
Wildfire Glass




Hurricane Resistant  
Impact Glass



# Flat Roof Skylights

## Curb-Mounted Domed Units



**FXG** Acrylic  
Double Dome

---

Custom Sizes	1-800-888-3589 Call for pricing
-----------------	------------------------------------

---

- Neutral gray exterior color.
- Encapsulated inner frame is 100% thermally broken.



**CXP** Hatch with  
**ISD** Polycarbonate Protective Cover







- Opens manually up to 60° for roof access.
- Highly impact resistant domed polycarbonate outer with inner laminated glass pane for added safety, sound control, and thermal protection.
- Insulated PVC frame.





## Acrylic Double Dome FXG

**Standard Sizes** (W-in. x H-in.)  
(previous size)

	225225	225465	305305	345345	465465
					
Outside Curb	25 1/2 x 25 1/2	25 1/2 x 49 1/2	33 1/2 x 33 1/2	37 1/2 x 37 1/2	49 1/2 x 49 1/2
Maximum Skylight Clearance	26 11/16 x 26 11/16	26 11/16 x 50 11/16	34 11/16 x 34 11/16	38 11/16 x 38 11/16	50 11/16 x 50 11/16





Glazing	225225	225465	305305	345345	465465
Clear over clear <b>Code 0A1A1</b>	—S	—S	—S	—S	—S
Clear over white <b>Code 0A1A2</b>	—R	—R	—R	—R	—R

Please contact Customer Service 800-888-3589 for sizes above in bronze over clear glazing.

## Hatch CXP with Polycarbonate Top Cover ISD

(Both are required)

**Standard Sizes** (W-in. x H-in.)

	090120	100100	120120
			
Rough Opening	35 7/16 x 47 1/4	39 3/8 x 39 3/8	47 1/4 x 47 1/4
Exterior Frame	42 1/2 x 54 5/16	46 7/16 x 46 7/16	54 5/16 x 54 5/16

Top Cover	090120	100100	120120
Polycarbonate ISD <b>Code 0010</b>   Delivery G	—	—	—
Base Unit (Required)	090120	100100	120120
Hatch CXP <b>Code 0473Q</b>   Delivery G	—	—	—

Note: Must order both base unit and top cover to make a complete skylight unit. Base and cover will ship and invoice separately.

# Flat Roof Skylights

## Curb-Mounted CFU/ISU



**CFU** Fixed Base with  
**ISU** CurveTech Protective Top Cover



**CFU** Fixed Base

- Laminated thermal pane for added safety, sound control, and thermal protection.














**ISU** CurveTech Protective Top Cover

- CurveTech glass lets rainwater easily roll off for a clean look while preventing leaks.
- Tempered glass is virtually scratch-proof, providing a durable layer of protection.
- Unique curved glass with a modern and innovative design.



## Curb-Mounted CFU/ISU

Standard Sizes (W-in. x H-in.)	060060	080080	090060	120090	120120
					
Rough Opening	23 11/16 x 23 11/16	31 9/16 x 31 9/16	35 1/2 x 23 11/16	47 5/16 x 35 1/2	47 5/16 x 47 5/16
Exterior Frame	32 1/16 x 32 1/16	39 15/16 x 39 15/16	43 7/8 x 32 1/16	55 11/16 x 43 7/8	55 11/16 x 55 11/16

Standard Sizes Continued (W-in. x H-in.)	090090	100100	150100	150150	200100
					
Rough Opening	35 1/2 x 35 1/2	39 7/16 x 39 7/16	59 1/8 x 39 7/16	59 1/8 x 59 1/8	78 3/4 x 39 7/16
Exterior Frame	43 7/8 x 43 7/8	47 13/16 x 47 13/16	67 1/2 x 47 13/16	67 1/2 x 67 1/2	87 3/16 x 47 13/16

## CFU Fixed Base Unit

ISU Top Cover required when purchasing CFU fixed base unit

Standard Sizes	060060	080080	090060	120090	120120
Code 0020Q   Delivery G	—	—	—	—	—

Standard Sizes	090090	100100	150100	150150	200100
Code 0020Q   Delivery N	—	—	—	—	—

## ISU Top Cover

Standard Sizes	060060	080080	090060	120090	120120
Code 1093   Delivery G	—	—	—	—	—

Standard Sizes	090090	100100	150100	150150	200100
Code 1093   Delivery N	—	—	—	—	—

Note: Must order both base unit and top cover to make a complete skylight unit. Base and cover will ship and invoice separately.



# Skylight Flashing

## Deck-Mounted Combi-Flashing™



### EKL

low-profile roofing material  
shingles/shakes

### EKW

high-profile roofing material  
tile/corrugated metal



EKL/EKW Roof Pitch

- Combi-Flashing™ allows for large installations of multiple skylights.
- Must specify vertical gutter spacing when ordering. May be from 2.5" to 12" in 1/2" increments. Combi-Flashings™ with gutters 4.5" or wider have additional charges.
- Only the 2 1/2", 3", 3 1/2" and 4" gutters are stocked; all other widths are special order and carry a 15-day production time.
- 1 x (over/under) combinations have 4" horizontal gutter only.
- EKW has 4" gutter side by side configuration only,
- Gutter sizes listed are frame to frame – RO to RO will be 1/2" larger, ex. 3" listed gutter = 3 1/2" RO to RO.



HGTV  
**URBAN  
OASIS**  
PROUD SPONSOR  
— 2022 —

Sizes		C01	C04	C06	C08	C12	M02	M04	M06	M08	S01	S06
1 by 2 Flashing Configuration												
<div><div></div><div></div></div>	EKL Low-Profile Delivery T	—	—	—	—	—	—	—	—	—	—	—
1 by 3 Flashing Configuration												
<div><div></div><div></div><div></div></div>	EKL Low-Profile Delivery T	—	—	—	—	—	—	—	—	—	—	—
2 by 1 Flashing Configuration												
<div><div></div><div></div></div>	EKL Low-Profile Delivery T	—	—	—	—	—	—	—	—	—	—	—
	EKW High-Profile Delivery T	Call	Call	Call	N/A	N/A	Call	Call	Call	Call	Call	Call
2 by 2 Flashing Configuration												
<div><div></div><div></div><div></div><div></div></div>	EKL Low-Profile Delivery T	—	—	—	—	—	—	—	—	—	—	—
2 by 3 Flashing Configuration												
<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	EKL Low-Profile Delivery T	—	—	—	—	—	—	—	—	—	—	—
3 by 1 Flashing Configuration												
<div><div></div><div></div><div></div></div>	EKL Low-Profile Delivery T	—	—	—	—	—	—	—	—	—	—	—
	EKW High-Profile Delivery T	Call	Call	Call	N/A	N/A	Call	Call	Call	Call	Call	Call
3 by 2 Flashing Configuration												
<div><div></div><div></div><div></div><div></div><div></div><div></div></div>	EKL Low-Profile Delivery T	—	—	—	—	—	—	—	—	—	—	—
4 by 1 Flashing Configuration												
<div><div></div><div></div><div></div><div></div></div>	EKL Low-Profile Delivery T	—	—	—	—	—	—	—	—	—	—	—
	EKW High-Profile Delivery T	Call	Call	Call	N/A	N/A	Call	Call	Call	Call	Call	Call

Many other combinations can be made beyond what is listed in the pricing chart. Call customer service for more combi-flashing™ options and pricing. Measurement must be taken from rough opening to rough opening.

Large orders may require longer lead times. Combi-flashings™ are not available for models FCM, VCM, VCE, QPF, or VCS. VSS is not available in 1 by 3 or 2 by 3 configurations due to the solar panel.



# Skylight Accessories

## Skylight & Roof Window Shades



Room-Darkening  
Double-Pleated


**Standard with VELUX  
Skylight System models**

Unique honeycomb structure adds an extra layer of fabric to block bright sunlight.



Light-Filtering  
Single-Pleated

The single-pleated shades softly diffuse natural light, helping prevent glare.



Venetian

Available for roof windows only

Lightweight, horizontal slats provide style and easy light control for any room.

Model and size code on your skylight:



Model

Size

Standard skylight order code example:

FSCD	C06	1045KWL
shade model	skylight size	shade color code

FCM with shade and accessory tray order code example:

FCM	2246	1045KWL	Z
shade model	skylight size	shade color code	accessory tray



HGTV  
**URBAN  
OASIS**  
PROUD SPONSOR  
— 2024 —





## Solar-Powered Skylight Shades

For custom sizes, colors, and/or shade type see Special Order pricing below.

### In-Stock Skylight Shade<sup>1</sup>

Room-Darkening, Double-Pleated











	Skylight Model	Code	Price
	VSS/VSE	FSCH	—
	VS	FSCH	—
	FS	FSCD	—
	VCS/VCE/VCM/QPF	FSCC	—
	FCM	FSCC	—*

1045  
White







\* FCM price includes accessory tray.

### Special Order Skylight Shade Options<sup>2</sup>

Room-Darkening, Double-Pleated

				
1155 Beige	1163 Grey	1164 Grey Melange	1171 Dark Sand	1172 Light Grey
				
1047 Charcoal	1049 Golden Beige	1156 Blue	1165 Light Brown	1173 Petrol
				
1168 Dusty Green	1169 Light Blue	1170 Dark Taupe	1166 Ivory	1167 Orange

Light Filtering, Single-Pleated

				
1016 White	1259 Classic Sand	1275 Natural	1282 Dark Grey	1286 Jeans Blue
				
1256 <sup>4</sup> Classic White	1274 Charcoal	1276 <sup>4</sup> Dusty Brown	1277 Dusty Sand	1278 Beige
				
1280 Forest Green	1281 Mint Green	1283 Light Beige	1284 Grey	1285 Soft Blue
				
1279 Red Wine				

Skylight Model	Code	Price
VSS/VSE	FSCH	—
VS	FSCH	—
FS	FSCD	—
VCS/VCE/VCM/QPF	FSCC	—
FCM	FSCC	—*



\* FCM = shade price + accessory tray

## Manual Roof Window Shades

Ships separately from Roof Window



### In-Stock Roof Window Shade Options<sup>1</sup>

Room Darkening, Double Pleated

	Roof Window Model	Code	Price
	GPU/GXU/GGU	FHC	—
	GDL <sup>6</sup>	FHC	—



1045  
White

Light Filtering, Single Pleated

	Roof Window Model	Code	Price
	GPU/GXU/GGU	FHL	—
	GDL <sup>3</sup>	FHL	—

1016  
White

Venetian
















	Roof Window Model	Code	Price
	GPU/GXU/GGU	PAL	—
	GDL <sup>3</sup>	PAL	—

7001  
White

Slats measure 1.375"

### Special Order Roof Window Shade Options<sup>2</sup>

Room-Darkening, Double-Pleated

				
1155 Beige	1163 Grey	1164 Grey Melange	1171 Dark Sand	1172 Light Grey
				
1047 Charcoal	1049 Golden Beige	1156 Blue	1165 Light Brown	1173 Petrol
				
1168 Dusty Green	1169 Light Blue	1170 Dark Taupe	1166 Ivory	1167 Orange

Light Filtering, Single-Pleated

				
1256 <sup>4</sup> Classic White	1259 Classic Sand	1275 Natural	1282 Dark Grey	1286 Jeans Blue
				
1274 Charcoal	1276 <sup>4</sup> Dusty Brown	1277 Dusty Sand	1278 Beige	1280 Forest Green
				
1281 Mint Green	1283 Light Beige	1284 Grey	1285 Soft Blue	1279 Red Wine

Roof Window Model	Code – Room Darkening	Code – Light Filtering	Price
GPU/GXU/GGU	FHC	FHL	—
GDL <sup>3</sup>	FHC	FHL	—

<sup>1</sup> **In-Stock:** Solar skylight shades are sold separately (2-4 business days) and/or factory installed as a part of VELUX Skylight Systems. Custom sizes are sold separately as special order. Manual roof window shades are not eligible for factory installation. <sup>2</sup> **Special Order:** No factory installation for special order skylight or roof window shades. Shades ship separately: skylights 14 business days and roof windows up to 8 weeks. <sup>3</sup> GDL requires two shades, one each for top and bottom windows. <sup>4</sup> Includes a pattern design.

# Skylight Accessories

## Home Automation

### VELUX ACTIVE

Includes Climate Sensor, Departure Switch, and Internet Gateway

Model	Price	Delivery
KIX 300 US	—	S



### VELUX ACTIVE Indoor Climate Sensor

Additional sensor for other rooms with VELUX skylights

Model	Price	Delivery
KLA 300 US	—	S



### VELUX ACTIVE Departure Switch

Additional departure switch

Model	Price	Delivery
KLN 300 US	—	S



### VELUX App Control

Automated scheduling and smart device control of your VELUX shades.

Model	Price	Delivery
KIG 300 US	—	S



### Home Automation Integration Kit

Wirelessly control up to five groups of solar/electric-powered skylights or shades

Model	Price	Delivery
KLF 200 US	—	S




## Installation Accessories

### Additional Step Flashing Deck/Curb

Deck-mounted = 14 pieces - ZZZ 200 0000  
Curb-mounted = 12 pieces - ZZZ 200 0000C


Model	Price	Delivery
ZZZ 200 0000	—	S
ZZZ 200 0000C	—	S



### Adhesive Underlayment

9" x 26' per roll


Model	Price	Delivery
ZOZ 216L	—	S



### Replacement Kit

4 pre-cut drywall groove filler pieces and 4 structural brackets. Use in deck-mounted applications. Sizes: C01, C04, C06, C08, D06, D26, M02, M04, M06, M08, S01, S06

Model	Price	Delivery
ZZZ 238 + size	—	S



### Structural Brackets 4 brackets

Use in deck-mounted applications with an oversized rough opening

Model	Price	Delivery
ZZZ 219	—	T



### Trim Groove Filler Kit

Three 57 1/2" pieces. One kit will work for most sizes

Model	Price	Delivery
ZZZ 213B	—	S



### Shade Accessory Tray

Needed for shade installation on Fixed Curb-Mounted Skylights (2222-4646)

Model	Price	Delivery
ZZZ 199 + size	—	S




Also for EF skylights, excluding sizes 2239, 2254, 3054

### Sun Screen Adapter Kit

Allows skylight models manufactured prior to January 1, 2010 to have special order shades. V-venting, F-fixed


Model	Price	Delivery
ZZZ 232V	—	T
ZZZ 232F	—	T



### Wildfire Screen

Made to meet California's strictest fire codes for new skylight installations, these screens are compatible with all our Deck-Mounted and Curb-Mounted skylights.

Model	Price	Delivery
ZZZ 256 + size	—	F



## Remotes & Electric

### Basic Remote Control

Remote control allows users to operate single skylight or shade from anywhere in the room

Model	Price	Delivery
KLI 310 US	—	S



### Battery Backup

Provides limited operation of one VSE or VCE skylight during power outages

Model	Price	Delivery
KLB 100 WW	—	S



### VELUX Touch Remote Control

Remote control allows users to operate multiple skylights and shades with one remote from anywhere in the room, not dependent on Wi-Fi

Model	Price	Delivery
KLR 300 WW	—	S



## Manual Controls

### VS/VCM Crank Handle

Operate in-reach manual venting skylight

Model	Price	Delivery
ZZZ 201 (VS)	—	S
ZZZ 212 (VCM)*	—	S

\*Includes the ZZZ 208 extension.



### VS/VCM Replacement Hook

Replacement hook for out-of-reach manual venting skylight

Model	Price	Delivery
ZZZ 202 (VS)	—	S
ZZZ 211 (VCM)	—	S



### Extension Chain Operator

Extension for manual crank handle or manual angle adaptor to make skylights easier to operate

Model	Price	Delivery
ZZZ 208	—	S



### Angle Adaptor for Chain Operator

Used in conjunction with the manual hook for out-of-reach applications to make the skylight easier to operate with a manual pole

Model	Price	Delivery
ZZZ 203	—	S



### Telescopic Rod 6'–10' Manual Skylights

For VS and VCM skylights from 1982 to present and sun screen accessories made prior to 2010

Model	Price	Delivery
ZCT 300	—	S



### Telescopic Rod 3'–6' Manual Shades

For operation of manual sunscreen accessories

Model	Price	Delivery
ZXT 200	—	S



### Universal Extension 3'

Extension piece for telescopic rods. Extends control rods for an additional 3'

Model	Price	Delivery
ZCT 100	—	S






# Sun Tunnel® Skylight Accessories

## Lighting

### Solar Night Light

Provides low level light available for rigid tube only

Model	Price	Delivery
ZTZ 213	—	S



### Daylight Controller

Motorized variable positioning daylight control device. Requires ZZZ 233 Power Supply

Model	10"	14"	Delivery
ZTP	N/A	—	F



### Power Supply

Power supply for control devices

Model	Price	Delivery
ZZZ 233	—	F



### Universal Electric Light Kit

Designed to let Sun Tunnel® be a source of light at night and during the day

Model	10"	14"	22"	Delivery
ZTL 114	—	—	N/A	S
ZTL 122	N/A	N/A	—	S



### Discontinued – While Supplies Last

### Diffusion Enhancer - 6" band

Highly reflective obscure 6" band designed to diffuse direct sunlight

Model	10"	22"	Delivery
ZTZ 209	—	—	S



## Tube

### Rotation Coupler

Enables quick elbow connections when getting around obstacles in the attic is required

Model	10"	14"	Delivery
ZTZ 211	—	—	S



### Elbows

Can be used at bottom, middle, or top of your installation - can form a 90 degree bend using multiple elbows with rotating couplers

Model	10"	14"	22"	Delivery
ZTE 0000	—	—	—	S



### Rigid Tube 24" reflective tube sections

Available in bulk quantities

Model	10"	14"	22"	Delivery
ZTR 2' - 1 unit	—	—	—	S
ZTR 4'- 2 units	—	—	—	S
ZTR 6'- 3 units	—	—	—	S
ZTR 12'- 6 units	—	—	—	S
ZTR 24'- 12 units	—	—	—	S



### Suspension Wire Kit

12-gauge wire and fastener set to secure longer tube sections

Model	Price	Delivery
ZTZ 203	—	F



## Performance Enhancing

### Energy Kit

Designed to increase energy efficiency; includes a thermal plate and a diffusing disc



Model	10"	14"	22"	Delivery
ZTC 0051US	—	—	N/A	S
ZTC 0041US	N/A	N/A	—	S

### Exterior Fire Band

Designed to meet fire prevention requirements of building codes - not available for TSR 10"



Model	10"	14"	22"	Delivery
ZZZ 192	—	—	—	F

### Vapor Barrier

Designed for protecting flashing components and ceiling opening from condensation



Model	10"	14"	22"	Delivery
ZTY	—	—	—	T

### Decorative Diffusers

Simple way to enhance your ceiling and ensure that your diffuser film matches the décor and feel of the room

Model	Description	10"	14"	Delivery
	Micro Fresnel ZTB 4004US	—	—	S
	Triple Wave ZTB 4005US	—	—	S
	Brushed Metal ZTB 4006US	—	—	S

## Flashing

### Curb-Mounted Flashing - Tile

Install on tile roofing material over 3/4" thickness for roof pitch 14-60° for TCR and TZR models



Sun Tunnel	Flashing Model	14"	Delivery
TCR	ECW 014 0000	—	S
TZR	ECW 014Z 0000	—	F

### Sun Tunnel® Flashing - Tile

Water-tight flashing without the use of sealants Only for TMR and TMF



Model	10"	14"	Delivery
ZTM 0000 50	—	—	F

# Roof Windows

## Top-Hinged GPU



**GPU** Top-hinged  
Roof Window



GPU Roof Pitch

- Designed for in-reach applications, such as bonus rooms or attics.
- **Stocked GPU Units are for Roofs with a Maximum of 55° Roof Pitch.** Roofs with a pitch greater than 55° need to order GPU units with special springs for an additional cost.



Opens to a maximum of 45°  
to satisfy egress requirements  
for emergency escape.

(MK06, MK08, PK10, SK06, UK08 meet egress  
requirements. CK04, CK06, MK04  
do not meet egress requirements.)

Check your local codes for compliance.











Add a Manual Shade: White,  
Room-Darkening, Double-Pleated

See accessories on the next page. For more  
shade color options, see special order shade  
options on page 43.





Standard Sizes	CK04	CK06	MK04	MK06	MK08	PK10	SK06	UK08
(W-in. x H-in.)								
Outside Frame	21 <sup>5</sup> / <sub>8</sub> x 38 <sup>1</sup> / <sub>2</sub>	21 <sup>5</sup> / <sub>8</sub> x 46 <sup>3</sup> / <sub>8</sub>	30 <sup>3</sup> / <sub>4</sub> x 38 <sup>1</sup> / <sub>2</sub>	30 <sup>3</sup> / <sub>4</sub> x 46 <sup>3</sup> / <sub>8</sub>	30 <sup>3</sup> / <sub>4</sub> x 55	37 <sup>1</sup> / <sub>8</sub> x 63	44 <sup>7</sup> / <sub>8</sub> x 46 <sup>3</sup> / <sub>8</sub>	52 <sup>3</sup> / <sub>4</sub> x 55 <sup>1</sup> / <sub>16</sub>
Rough Opening	22 <sup>1</sup> / <sub>8</sub> x 39	22 <sup>1</sup> / <sub>8</sub> x 46 <sup>7</sup> / <sub>8</sub>	31 <sup>1</sup> / <sub>4</sub> x 39	31 <sup>1</sup> / <sub>4</sub> x 46 <sup>7</sup> / <sub>8</sub>	31 <sup>1</sup> / <sub>4</sub> x 55 <sup>1</sup> / <sub>2</sub>	37 <sup>5</sup> / <sub>8</sub> x 63 <sup>1</sup> / <sub>2</sub>	45 <sup>3</sup> / <sub>8</sub> x 46 <sup>7</sup> / <sub>8</sub>	53 <sup>1</sup> / <sub>4</sub> x 55 <sup>1</sup> / <sub>2</sub>

Base Model	CK04	CK06	MK04	MK06	MK08	PK10	SK06	UK08
Laminated Glass Code 0070   Delivery T	—	—	—	—	—	—	—	—

Flashing	CK04	CK06	MK04	MK06	MK08	PK10	SK06	UK08
Step Flashing Asphalt Shingles, Wood Shakes, or Slate Up to 1/2 inch maximum thickness Code EDL   Delivery T	—	—	—	—	—	—	—	—
High Profile Flashing Tile - Over 3/4 inch thickness Code EDW   Delivery T	—	—	—	—	—	—	—	—

All cladding components for roof windows are included in the flashing box. If VELUX flashing is not used, then ZWC cladding pieces must be ordered. Call Customer Service for pricing on Flashing Kits available for when replacing old Roof Windows with new Roof Windows.

Accessories	CK04	CK06	MK04	MK06	MK08	PK10	SK06	UK08
Manual Shade White, Room-Darkening, Double-Pleated Code FHC 1045SWL   Delivery T					—			
Manual Shade White, Light-Filtering, Single-Pleated Code FHL 1016SWL   Delivery T					—			
Manual Shade White Venetian Code PAL 7001SWL   Delivery T					—			
Insect Screen Code ZIL 0000SWL   Delivery T					—			

# Roof Windows

## Roof Access GXU



**GXU** Roof Access  
Roof Window



GXU Roof Pitch

- Opens 90° for easy access to the outdoors.
- Designed for in-reach applications.



FK06 satisfies egress requirements for emergency escape.

(CK06 size does not meet requirements for emergency escape.)

Check your local codes for compliance.



Add a Manual Shade: White, Room-Darkening, Double-Pleated

See accessories on the next page. For more shade color options, see special order shade options on page 43.



**Standard Sizes**

(W-in. x H-in.)

**CK06****FK06**

Outside Frame

21 5/8 x  
46 3/826 x  
46 3/8

Rough Opening

22 1/8 x  
46 7/826 1/2 x  
46 7/8**Base Model****CK06****FK06**

Laminated Glass

**Code 0070** | Delivery T

—

—

**Flashing****CK06****FK06**

Step Flashing

Asphalt Shingles, Wood Shakes, or Slate  
Up to 1/2 inch maximum thickness**Code EDL** | Delivery T

—

—

High Profile Flashing

Tile - Over 3/4 inch thickness

**Code EDW** | Delivery T

—

—

All cladding components for roof windows are included in the flashing box. If VELUX flashing is not used, then ZWC cladding pieces must be ordered.

**Accessories****CK06****FK06**

Manual Shade

White, Room-Darkening, Double-Pleated

**Code FHC 1045SWL** | Delivery T

—

—

Manual Shade

White, Light-Filtering, Single-Pleated

**Code FHL 1016SWL** | Delivery T

—

—

Manual Shade

White Venetian

**Code PAL 7001SWL** | Delivery T

—

—

Insect Screen

**Code ZIL 0000SWL** | Delivery T

—

—



# Roof Windows

## Balcony GDL



**GDL Balcony Roof Window**



**GDL Balcony Roof Pitch**

- Dual-sash operation: top opens for ventilation and bottom opens outward to create a roof balcony.
- When the GDL Balcony Roof Window is closed, a ventilation flap can be opened to provide a breath of fresh air, even if it is raining outside.
- For in-reach application only.



Add Manual Shades: White, Room-Darkening, Double-Pleated

See accessories on the next page. For more shade color options, see special order shade options on page 43.



GDL can meet emergency escape egress requirements

Check your local codes for compliance.



**Standard Sizes**

(W-in. x H-in.)

**MK19****PK19**

Outside Frame

30 3/4 x  
99 1/437 1/16 x  
99 1/4

Rough Opening

33 1/16 x  
10139 3/8 x  
101**Base Model****MK19****PK19**

Laminated Glass/Aluminum

—

—

**Code 3066** | Delivery T**Flashing****MK19****PK19**

Step Flashing

Asphalt Shingles, Wood Shakes, or Slate  
Up to 1/2 inch maximum thickness

—

—

**Code EDL** | Delivery T

High Profile Flashing

Tile - Over 3/4 inch thickness

—

—

**Code EDW** | Delivery T**Accessories****MK19****PK19**Manual Shade <sup>1</sup>

White, Room-Darkening, Double-Pleated

**Code FHC SD1045SWL** | Delivery T

—

—

Manual Shade <sup>1</sup>

White, Light-Filtering, Single-Pleated

**Code FHL SD1016SWL** | Delivery T

—

—

Insect Screen

Insect Screen, Black Mesh

**Code ZIL SD0000SWL** | Delivery T

—

—

<sup>1</sup> Shade price includes two shades, one each for top and bottom windows.

# Roof Windows

## Center-Pivot GGU



**GGU** Center-Pivot  
Roof Window



GGU Roof Pitch

- Easy to open and quick to close with the top control bar.
- For in-reach application only.




















Add a Manual Shade: White, Room-Darkening, Double-Pleated

See accessories on the next page. For more shade color options, see special order shade options on page 43.





Standard Sizes	CK02	CK04	CK06	FK04	FK06	FK08	MK04	MK06	MK08	MK10	PK06	PK08	PK10	SK06	SK08	UK04	UK08
(W-in. x H-in.)																	
Outside Frame	21 <sup>5</sup> / <sub>8</sub> x 30 <sup>5</sup> / <sub>8</sub>	21 <sup>5</sup> / <sub>8</sub> x 38 <sup>1</sup> / <sub>2</sub>	21 <sup>5</sup> / <sub>8</sub> x 46 <sup>3</sup> / <sub>8</sub>	26x 38 <sup>1</sup> / <sub>2</sub>	26x 46 <sup>3</sup> / <sub>8</sub>	26x 55	30 <sup>3</sup> / <sub>4</sub> x 38 <sup>1</sup> / <sub>2</sub>	30 <sup>3</sup> / <sub>4</sub> x 46 <sup>3</sup> / <sub>8</sub>	30 <sup>3</sup> / <sub>4</sub> x 55	30 <sup>3</sup> / <sub>4</sub> x 63	37 <sup>1</sup> / <sub>8</sub> x 46 <sup>3</sup> / <sub>8</sub>	37 <sup>1</sup> / <sub>8</sub> x 55	37 <sup>1</sup> / <sub>8</sub> x 63	44 <sup>7</sup> / <sub>8</sub> x 46 <sup>3</sup> / <sub>8</sub>	44 <sup>7</sup> / <sub>8</sub> x 55	52 <sup>3</sup> / <sub>4</sub> x 38 <sup>1</sup> / <sub>2</sub>	52 <sup>3</sup> / <sub>4</sub> x 55 <sup>1</sup> / <sub>16</sub>
Rough Opening	22 <sup>1</sup> / <sub>8</sub> x 31 <sup>1</sup> / <sub>8</sub>	22 <sup>1</sup> / <sub>8</sub> x 39	22 <sup>1</sup> / <sub>8</sub> x 46 <sup>7</sup> / <sub>8</sub>	26 <sup>1</sup> / <sub>2</sub> x 39	26 <sup>1</sup> / <sub>2</sub> x 46 <sup>7</sup> / <sub>8</sub>	26 <sup>1</sup> / <sub>2</sub> x 55 <sup>1</sup> / <sub>2</sub>	31 <sup>1</sup> / <sub>4</sub> x 39	31 <sup>1</sup> / <sub>4</sub> x 46 <sup>7</sup> / <sub>8</sub>	31 <sup>1</sup> / <sub>4</sub> x 55 <sup>1</sup> / <sub>2</sub>	31 <sup>1</sup> / <sub>4</sub> x 63 <sup>1</sup> / <sub>2</sub>	37 <sup>5</sup> / <sub>8</sub> x 46 <sup>7</sup> / <sub>8</sub>	37 <sup>5</sup> / <sub>8</sub> x 55 <sup>1</sup> / <sub>2</sub>	37 <sup>5</sup> / <sub>8</sub> x 63 <sup>1</sup> / <sub>2</sub>	45 <sup>3</sup> / <sub>8</sub> x 46 <sup>7</sup> / <sub>8</sub>	45 <sup>3</sup> / <sub>8</sub> x 55 <sup>1</sup> / <sub>2</sub>	53 <sup>1</sup> / <sub>4</sub> x 39	53 <sup>1</sup> / <sub>4</sub> x 55 <sup>1</sup> / <sub>2</sub>

Base Model	CK02	CK04	CK06	FK04	FK06	FK08	MK04	MK06	MK08	MK10	PK06	PK08	PK10	SK06	SK08	UK04	UK08
Laminated Glass Code 0070   Delivery N	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—


Flashing	CK02	CK04	CK06	FK04	FK06	FK08	MK04	MK06	MK08	MK10	PK06	PK08	PK10	SK06	SK08	UK04	UK08
Step Flashing Code EDL   Delivery T	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
High Profile Flashing Code EDW   Delivery T	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

All cladding components for roof windows are included in the flashing box. If VELUX flashing is not used, then ZWC cladding pieces must be ordered. Call Customer Service for pricing on Flashing Kits available for when replacing old Roof Windows with new Roof Windows.

Accessories	CK02	CK04	CK06	FK04	FK06	FK08	MK04	MK06	MK08	MK10	PK06	PK08	PK10	SK06	SK08	UK04	UK08
Manual Shade White, Room Darkening, Double-Pleated Code FHC 1045SWL   Delivery T	—N	—	—	—N	—	—	—N	—	—	—	—N	—N	—	—	—N	—	—
Manual Shade White, Light-Filtering, Single-Pleated Code FHL 1016SWL   Delivery T	—N	—	—	—N	—	—	—N	—	—	—N	—N	—N	—	—	—N	—	—
Manual Shade White Venetian Code PAL 7001SWL   Delivery T	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insect Screen Code ZIL 0000SWL   Delivery T	—	—	—	—N	—	—	—N	—	—	—N	—N	—N	—	—	—N	—	—

# Architectural Skylights

## Custom Skylight Systems




- Unlimited design capabilities to create spectacular daylighting applications.
- Capable of spanning up to 40 feet.
- Broad range of glass options to select from, including hurricane-rated, electrochromic, photovoltaic, and insulated glass, or cellular polycarbonate with option for aerogel fill.
- Available in standard or custom sizes, both with reliable engineering, construction, and installation.
- Choose from a broad range of interior and exterior finishes.

### Custom Finish Colors:

Gloss powder coat finish formulated with durable polyester resins and solar-reflective pigments.



Anodized metal appearance, ultra-matte smooth powder coat finish.



Mill finish standard. Other custom finish options and colors are available. Visit [commercial.veluxusa.com/products/finishes](http://commercial.veluxusa.com/products/finishes) for full list of finish options.



## Pinnacle System


- Spans up to 40' wide, unlimited length
- Self-supporting structural system
- Custom skylight pitches 15° - 60°
- Flat or pitched roof applications
- Custom glazing options
- Custom finish colors
- Site-built system




Square  
Pyramid




Polygonal  
Pyramid




Extended  
Pyramid



Single  
Pitch



Double  
Pitch



Structural  
Ridge

## Classic System


- Spans up to 5' wide, unlimited length
- Self-supporting structural system
- Three standard skylight pitches: 5:12, 7:12, 12:12
- Flat or pitched roof applications
- Custom glazing options
- Custom finish colors
- Factory welded and assembled




Square  
Pyramid



Polygonal  
Pyramid




Extended  
Pyramid



Double  
Pitch

## Low Profile System

- Unlimited width and length
- Structural support required
- Pitched roof applications
- Custom glazing options
- Custom finish colors
- Factory-built or site-built system



Low Profile



# Architectural Skylights

## VELUX Modular Skylights – VMS



**HFC** Fixed  
5° Module

**HVC** Ventilating  
5° Module




VMS Roof Pitch

- Pre-glazed module with 100% prefabricated components and unique bracket system guarantees a predictable installation process
- Watertight design ensures moisture protection without need for sealants
- Hidden chain actuators allow modules to vent allowing fresh air into the building
- Internal shades can be pre-installed allowing for shading throughout the day
- Velux Modular Skylight systems available for roof pitches between 0°–90°
- VMS electronic control systems offer heavy wind and rain sensor controls
- Email [commercialestimating.us@velux.com](mailto:commercialestimating.us@velux.com) for details


The installer is responsible for curb-flashing material and installation of the curb to the roof.



The unique bracket system that makes every module fit every solution




VMS modules can be equipped with electrically-operated roller shades



White



Grey



Black

Delivery time approximately 10-12 weeks for product and shades.

Transforming spaces since 1941. For over 80 years, VELUX has helped people envision and achieve the transformation of spaces using daylight and fresh air through the roof. Our product program includes skylights, Sun Tunnel® skylights, decorative shades and roof windows, as well as installation and smart home solutions. By creating brighter, healthier, more sustainable places to live, work, learn, and play we enable a better everyday life for people around the world. We work globally with sales and manufacturing operations in more than 40 countries and around 11,500 employees worldwide. The VELUX Group is owned by VKR Holding A/S, a limited company wholly owned by non-profit, charitable foundations (THE VELUX FOUNDATIONS) and family.

For more information, visit [veluxusa.com](https://veluxusa.com).



VELUX America LLC  
215 Puckett Ferry Road  
PO Box 5001  
Greenwood, SC 29648-5001

1-800-888-3589

[veluxusa.com](https://veluxusa.com)