

PRODUCT SPEC BOOK

VEHICLES • ACCESSORIES • PARTS • MAINTENANCE APPAREL • PLAY AND LICENSING PRODUCTS

PRODUCT SPEC BOOK

VEHICLE SPECIFICATIONS ACCESSORIES

5 Rotax Engines	5	Rotax	Engines
-----------------	---	-------	---------

6 Summit X with Expert Package

8 Summit X

10 Summit Edge

12 Summit SP

14 Freeride

16 Backcountry X-RS

18 Backcountry X

20 Backcountry

22 Backcountry Sport

24 Mach Z

26 Renegade X-RS with Competition

Package

28 Renegade X-RS

30 Renegade X

32 Renegade Enduro

34 Renegade Adrenaline

36 Renegade Sport

38 MXZ X-RS

40 MX7 X

42 MXZ TNT

44 MXZ Sport

46 Grand Touring Limited

48 Grand Touring Sport

50 Expedition Xtreme

52 Expedition SE

54 Expedition SWT

56 Expedition LE

58 Expedition Sport

60 Tundra LT

62 Tundra Sport

64 Skandic SWT

66 Skandic WT

68 Skandic Sport

70 Comparative Chart

77 Platform/Accessory Fit Guide

78 LinQ Accessories

81 Fuel & Oil Caddies

81 Storage

92 Sleigh, Racks & Holders

94 Seats & Backrests

98 Windshields & Wind Protection

105 Handguards & Handlebar

107 Mirrors

108 Adjustable Risers & Extension Kits

110 LED Lights

111 Bumpers, Hitches & Winches

117 Protection & Reinforcement

120 Toe-Holds, Footrests & Knee Pads

122 Suspension & Fox Shock Kits

125 Vent Kits & Prefilters

126 Cooling & Lubrication

127 Electrical & Electronics

131 Trailering & Covers

134 Garage & Truck Sled Decks

PARTS

137 Traction & Control

148 Propulsion

150 Electrical

MAINTENANCE

153 Oils & Maintenance Products

156 Care Products

APPAREL

159 Technology Guide

164 Helmets

167 Goggles

168 Riding Gear

174 Mitts & Gloves

176 Boots & Socks

177 Headwear & Balaclavas

179 Base Layers

181 Mid Layers

182 Men's Sportswear

185 Ladies' Sportswear

187 Kids' & Teen Wear

190 Tekvest

190 Bags

191 Play & Licensing Products

192 Sizing Chart



For advertising purposes, some scenes depicted in this brochure include professional riders and racers executing maneuvers or performances under ideal and/or controlled conditions. Do not attempt any of these or any other risky maneuvers if they're beyond your level of riding ability, as well as your understanding and respect for the performance of your snowmobile. Always ride responsibly and safely, Always observe applicable local laws and regulations. Always wear the appropriate protective clothing, including a helmet. And remember, if you're going to drink, please don't ride. Because of its ongoing commitment to product quality and innovation, Bombardier Recreational Products Inc. (BRP) reserves the right, at any time, to discontinue or change specifications, prices, designs, features, models or equipment without incurring any obligation. Some models depicted herein may included. BRP is a proud member of the SECC (Snowmobiling a Safety Certification Committee). Machine Safety Admictor Safety Training, Safe Trails, ISMA (International Snowmobile Manufacturers Association), National Snowmobile Manufacturers Association), National Snowmobile Manufacturers Associations, of Safety Training, Safety Training, Safety Certification Committee), Machine Safety Associations, Safety Training, Safety Certification Committee), Machine Safety Associations, and Safety Certification Committee). Safety Training, Safety Certification Committee, Machine Safety Certification. Primadoff Safety Cer



VEHICLE SPECIFICATIONS

// VEHICLE SPECIFICATIONS

5		ROTAX ENGINES	38	MXZ X-RS
6		SUMMIT X WITH EXPERT PACKAGE	40	MXZ X
8		SUMMIT X	42	MXZ TNT
10	0	SUMMIT EDGE	44	MXZ SPORT
12	2	SUMMIT SP	46	GRAND TOURING LIMITED
14	4	FREERIDE	48	GRAND TOURING SPORT
10	6	BACKCOUNTRY X-RS	<i>50</i>	EXPEDITION XTREME
18	8	BACKCOUNTRY X	<i>52</i>	EXPEDITION SE
2	0	BACKCOUNTRY	54	EXPEDITION SWT
2	2	BACKCOUNTRY SPORT	56	EXPEDITION LE
2	4	MACH Z	58	EXPEDITION SPORT
2	6	RENEGADE X-RS WITH COMPETITION PACKAGE	60	TUNDRA LT
2	8	RENEGADE X-RS	62	TUNDRA SPORT
3	0	RENEGADE X	64	SKANDIC SWT
3	2	RENEGADE ENDURO	66	SKANDIC WT
3	4	RENEGADE ADRENALINE	68	SKANDIC SPORT
3	6	RENEGADE SPORT	70	COMPARATIVE CHART

ROTAX® ENGINES

ROTAX 2-STROKE ENGINES

Heart-thumping power, lightweight design, proven reliability - E-TEC direct-injection engine technology delivers the most sought-after attributes in the snowmobile industry.

Our lineup of 2-stroke engines now includes the brand-new 600 EFI (Electronic Fuel Injection) engine. Reliable, affordable and easy to use, it's an entry-level engine that far exceeds what you thought an entry-level engine had to be.

With the E-TEC engine lineup you also get:

- Industry-leading fuel economy²
- · Excellent oil economy
- · Virtually no smoke or smell
- · Light, linear throttle pull
- Automatic summerization process

850 E-TEC TURBO

- 165 hp up to 8,000 ft¹
- · World's first factory-built 2-stroke turbo

850 E-TEC

- · 165 horsepower1
- Up to 19 mpg (12.3 L/100 km)²

600R E-TEC

- · 125 horsepower1
- Up to 21 mpg (11.3 L/100 km)²

600 EFI

- 85 horsepower¹
- Up to 18 mpg (13.3 L/100 km)²

E-TEC engines are the best-selling 2-stroke engines in snowmobiling.4

ROTAX ACE™ 4-STROKE ENGINES

With the Advanced Combustion Efficiency (ACE) family of engines, BRP engineers optimized the combustion system, reduced mechanical friction, and freed intake and exhaust breathing. The result is the most efficient engine in snowmobiling. Not only are they efficient, they're a pleasure to operate and own. Very little maintenance is required; they run smoothly and produce a nice, solid - yet quiet - sound.

NEW 900 ACE TURBO R

- Rotax-designed turbocharger
- · 180 horsepower1
- · Cable-activated throttle with reconfigured iTC

900 ACE TURBO - 150 WITH ITC

- · 150 horsepower1
- Up to 19.4 mpg (12.1 L/100 km)³

NEW 900 ACE TURBO - 130 WITH ITC

- Rotax-designed turbocharger
- · 130 horsepower1


900 ACE WITH ITC

- 3 cylinders
- 95 horsepower¹
- Up to 21.8 mpg (10.8 L/100 km)³

600 ACE WITH ITC

- · 2 cylinders
- 62 horsepower¹
- Up to 29 mpg (8 L/100 km) the most fuel-efficient in the entire industry3

ACE engines are the best-selling 4-stroke engines in snowmobiling.4



Standard on the ACE engines, the iTC™ system delivers a whole different snowmobiling experience.

- Driving Modes: A button on the console enables you to select one of three driving modes. Standard mode ensures a smooth start and linear acceleration; Sport enables full performance and quicker acceleration; ECO® limits top speed and acceleration rates for a more relaxed, fuel-conserving ride.
- Finger Throttle: The throttle block can be rotated forward for use as a finger throttle, if preferred. Great for changing hand positions on a long ride and for more control through bumps.

⁴ Based on retail sale results as of December 31, 2019.



¹ Observed metric horsepower based on internal dyno test performed in optimal conditions.

² Data based on internal engineering trail testing.

³ Data based on internal engineering trail testing in ECO mode.

SUMMIT® X® WITH EXPERT PACKAGE

The ultimate deep-snow sled with features sharpened for technical terrain riding.



// WHAT'S NEW

• Narrower 34 in. ski stance

// PACKAGE HIGHLIGHTS

- Two ULTIMATE color options with panel wrap: supreme look and finish, maximum protection
- Rotax® 850 E-TEC® or 850 E-TEC Turbo engines
- Premium shock package with stiffer calibration
- Short tunnel with lightweight snowflap
- RAS™ 3 front suspension with lightweight ski spindle and revised ski stopper
- tMotion[™] rear suspension with ice scratchers and adjustable limiter strap
- E-TEC® SHOT™ starter standard
- Full-length extruded-profile running boards with large openings
- One-piece lightweight hood on all models
- Flexible handguards
- Short riser block (120 mm/4.7 in.)

SUMMIT® X® WITH EXPERT PACKAGE 165 850 E-TEC® TURBO SHOWN

- · Sea-level calibration available on select
- Smaller-diameter handlebar ends and handgrips
- Ultra-compact and lightweight deep-snow seat
- DS 3 skis
- Belt monitoring system

ULTIMATE Liquid Titanium / Carbon Black

ROTAX® ENGINE	850 E-TEC® TURBO	850 E-TEC®
Engine details	Liquid-cooled, two-stroke, turbocharged, eRAVE™	Liquid-cooled, two-stroke, eRAVE™
Horsepower	165 up to 8,000 ft.	165
Cylinders – Displacement	2 - 849 cc	2 - 849 cc
Bore – Stroke	82 mm - 80.4 mm	82 mm - 80.4 mm
Carburation	E-TEC® direct injection with additional booster injectors	E-TEC® direct injection with additional booster injectors
Fuel type – Octane	Premium unleaded – 91	Premium unleaded – 91
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal
Oil tank capacity	3.4 L/3.6 qt	3.4 L/3.6 qt
POWERTRAIN		
Drive clutch Driven clutch	pDrive™ with clickers QRS Vent Plus	pDrive™ with clickers QRS Vent Plus
Drive sprocket pitch	89 mm/3.5 in.	89 mm/3.5 in.
DRY WEIGHT		
Dry weight	208 kg/458 lb (154 in.) 212 kg/468 lb (165 in.) 215 kg/474 lb (175 in.)	198 kg/437 lb (154 in.) 202 kg/446 lb (165 in.)
DIMENSIONS		
Overall vehicle length 3,188 mm/125.5 in. [154 in.] 3,299 mm/129.9 in. [165 in.] 3,454 mm/136 in. [175 in.]		9.9 in. (165 in.)
Overall vehicle width	1,080 to 1,110 mm/42.5 to 43.7 in.	
Overall vehicle height	1,306 mm/51.4 in.	
Ski stance	864 mm/34 in.	
Track (Length x Width x Profile)	154 x 16 154 x 16	t with FlexEdge™: 5 x 2.5 in. 5 x 3.0 in. 5 x 3.0 in.
	175 x 16 x 3.0 in. 8	50 E-TEC Turbo only

COLOR

Bumpers (front/rear)

ULTIMATE Triple Black	
SUSPENSION	
Front suspension	RAS™ 3
Front shock	HPG™ Plus with lightweight springs
Front suspension travel	215 mm/8.5 in.
Rear suspension	tMotion™ with adjustable limiter strap
Center shock	HPG™ Plus with lightweight spring
Rear shock	KYB† PRO 36 Easy-Adjust
Rear suspension travel	239 mm/9.4 in. (154, 165 in.) 242 mm/9.5 in. (175 in.)
FEATURES	
Frame	REV® Gen4
Bodywork	Narrow design
Skis	Pilot™ DS 3
Seating	Deep-snow ultra-compact and lightweight
Handlebar	Tapered U-shaped aluminum with J-hooks/Low grab handle/Flexible handguards
Riser block height	120 mm/4.7 in.
Starter	SHOT
Reverse	RER™
Brake system	Brembo racing brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	Compact
Windshield	Optional
Runner – Carbide	Square 3/8 – 4 in.

Std/Std



1 Rotax 850 E-TEC® Turbo engine

The first-ever factory-built 2-stroke turbocharged engine in any industry. It boasts instant response and a full 165 HP up to 8,000 ft of elevation. Sophisticated design integrates flawlessly with the REV Gen4 platform for maximum agility. Factory installation ensures peace of mind.

(See website for image)

2 Specialized ergonomics

Input from our team of backcountry experts resulted in a purpose-built sled for a better deep-snow experience with lower seat height, shorter riser, smaller-diameter handlebars and low handlebar strap for the ultimate advantage in the most technical terrains.



3 tMotion™ with adjustable limiter strap

Quickly and easily change the limiter strap length for the desired ski lift without crawling under the sled.



SUMMIT® X® WITH EXPERT PACKAGE 154 850 E-TEC® TURBO SHOWN



4 Narrower 34 in. ski stance

Makes it easier to initiate rollup, lowers the center of gravity requiring less effort to balance the sled and provides a larger window for the ideal balance point. Also improves traction at the balance point.

(See website for image)

5 Lightweight features

Weight savings from the one-piece lightweight hood, ski spindle, stopper, springs, seat and more make technical maneuvers easier than ever.



6 E-TEC® SHOT™ starter

Push-button starting with almost no added weight. Uses energy stored in the lightweight ultracapacitor to turn the magneto and with E-TEC® technology, start the engine.

SUMMIT® X®

Longer climbs, tighter tree lines and deeper powder.



// WHAT'S NEW

- HPG Plus shock package
- 850 E-TEC Turbo available with two color choices
- One-piece lightweight hood on all models
- Standard with two sets of LinQ attachment points

// PACKAGE HIGHLIGHTS

- Rotax® 850 E-TEC® or 850 E-TEC Turbo engines
- Short tunnel with lightweight snowflap
- RAS^TM 3 front suspension with lightweight ski spindle and revised ski stopper
- tMotion™ rear suspension with ice scratchers
- E-TEC® SHOT™ starter standard
- Full-length extruded-profile running boards with large openings
- ULTIMATE color option with panel wrap: supreme look and finish, maximum protection
- Low handlebar strap

- · Sea-level calibration available on select configurations
- Smaller-diameter handlebar ends and handgrips
- Compact and lightweight deep-snow seat
- DS 3 skis

COLOR

• Belt monitoring system

ROTAX® ENGINE	850 E-TEC® TURBO	850 E-TEC®	
Engine details	Liquid-cooled, two-stroke, turbocharged, eRAVE™	Liquid-cooled, two-stroke, eRAVE™	
Horsepower	165 up to 8,000 ft.	165	
Cylinders - Displacement	2 - 849 cc	2 - 849 cc	
Bore – Stroke	82 mm - 80.4 mm	82 mm - 80.4 mm	
Carburation	E-TEC® direct injection with additional booster injectors	E-TEC® direct injection with additional booster injectors	
Fuel type – Octane	Premium unleaded – 91	Premium unleaded – 91	
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal	
Oil tank capacity	3.4 L/3.6 qt	3.4 L/3.6 qt	
POWERTRAIN			
Drive clutch	pDrive™ with clickers	pDrive™ with clickers	
Driven clutch	QRS Vent Plus	QRS Vent Plus	
Drive sprocket pitch	89 mm/3.5 in.	89 mm/3.5 in.	
DRY WEIGHT			
Dry weight	207 kg/456 lb (154 in.)	198 kg/435 lb (154 in.)	
	211 kg/466 lb (165 in.)	201 kg/442 lb (165 in.)	
DIMENSIONS			
Overall vehicle length	3,188 mm/125.5 in. (154 in.)		
	3,299 mm/129.9 in. [165 in.]		
Overall vehicle width	1,080 to 1,110 mm/42.5 to 43.7 in.		
Overall vehicle height	1,395 mm/54.9 in.		
Ski stance	910 or 950 mm/35.8 or 37.4 in.		
Track	PowderMax† Light with FlexEdge™:		
(Length x Width x Profile)	154 x 16 x 2.5 in.		
	154 x 16 x 3.0 in. opt.		
	165 x 16 x 2.5 in. sea-level opt. only		
	165 x 16 x 3.0 in.		

Triple Black	
SUSPENSION	
Front suspension	RAS™ 3
Front shock	HPG™ Plus
Front suspension travel	215 mm/8.5 in.
Rear suspension	tMotion™
Center shock	HPG™ Plus
Rear shock	HPG™ Plus
Rear suspension travel	239 mm/9.4 in.
FEATURES	
Frame	REV® Gen4
Bodywork	Narrow design
Skis	Pilot™ DS 3
Seating	Deep-snow compact and lightweight
Handlebar	Tapered U-shaped aluminum with J-hooks/Low grab handle
Riser block height	165 mm/6.5 in.
Starter	SHOT, Electric (opt. select models), Manual (opt. select models)
Reverse	RER™
Brake system	Brembo racing brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	Compact
Windshield	Optional
Runner – Carbide	Square 3/8 – 4 in.
Bumpers (front/rear)	Std/Std



1 Rotax 850 E-TEC® Turbo engine

The first-ever factory-built 2-stroke turbocharged engine in any industry. It boasts instant response and a full 165 HP up to 8,000 ft of elevation. Sophisticated design integrates flawlessly with the REV Gen4 platform for maximum agility. Factory installation ensures peace of mind.



2 Short tunnel

Shorter tunnel length without snowflap for greater deep-snow capabilities with more clearance and lighter overall weight. Standard rear fender with LinQ-ready attachment points.



3 One-piece lightweight hood

One-piece polypropylene construction instantly drops 6.2 lb of weight. Optimized ventilation for heat dispersion and noise reduction.



SUMMIT® X® 165 850 E-TEC® TURBO SHOWN



4 HPG Plus shock package

Highest-quality KYB lightweight high-pressure front and rear gas shocks. Rebuildable and revalvable.



5 Profile running boards

Front-to-back extruded grid-style board allowing snow to pass easily through, preventing washout and trenching, plus clears footrests for grip. Flatter foot position for comfort and control.



6 E-TEC® SHOT™ starter

Push-button starting with almost no added weight. Uses energy stored in the lightweight ultracapacitor to turn the magneto and with E-TEC® technology, start the engine.

SUMMIT® EDGE®

New high-end in-season package loaded with proven technical features.



COLOR

// WHAT'S NEW • Short tunnel with lightweight snowflap

- E-TEC® SHOT™ starter standard
- Two ULTIMATE color options with panel wrap: supreme look and finish, maximum protection
- Standard with two sets of LinQ attachment points
- Compact and lightweight deep-snow seat

// PACKAGE HIGHLIGHTS

- Rotax® 850 E-TEC® engine
- High-quality HPG shock package
- RAS™ 3 front suspension with lightweight ski spindle Smaller-diameter handlebar ends and handgrips and revised ski stopper
- tMotion™ rear suspension with ice scratchers
- Deep-snow running boards with large openings
- DS 3 skis

Heated throttle lever/grips

Gauge type

Windshield

Runner – Carbide

Bumpers (front/rear)

• Belt monitoring system

ROTAX® ENGINE	850 E-TEC®	
Engine details	Liquid-cooled, two-stoke, eRAVE™	
Horsepower	165	
Cylinders - Displacement	2 - 849 cc	
Bore - Stroke	82 mm - 80.4 mm	
Carburation	E-TEC® direct injection with additional booster injectors	
Fuel type – Octane	Premium unleaded – 91	
Fuel tank	36 L/9.5 US gal	
Oil tank capacity	3.4 L/3.6 qt	
POWERTRAIN		
Drive clutch	pDrive™ with clickers	
Driven clutch	QRS Vent Plus	
Drive sprocket pitch	89 mm/3.5 in.	
DRY WEIGHT		
Dry weight 207 kg/458 lb (154 in.)		
, . 3	210 kg/463 lb (165 in.)	
	214 kg/470 lb (175 in.)	
DIMENSIONS		
Overall vehicle length	3,188 mm/125.5 in. (154 in.)	
	3,299 mm/129.9 in. (165 in.)	
Overall vehicle width	1,080 to 1,110 mm/42.5 to 43.7 in.	
Overall vehicle height	1,395 mm/54.9 in.	
Ski stance	910 or 950 mm/35.8 or 37.4 in.	
Track	PowderMax [†] Light with FlexEdge™:	
(Length x Width x Profile)	154 x 16 x 2.5 in.	
	154 x 16 x 3.0 in. opt.	
	165 x 16 x 3.0 in.	
	175 x 16 x 3.0 in.	

ULTIMATE Catalyst Grey / Octane Blue ULTIMATE Black		
Front suspension	RAS™ 3	
Front shock	HPG™	
Front suspension travel	215 mm/8.5 in.	
Rear suspension	tMotion™	
Center shock	HPG™	
Rear shock	HPG™	
Rear suspension travel	239 mm/9.4 in. 242 mm/9.5 in. (175 in.)	
FEATURES		
Frame	REV® Gen4	
Bodywork	Narrow design	
Skis	Pilot™ DS 3	
Seating	Deep-snow compact and lightweight	
Handlebar	Tapered U-shaped aluminum with J-hooks/Low grab handle	
Riser block height	165 mm/6.5 in.	
Starter	SHOT	
Reverse	RER™	
Brake system	Brembo racing brake with stainless-steel braided brake line	

Standard

Compact

Optional

Square 3/8 - 4 in.

Std/Std



1 Rotax® 850 E-TEC® engine

Next generation of the most advanced directinjection 2-stroke engine technology. Designed for reliability and durability with proven 4-stroke and long-lasting automotive technologies.



2 Short tunnel

Shorter tunnel length without snowflap for greater deep-snow capabilities with more clearance and lighter overall weight. Standard rear fender with LinQ-ready attachment points.



3 Lightweight ski spindle

Lightweight alloy spindle with revised geometry and new ski stopper to reduce ski drag for more predictable handling and a confidence-inspiring ride in technical sidehills and rough terrain.



SUMMIT® EDGE® 165 850 E-TEC® SHOWN



4 High-quality HPG shock package

Extremely capable high-pressure gas shocks by KYB.



5 tMotion™ rear suspension

A swiveling rear arm and split front arm allow the skid to flex laterally for more predictable carving. More rising-rate motion ratio adds capacity and comfort.



6 E-TEC® SHOT™ starter

Push-button starting with almost no added weight. Uses energy stored in the lightweight ultracapacitor to turn the magneto and with E-TEC® technology, start the engine.

SUMMIT® SP®

An excellent deep-snow machine for any rider.



COLOR

SUMMIT® SP® 165 850 E-TEC® SHOWN

// PACKAGE HIGHLIGHTS

- Rotax® 850 E-TEC® and 600R E-TEC® engines
- High-quality HPG shock package
- RAS™ 3 front suspension with lightweight ski spindle • Low handlebar strap and revised ski stopper
- tMotion™ rear suspension with ice scratchers
- E-TEC® SHOT™ starter available

- Deep-snow running boards with large openings
- Glove box with 4 L/1 gal of storage

165 x 16 x 3.0 in. opt.

- NEW standard with two sets of LinQ attachment points
- Smaller-diameter handlebar ends and handgrips
- DS 3 skis

Black / Orange Crush

• Belt monitoring system (850 E-TEC only)

ROTAX® ENGINE	850 E-TEC®	600R E-TEC®	
Engine details	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, two-stroke eRAVE™	
Horsepower	165	125	
Cylinders – Displacement	2 - 849 cc	2 - 599.4 cc	
Bore – Stroke	82 mm - 80.4 mm	72.3 mm - 73 mm	
Carburation	E-TEC® direct injection with additional booster injectors	E-TEC® direct injection	
Fuel type – Octane	Premium unleaded – 91	Premium unleaded – 91	
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal	
Oil tank capacity	3.4 L/3.6 qt	3.4 L/3.6 qt	
POWERTRAIN			
Drive clutch Driven clutch	pDrive™ with clickers QRS Vent Plus	pDrive™ with clickers QRS Vent	
Drive sprocket pitch	73 mm/2.86 in. (146 in.) 89 mm/3.5 in. (154 – 165 in.)	73 mm/2.86 in. (146 in.) 89 mm/3.5 in. (154 in.)	
DRY WEIGHT			
Dry weight	208 kg/459 lb (146 in.) 206 kg/454 lb (154 in.) 209 kg/460 lb (165 in.)	204 kg/449 lb (146 in.) 202 kg/445 lb (154 in.)	
DIMENSIONS			
Overall vehicle length 3,208 mm/122.4 in. [146 in.] 3,318 mm/130.6 in. [154 in.] 3,451 mm/135.9 in. [165 in.] [850 E-TEC® or		0.6 in. (154 in.)	
Overall vehicle width	1,080 to 1,110 mm/42.5 to 43.7 in.		
Overall vehicle height	1,395 mm/54.9 in.		
Ski stance	910 or 950 mm/35.8 or 37.4 in.		
Track	PowderMax† II with FlexEdge™:		
(Length x Width x Profile)	146 x 16 x 2.5 in.		
	PowderMax [†] Light with FlexEdge™:		
	154 x 16 x 2.5 in.		
		3.0 in. opt.	
	165 x 16 x 2.5 in.		

Black Black	
SUSPENSION	
Front suspension	RAS™ 3
Front shock	HPG™
Front suspension travel	215 mm/8.5 in.
Rear suspension	tMotion™
Center shock	HPG™
Rear shock	HPG™
Rear suspension travel	239 mm/9.4 in.
FEATURES	
Frame	REV® Gen4
Bodywork	Narrow design
Skis	Pilot™ DS 3
Seating	Deep-snow
Handlebar	Tapered U-shaped aluminum with J-hooks/Low grab handle
Riser block height	165 mm/6.5 in.
Starter	Electric, SHOT (opt.), Manual (opt. select models)
Reverse	RER™
Brake system	Brembo racing brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	Compact
Windshield	Optional
Runner – Carbide	Square 3/8 – 4 in.
Bumpers (front/rear)	Std/Std



1 Rotax® 850 E-TEC® and 600R E-TEC® engines

Incredible power and unmatched dynamic response with exclusive E-TEC® direct-injection technology. Plasma-coated, mono-block cylinders are used for exceptional durability, while the precision of E-TEC® injection means you get excellent fuel and oil economy.



RAS™ 3 front suspension

Stable and precise front suspension design and geometry, optimized for the REV Gen4 platform.



3 Lightweight ski spindle

Lightweight alloy spindle with revised geometry and new ski stopper to reduce ski drag for more predictable handling and a confidence-inspiring ride in technical sidehills and rough terrain.



SUMMIT® SP® 165 850 E-TEC® SHOWN



4 High-quality HPG shock package

Extremely capable high-pressure gas shocks by KYB.



5 tMotion™ rear suspension

A swiveling rear arm and split front arm allow the skid to flex laterally for more predictable carving. More rising-rate motion ratio adds capacity and comfort.



6 E-TEC® SHOT™ starter

Push-button starting with almost no added weight. Uses energy stored in the lightweight ultracapacitor to turn the magneto and with E-TEC® technology, start the engine.

FREERIDE™

Live large, live free and go big.



// PACKAGE HIGHLIGHTS

- Rotax® 850 E-TEC® or 850 E-TEC Turbo engines available
- · High-performance KYB PRO shock package with lightweight springs
- Short tunnel with lightweight snowflap

DIMENSIONS Overall vehicle length

Overall vehicle width

Overall vehicle height

(Length x Width x Profile)

Ski stance

- $\mathsf{RAS}^{\mathsf{TM}}$ 3 front suspension with lightweight ski spindle and revised ski stopper
- tMotion[™] rear suspension with reinforced rails and
- E-TEC® SHOT™ starter standard
- Full-length extruded-profile running boards with large openings
- One-piece lightweight hood on all configurations
- · Sway bar quick-disconnect
- · Low handlebar strap

3,058 mm/120.4 in. [146 in.] 3,188 mm/125.5 in. (154 in.) 3,299 mm/129.9 in. (165 in.)

1,080 to 1,110 mm/42.5 to 43.7 in.

1,395 mm/54.9 in.

910 or 950 mm/35.8 or 37.4 in. PowderMax † II with FlexEdge $^{\text{TM}}$:

146 x 16 x 2.5 in. PowderMax[†] Light with FlexEdge™: 154 x 16 x 2.5 in. 154 x 16 x 3.0 in. opt. 165 x 16 x 2.5 in. sea-level opt. only 165 x 16 x 3.0 in.

- NEW standard with two sets of LinQ attachment points
- · Sea-level calibration available on select configurations
- · Smaller-diameter handlebar ends and handgrips

RAS™ 3

FREERIDE®

- Compact and lightweight deep-snow seat
- DS 3 skis

COLOR Arctic Desert

SUSPENSION

Front suspension

• Belt monitoring system

ROTAX® ENGINE	850 E-TEC® TURBO	850 E-TEC®
Engine details	Liquid-cooled, two-stroke, turbocharged, eRAVE™	Liquid-cooled, two-stroke, eRAVE™
Horsepower	165 up to 8,000 ft.	165
Cylinders - Displacement	2 - 849 cc	2 - 849 cc
Bore - Stroke	82 mm - 80.4 mm	72.3 mm - 73 mm
Carburation	E-TEC® direct injection with additional booster injectors	E-TEC® direct injection with additional booster injectors
Fuel type – Octane	Premium unleaded – 91	Premium unleaded – 91
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal
Oil tank capacity	3.4 L/3.6 qt	3.4 L/3.6 qt
POWERTRAIN		
Drive clutch	pDrive™ with clickers	pDrive™ with clickers
Driven clutch	QRS Vent Plus	QRS Vent Plus
Drive sprocket pitch	89 mm/3.5 in.	73 mm/2.86 in. (146 in.) 89 mm/3.5 in. (154 – 165 in.)
DRY WEIGHT		
Dry weight	214 kg/471 lb (154 po)	206 kg/453 lb (146 po)
	217 kg/478 lb (165 po)	205 kg/450 lb (154 po) 206 kg/453 lb (165 po)

Front shock	KYB† PRO 36 R Easy-Adjust
Front suspension travel	215 mm/8.5 in.
Rear suspension	tMotion™
Center shock	KYB† PRO 40 Easy-Adjust
Rear shock	KYB† PRO 40 Easy-Adjust
Rear suspension travel	239 mm/9.4 in.
FEATURES	
Frame	REV® Gen4
Bodywork	Narrow design
Skis	Pilot™ DS 3
Seating	Deep-snow compact and lightweight
Handlebar	Tapered U-shaped aluminum with J-hooks/Low grab handle
Riser block height	165 mm/6.5 in.
Starter	850 E-TEC: SHOT, Electric (opt. Select models) 850 E-TEC Turbo: SHOT
Reverse	RER™
Brake system	Brembo racing brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	Compact
Windshield	Optional
Runner – Carbide	Square 3/8 – 4 in.
Bumpers (front/rear)	Std/Std



1 Rotax 850 E-TEC® Turbo engine

The first-ever factory-built 2-stroke turbocharged engine in any industry. It boasts instant response and a full 165 HP up to 8,000 ft of elevation. Sophisticated design integrates flawlessly with the REV Gen4 platform for maximum agility. Factory installation ensures peace of mind.



2 Short tunnel

Shorter tunnel length without snowflap for greater deep-snow capabilities with more clearance and lighter overall weight. Standard rear fender with LinQ-ready attachment points.



3 tMotion™ rear suspension with reinforced rails

A swiveling rear arm and split front arm allow the skid to flex laterally for more predictable carving. More rising-rate motion ratio adds capacity and comfort. Reinforcement ensures strength on hard



SUMMIT® SP® 165 850 E-TEC® SHOWN



4 High-performance KYB PRO shock package (with lightweight springs)

Lightweight, extreme-capability, extremedurability shocks for control in the toughest conditions. Easy adjust-equipped for dialed-in compression.



5 Lightweight features

Weight savings from the one-piece lightweight hood, ski spindle, stopper, springs, seat and more make technical maneuvers easier than ever.



6 E-TEC® SHOT™ starter

Push-button starting with almost no added weight. Uses energy stored in the lightweight ultracapacitor to turn the magneto and with E-TEC® technology, starts the engine.

BACKCOUNTRY™ X-RS®

The most aggressive crossover vehicle with snocross attitude and go-anywhere capability.



// WHAT'S NEW

- Two *ULTIMATE* color options with panel wrap: supreme look and finish, maximum protection
- Standard with two sets of LinQ attachment points

// PACKAGE HIGHLIGHTS

- Rotax® 850 E-TEC® engine
- High-performance KYB PRO shock package
- 7.8 in. wide LCD display with BRP Connect available
- RAS™ 3 front suspension
- cMotion™ rear suspension

- E-TEC® SHOT™ starter available
- RS running boards

154 x 16 x 2.5 in. opt.

- Glove box with 4 L/1 gal of storage
- Backlit multifunction handlebar controls
- pDrive $^{\text{TM}}$ clutch with clickers

- Transparent handguards
- Open toe-hold
- DS 2 skis
- · Adjustable ski stance
- Belt monitoring system

ROTAX® ENGINE	850 E-TEC®	
Engine details	Liquid-cooled, two-stroke, eRAVE™	
Horsepower	165	
Cylinders – Displacement	2 - 849 cc	
Bore - Stroke	82 mm - 80.4 mm	
Carburation	E-TEC® direct injection with additional booster injectors	
Fuel type – Octane	Premium unleaded – 91	
Fuel tank	36 L/9.5 US gal	
Oil tank capacity	3.4 L/3.6 qt	
POWERTRAIN		
Drive clutch	pDrive™ with clickers	
Driven clutch	QRS Vent Plus	
Drive sprocket pitch	73 mm/2.86 in.	
DRY WEIGHT		
Dry weight	214 kg/472 lb (146 in.)	
	220 kg/485 lb (154 in.)	
DIMENSIONS		
Overall vehicle length	3,174 mm/125 in. [146 in.]	
	3,284 mm/129.3 in. (154 in.)	
Overall vehicle width	1,140 to 1,180 mm/44.9 to 46.5 in.	
Overall vehicle height	1,283 mm/50.5 in.	
Ski stance	975 or 1,020 mm/38.4 or 40.2 in.	
Track	Cobra: 146 x 15 x 1.6 in.	
(Length x Width x Profile)	Ice Cobra: 146 x 15 x 1.6 in. opt.	
	PowderMax†: 146 x 16 x 2.0 in. opt.	
	154 x 16 x 2.0 in.	

COLOR

ULTIMATE Liquid Titanium / Carbon Black

ULTIMATE Black

SUSPENSION

SUSPENSION	
Front suspension	RAS™ 3
Front shock	KYB† PRO 36 R Easy-Adjust
Front suspension travel	220 mm/8.7 in.
Rear suspension	cMotion™
Center shock	KYB† PRO 40 Easy-Adjust
Rear shock	KYB† PRO 40 Easy-Adjust
Rear suspension travel	239 mm/9.4 in. (154, 165 in.)

FEATURES

FEMIUKES	
Frame	REV® Gen4
Bodywork	Narrow design
Skis	Pilot™ DS 2
Seating	Trail performance
Handlebar	U-shaped aluminum with J-hooks/ Transparent handguards
Riser block height	120 mm/4.7 in.
Starter	Electric, SHOT (opt. select configurations)
Reverse	RER™
Brake system	Brembo racing brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	7.2 in. wide digital display 7.8 in. wide LCD color display (opt.)
Windshield	Optional
Runner – Carbide	Round 7/16 – 4 in.
Bumpers (front/rear)	Std/Std



1 Rotax® 850 E-TEC® engine

Next generation of the most advanced directinjection 2-stroke engine technology. Designed for reliability and durability with proven 4-stroke and long-lasting automotive technologies.



2 High-performance KYB PRO shock package

Extreme-capability, extreme-durability shocks for control in the toughest conditions. Easy adjust-equipped for dialed-in compression and rebound.



3 cMotion™ 146 or 154 rear suspension

Crossover-specific suspension uses best principles of the rMotion™ trail and tMotion™ mountain skids for confident cornering and agile boondocking.



BACKCOUNTRY™ X-RS® 146 850 E-TEC® SHOWN



4 Large panoramic 7.8 in. wide LCD color display available

Wide-screen full-color display lets riders truly customize their ride from behind the bars. Choose your preferred sled info, and see app integrated-information in a split-screen format with GPS, Bluetooth music, helmet-to-helmet communication and more.



5 RS running boards

Designed for aggressive stand-up riding, they are flatter for most of their length, wider and strong. Thicker aluminum sheet, plus front and rear reinforcements to withstand tough landings.



6 E-TEC® SHOT™ starter

Push-button starting with almost no added weight. Uses energy stored in the lightweight ultracapacitor to turn the magneto and with E-TEC® technology, start the engine.

BACKCOUNTRY™ X®

A 50-50 sled with the most advanced technology, plus off-trail capability and rough-trail performance.



// PACKAGE HIGHLIGHTS

- Rotax® 850 E-TEC® engine
- High-performance shock package
- 7.8 in. wide LCD display with BRP Connect available
- RAS™ 3 front suspension
- cMotion™ rear suspension
- E-TEC® SHOT™ starter available
- Improved deep-snow running boards with large openings
- Glove box with 4 L/1 gal of storage
- Low windshield
- Backlit multifunction handlebar controls
- pDrive™ clutch with clickers
- Transparent handguards

- Open toe-hold
- NEW standard with two sets of LinQ attachment points
- DS 2 skis
- · Adjustable ski stance
- Belt monitoring system

Scandinavian Blue / Orange Crush

ROTAX® ENGINE	850 E-TEC®	
Engine details	Liquid-cooled, two-stroke, eRAVE™	
Horsepower	165	
Cylinders - Displacement	2 - 849 cc	
Bore - Stroke	82 mm - 80.4 mm	
Carburation	E-TEC® direct injection with additional booster injectors	
Fuel type – Octane	Premium unleaded – 91	
Fuel tank	36 L/9.5 US gal	
Oil tank capacity	3.4 L/3.6 qt	
POWERTRAIN		
Drive clutch	pDrive™ with clickers	
Driven clutch	QRS Vent Plus	
Drive sprocket pitch	73 mm/2.86 in.	
DRY WEIGHT		
Dry weight	209 kg/462 lb	
DIMENSIONS		
Overall vehicle length	3.174 mm/125 in.	
Overall vehicle width	1,140 to 1,180 mm/44.9 to 46.5 in.	
Overall vehicle height	1,283 mm/50.5 in.	
Ski stance	975 or 1,020 mm/38.4 or 40.2 in.	
Track	Cobra: 146 x 15 x 1.6 in.	
(Length x Width x Profile)	Ice Cobra: 146 x 15 x 1.6 in. opt.	
	PowderMax†: 146 x 16 x 2.0 in. opt.	

Black

COLOR

SUSPENSION	
Front suspension	RAS™ 3
Front shock	HPG™ Plus
Front suspension travel	220 mm/8.7 in.
Rear suspension	cMotion™
Center shock	HPG™ Plus
Rear shock	KYB† PRO 36 Easy-Adjust
Rear suspension travel	239 mm/9.4 in.

FEATURES

Frame	REV® Gen4
Bodywork	Narrow design
Skis	Pilot™ DS 2
Seating	Trail performance
Handlebar	U-shaped aluminum with J-hooks/ Transparent handguards
Riser block height	120 mm/4.7 in.
Starter	Electric, SHOT (opt. select configurations)
Reverse	RER™
Brake system	Brembo racing brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	7.2 in. wide digital display 7.8 in. wide LCD color display (opt.)
Windshield	360 mm/14 in.
Runner – Carbide	Square 3/8 in. – 4 in.
Bumpers (front/rear)	Std/Std



1 Rotax® 850 E-TEC® engine

Next generation of the most advanced directinjection 2-stroke engine technology. Designed for reliability and durability with proven 4-stroke and long-lasting automotive technologies.



2 Premium shock package

HPG Plus front and center shocks. KYB PRO 36 EA rear shock featuring compression adjustment with easy-adjust knob. All four shocks are aluminum and rebuildable/revalvable.



3 cMotion™ rear suspension

Crossover-specific suspension uses best principles of the rMotion™ trail and tMotion™ mountain skids for confident cornering and agile boondocking.



BACKCOUNTRY™ X® 146 850 E-TEC® SHOWN



4 Large panoramic 7.8 in. wide LCD color display available

Wide-screen full-color display lets riders truly customize their ride from behind the bars. Choose your preferred sled info, and see app integrated-information in a split-screen format with GPS, Bluetooth music, helmet-to-helmet communication and more.



⁵ Pilot™ DS2 skis

Single keel with excellent sidehilling bite, thanks to thin outer edges. Narrow and thin, yet stiff. Shorter behind the spindle with flat tail for easier counter-steering and sidehilling.



6 E-TEC® SHOT™ starter

Push-button starting with almost no added weight. Uses energy stored in the lightweight ultracapacitor to turn the magneto and with E-TEC® technology, start the engine.

BACKCOUNTRY[™]

Loaded with crossover-specific features for spending equal time riding on- or off-trail.



COLOR

// PACKAGE HIGHLIGHTS

- High-quality HPG shock package
- 4.5 in. digital display
- RAS™ 3 front suspension
- cMotion™ rear suspension
- Electric starter
- Rotax® 850 E-TEC® and 600R E-TEC engines available
 Hinh-quality HPG shock package
 Hinh-quality HPG shock package
 - Glove box with 4 L/1 gal of storage
 - Low windshield with deflectors
 - pDrive™ clutch with clickers
 - Transparent handguards

- Open toe-hold
- NEW standard with two sets of LinQ attachment points
- DS 2 skis
- · Adjustable ski stance
- Belt monitoring system (850 E-TEC only)

ROTAX® ENGINE	850 E-TEC®	600R E-TEC®
Engine details	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, two-stroke, eRAVE™
Horsepower	165	125
Cylinders - Displacement	2 - 849 cc	2 - 599.4 cc
Bore – Stroke	82 mm - 80.4 mm	72.3 mm - 73 mm
Carburation	E-TEC® direct injection with additional booster injectors	E-TEC® direct injection
Fuel type – Octane	Premium unleaded – 91	Premium unleaded – 91
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal
Oil tank capacity	3.4 L/3.6 qt	3.4 L/3.6 qt
POWERTRAIN		
Drive clutch Driven clutch	pDrive™ with clickers QRS Vent Plus	pDrive™ with clickers QRS Vent
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.
DRY WEIGHT		
Dry weight	219 kg/483 lb	212 kg/466 lb
DIMENSIONS		
Overall vehicle length	3,174 m	m/125 in.
Overall vehicle width	1,140 to 1,180 mm/44.9 to 46.5 in.	
Overall vehicle height	1,283 mm/50.5 in.	
Ski stance	975 or 1,020 mm/38.4 or 40.2 in.	
Track	Cobra:	
(Length x Width x Profile)	146 x 15 x 1.6 in.	

Catalyst Grey / Octane Blue	
Black Black	
SUSPENSION	
Front suspension	RAS™ 3
Front shock	HPG™ Plus
Front suspension travel	220 mm/8.7 in.
Rear suspension	cMotion™
Center shock	HPG™
Rear shock	HPG™
Rear suspension travel	239 mm/9.4 in.
FEATURES	
Frame	REV® Gen4
Bodywork	Narrow design
Skis	Pilot™ DS 2
Seating	Trail performance
Handlebar	U-shaped aluminum with J-hooks/ Transparent handguards
Riser block height	120 mm/4.7 in.
Starter	Electric
Reverse	RER™
Brake system	Brembo brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	4.5 in. digital display
Windshield	360 mm/14 in.
Runner – Carbide	Square 3/8 – 4 in.
Bumpers (front/rear)	Std/Std



1 Rotax® 850 E-TEC® and 600R E-TEC® engines

Incredible power and unmatched dynamic response with exclusive E-TEC® direct-injection technology. Plasma-coated, mono-block cylinders are used for exceptional durability, while the precision of E-TEC® injection means you get excellent fuel and oil economy.



2 High-quality HPG shock package

Extremely capable high-pressure gas shocks



3 cMotion™ rear suspension

Crossover-specific suspension uses best principles of the rMotion™ trail and tMotion™ mountain skids for confident cornering and agile boondocking.



BACKCOUNTRY™ 146 850 E-TEC® SHOWN



4 Deep-snow running boards

Massive, strategically shaped openings keep the boards clear. A tall extruded edge adds stiffness and has aggressive boot grips.



⁵ Pilot™ DS2 skis

Single keel with excellent sidehilling bite, thanks to thin outer edges. Narrow and thin, yet stiff. Shorter behind the spindle with flat tail for easier counter-steering and sidehilling.



6 pDrive™ clutch with clickers

Clicker ramps allow easy adjustment for top RPM. Ultra-responsive shifting, impressive RMP consistency, lightweight and maintenance-free.

BACKCOUNTRY™ SPORT

For the value-oriented 50-50 rider wanting an advanced platform and modern engine technology.



// PACKAGE HIGHLIGHTS

- Rotax® 600 EFI engine
- RAS™ 3 front suspension
- cMotion™ rear suspension
- Electric starter

- Improved deep-snow running boards with large openings
- \cdot Glove box with 4 L/1 gal of storage
- · Low windshield
- pDrive[™] clutch

- Brembo brake with braided stainless-steel brake line
- NEW standard with two sets of LinQ attachment points
- DS 2 skis
- Adjustable ski stance

ROTAX® ENGINE	600 EFI	COLOR
Engine details	Liquid-cooled, two-stroke	Catalyst Grey / Black
Horsepower	85	
Cylinders - Displacement	2 - 599.4 cc	SUSPENSION
Bore - Stroke	72.3 mm – 73 mm	
Carburation	EFI	Front suspension
Fuel type - Octane	Regular unleaded – 87	Front shock
Fueltank	36 L/9.5 US gal	Front suspension travel
Oil tank capacity	3.4 L/3.6 qt	Rear suspension
		Center shock
POWERTRAIN		Rear shock
Drive clutch	pDrive™	Rear suspension travel
Driven clutch	QRS	
Drive sprocket pitch	73 mm/2.86 in.	FEATURES
	,	Frame
DRY WEIGHT		Bodywork
Dry weight	202 kg/446 lb	Skis
	<u> </u>	Seating
DIMENSIONS		Handlebar
Overall vehicle length	3,174 mm/125 in.	Riser block height
Overall vehicle width	1,140 to 1,180 mm/44.9 to 46.5 in.	Starter
Overall vehicle height	1,283 mm/50.5 in.	Reverse
Ski stance	975 or 1,020 mm/38.4 or 40.2 in.	Brake system
Track (Length x Width x Profile)	Cobra: 146 x 15 x 1.35 in.	
(Length & Width & Profile)	146 x 15 x 1.35 in. PowderMax†:	Heated throttle lever/grips
	PowderMax': 146 x 16 x 2.0 in. opt.	Gauge type
	140 x 10 x 2.0 III. Upt.	Windshield

Front suspension	RAS™ 3
Front shock	Motion Control
Front suspension travel	220 mm/8.7 in.
Rear suspension	cMotion™
Center shock	Motion Control
Rear shock	HPG™
Rear suspension travel	239 mm/9.4 in.
FEATURES	
Frame	REV® Gen4
Bodywork	Narrow design
Skis	Pilot™ DS 2
Seating	Trail compact
Handlebar	U-shaped aluminum with J-hooks
Riser block height	120 mm/4.7 in.
Starter	Electric
Reverse	RER™
Brake system	Brembo brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	Compact
Windshield	360 mm/14 in.
Runner – Carbide	Square 3/8 in. – 4 in.
Bumpers (front/rear)	Std/Std



1 Rotax® 600 EFI engine

600 cc-class fuel-injected engine delivering 85 horsepower and outstanding economy at an incredible value. Design based on the 600R E-TEC with proven reliability and ease of ownership at its core with an outsized fun factor.

2 Electric start

Saves time and energy, adding immense value for the rider.



3 cMotion™ rear suspension

Crossover-specific suspension uses best principles of the rMotion™ trail and tMotion™ mountain skids for confident cornering and agile boondocking.



BACKCOUNTRY™ SPORT 146 600 EFI SHOWN



4 RAS™ 3 front suspension

Similar geometry and steering to the RAS 3 mountain front end for capability and light steering feel on- and off-trail. Optimized for crossover usage, two ski stance positions dial in handling: 40.2 in. (102 cm) or 38.4 in. (97.5 cm).



⁵ Pilot™ DS2 skis

Single keel with excellent sidehilling bite, thanks to thin outer edges. Narrow and thin, yet stiff. Shorter behind the spindle with flat tail for easier counter-steering and sidehilling.



6 Ergo-step side panels

Design offers natural progression to three natural positions for different cornering styles, including a new, extreme-forward position.

MACH Z™

The return of a legend. For one year only.



- Rotax® 900 ACE™ Turbo R with cable throttle housing and launch control
- Smart-Shox semi-active suspension with high-performance KYB PRO shock package
- Lowered RAS™ X front suspension
- Lowered rMotion™ X rear suspension
- Rack steering system
- Exclusive coloration, dark smoke windshield and handguards and reflective decals.
- Standard with two sets of LinQ attachment points
- Two track options



- 7.8 in. wide LCD display with BRP Connect standard
- Electric starter
- RS running boards

ROTAX® ENGINE

Overall vehicle height

(Length x Width x Profile)

Ski stance

- · Low windshield with deflectors
- Forward adjustable riser
- Transparent handguards

900 ACE™ TURBO R

1,267 mm/49.9 in. 1,069 - 1,092 - 1,115 mm/42.1 - 43 - 43.9 in.

2-Ply Ripsaw:

137 x 15 x 1.25 in. Ice Ripper XT: 137 x 15 x 1.25 in. • Pilot X skis

CULUD

• Backlit multifunction handlebar controls

Engine details	Liquid-cooled, four-stroke D.O.H.C.,	
	dry sump, turbocharged	
Horsepower	180	
Cylinders - Displacement	3 - 899 cc	
Bore - Stroke	73 mm – 69.7 mm	
Carburation	EFI	
Fuel type – Octane	Premium unleaded – 91	
Fuel tank	36 L/9.5 US gal	
Oil tank capacity	3.3 L/3.5 qt	
POWERTRAIN Drive clutch Driven clutch	pDrive™ QRS Vent	
Drive sprocket pitch	73 mm/2.86 in.	
DRY WEIGHT		
Dry weight	249 kg/548 lb	
DIMENSIONS		
Overall vehicle length	3,038 mm/119.6 in.	
Overall vehicle width	1,209 - 1,232 - 1,255 mm/47.6 - 48.5 - 49.4 in.	

Carbon Black / Liquid Titaniu	m —
SUSPENSION	
Front suspension	RAS™ X
Front shock	KYB† PRO Smart-Shox
Front suspension travel	235 mm/9.3 in.
Rear suspension	rMotion™ X
Center shock	KYB† PRO 40
Rear shock	KYB† PRO Smart-Shox
Rear suspension travel	292 mm/11.5 in.
FEATURES	
Frame	REV® Gen4
Bodywork	Wide design
Skis	Pilot™ X
Seating	Trail with storage
Handlebar	U-shaped aluminum with J-hooks/ Dark smoke handguards
Riser block height	Adjustable-120 mm/4.7 in.
Starter	Electric
Reverse	Electro-mechanic
Brake system	Brembo racing brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	7.8 in. wide LCD color display
Windshield	360 mm/14 in.
Runner – Carbide	Round 7/16 – 4 in.
Bumpers (front/rear)	Std/Std



1 Rotax® 900 ACE™ Turbo R with cable throttle housing and Launch Control

Now the most powerful engine ever offered in a Ski-Doo. Ferocious instant acceleration and top speed through bigger fuel injectors, increased boost and optimized intake and exhaust systems. The new cable-activated iTC throttle better matches a performance rider's profile while offering four driving modes including exclusive Launch Control.



Smart-Shox

An industry-first, Smart-Shox semi-active suspension instantly reads terrain and rider input to automatically dial in your suspension to give you the optimal ride in any conditions.



3 Lowered suspension

1.5 in. lower ride height for improved aerodynamics, lower center of gravity, more traction due to a better attack angle of the track and an aggressive look.



MACH Z™ 900 ACE™ TURBO R SHOWN



4 Large panoramic 7.8 in. wide LCD color display

Wide-screen full-color display lets riders truly customize their ride from behind the bars. Choose your preferred sled info, and see app integrated-information in a split-screen format with GPS, Bluetooth music, helmet-to-helmet communication and more.

5 Two track options

Choose the two-ply Ripsaw, pre-marked for studding, or the Ice Ripper XT with studded lugs direct from the factory.

6 Rack steering system

Derived from the MXZx race sled, further increases steering precision and straight tracking for a nimble and predictable ride in extreme bumps.

RENEGADE® X-RS® WITH COMPETITION PACKAGE

Powerful, lightweight and highly capable race-ready features.

// WHAT'S NEW

- Rotax® 600R E-TEC® engine
- Racing KYB† PRO 40 shock package
- Two-ply Ripsaw II Track
- Low profile 90mm riser bloc
- Standard with 2 sets of LinQ attachment points

// PACKAGE HIGHLIGHTS

- 7.2 in. digital display
- RAS™ X front suspension
- rMotion™ X rear suspension
- Manual starter
- RS running boards

ROTAX® ENGINE

- pDrive™ clutch
- · Low windshield with deflectors
- Forward steering post position
- Transparent handguards
- Reinforced rails

600R E-TEC®



- Open toe-hold
- Pilot X skis
- Backlit multifunction handlebar controls

KOTAX ENGINE	OOOK E-IEC	
Engine details	Liquid-cooled, two-stroke, eRAVE™	
Horsepower	125	
Cylinders - Displacement	2 - 599.4 cc	
Bore – Stroke	72.3 mm – 73 mm	
Carburation	E-TEC® direct injection	
Fuel type – Octane	Premium unleaded – 91	
Fuel tank	36 L/9.5 US gal	
Oil tank capacity	3.4 L/3.6 qt	
POWERTRAIN		
Drive clutch	pDrive™ with clickers	
Driven clutch	QRS	
Drive sprocket pitch	73 mm/2.86 in.	
DRY WEIGHT		
Dry weight	213 kg/468 lb	
DIMENSIONS		
Overall vehicle length	3,038 mm/119.6 in.	
Overall vehicle width	1,209 - 1,232 - 1,255 mm/47.6 - 48.5 - 49.4 in.	
Overall vehicle height	1,267 mm/49.9 in.	
Ski stance	1,069 - 1,092 - 1,115 mm/42.1 - 43 - 43.9 in.	
Track	2-Ply Ripsaw II:	
(Length x Width x Profile)	137 x 15 x 1.25 in.	

COLOR

Black	

SUSPENSION	
Front suspension	RAS™ X
Front shock	KYB PRO 40 R Easy-Adjust
Front suspension travel	265 mm/10.4 in.
Rear suspension	rMotion™ X
Center shock	KYB† PRO 40 Easy-Adjust (double-rate springs)
Rear shock	KYB† 40 Easy-Adjust
Rear suspension travel	292 mm/11.5 in.

FEATURES

Frame	REV® Gen4
Bodywork	Narrow design
Skis	Pilot™ X
Seating	Trail performance
Handlebar	U-shaped aluminum with J-hooks/ Transparent handguards
Riser block height	90 mm/3.5 in.
Starter	Manual
Reverse	RER™
Brake system	Brembo racing brake with stainless- steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	7.2 in. wide digital display
Windshield	360 mm/14 in.
Runner - Carbide	Round 1/2 - 4 in.
Bumpers (front/rear)	Std/Std



1 Rotax® 600R E-TEC® engine

The Rotax 600R E-TEC® engine with second-generation E-TEC® technology offers immediate throttle response, crisp acceleration while continuing to set the bar for reliability, and 2-stroke oil and fuel economy.



Competition shock package

The most robust shock package in the lineup for a race-ready setup.



3 Heavy-duty reinforcement

Competition-ready with reinforced rails and rear suspension plus heavy-duty track tensioner, acceleration link rods and arm extension.



RENEGADE® X-RS® WITH COMPETITION PACKAGE SHOWN



4 RS riser

90 mm height for a more aggressive rider position.

5 Two-ply Ripsaw II racing track

Two-ply for extra durability. Excellent traction in all conditions. Pre-marked for studding.

6 Rack steering system

Derived from the MXZx race sled, further increases steering precision and straight tracking for a nimble and predictable ride in extreme bumps.

RENEGADE® X-RS®

A hard-charging, race-inspired machine with the most advanced features and technology.





RENEGADE® X-RS® 900 ACE® TURBO R SHOWN

// WHAT'S NEW

- Smart-Shox semi-active suspension available
- Rotax® 900 ACE™ Turbo R with cable throttle housing and electro-mechanical reverse

// PACKAGE HIGHLIGHTS

- Rotax® 850 E-TEC® available
- High-performance KYB† PRO shock package
- 7.8 in. wide LCD display with BRP Connect available
- RAS™ X front suspension
- rMotion™ X rear suspension
- · Electric starter

- RS running boards
- pDrive™ clutch
- Forward steering post position (850 E-TEC®)
- Rack steering system

137 x 15 x 1.25 in. opt. 137 x 15 x 1.5 in. opt.

- Forward adjustable riser
- Transparent handguards

• Open toe-hold

COLOR

- Ski choices: Pilot™ X or Pilot™ TX (available with QAS)
- Backlit multifunction handlebar controls
- Optional adjustment package: rMotion™ X Quick Adjust™ system and Pilot™ TX skis
- NEW standard with two sets of LinQ attachment

ROTAX® ENGINE	850 E-TEC®	900 ACE™ TURBO R
Engine details	Liquid-cooled, two-stroke,	Liquid-cooled, four-stroke
	eRAVE™	D.O.H.C., dry sump, turbocharged
Horsepower	165	180
Cylinders - Displacement	2 - 849 cc	3 - 899 cc
Bore - Stroke	82 mm - 80.4 mm	73 mm - 69.7 mm
Carburation	E-TEC® direct injection with additional booster injectors	EFI
Fuel type – Octane	Premium unleaded – 91	Premium unleaded – 91
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal
Oil tank capacity	3.4 L/3.6 qt	3.4 L/3.6 qt
POWERTRAIN		
Drive clutch	pDrive™ with clickers	pDrive™
Driven clutch	QRS Vent	QRS Vent
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.
DRY WEIGHT		
Dry weight	225 kg/495 lb	241 kg/531 lb
DIMENSIONS		
Overall vehicle length	3,038 m	m/119.6 in.
Overall vehicle width	1,209 – 1,232 – 1,255 mm/47.6 – 48.5 – 49.4 in.	
Overall vehicle height	1,267 mm/49.9 in.	
Ski stance	1,069 - 1,092 - 1,115 mm/42.1 - 43 - 43.9 in.	
Track	RipSaw [†] :	
(Length x Width x Profile)	137 x 1	5 x 1.25 in.
	Ice R	ipper XT:

CULUK	
Sunburst Yellow / Black	•
Black Black	
SUSPENSION	
Front suspension	RAS™ X
Front shock	KYB† PRO 36 Easy-Adjust KYB† PRO Smart-Shox w/ opt. SAS
Front suspension travel	265 mm/10.4 in.
Rear suspension	rMotion™ X with QAS (optional)
Center shock	KYB† PRO 40 Easy-Adjust
Rear shock	KYB† PRO 40 Easy-Adjust KYB† PRO Smart-Shox w/ opt. SAS
Rear suspension travel	292 mm/11.5 in.
FEATURES	
Frame	REV® Gen4
Bodywork	Narrow design (2-stroke engines) Wide design (4-stroke engines)
Skis	Pilot™ X Pilot™ TX (optional)
Seating	Trail performance (2-stroke engines) Trail with storage (4-stroke engines)
Handlebar	U-shaped aluminum with J-hooks/ Transparent handguards
Riser block height	Adjustable-120 mm/4.7 in.
Starter	Electric
Reverse	RER™ (850 E-TEC®) Electro-mechanical (900 ACE™ Turbo R)
Brake system	Brembo racing brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	7.2 in. wide digital display 7.8 in. wide LCD color display (opt.)
Windshield	Optional
Runner – Carbide	Round 1/2 - 4 in.
Bumpers (front/rear)	Std/Std



1 Rotax® 850 E-TEC® and 900 ACE™ Turbo R engines

The most powerful 2-stroke and 4-stroke options in the lineup, offering top performance for the most demanding riders.



2 High-performance KYB PRO shock package

Extreme-capability, extreme-durability shocks for control in the toughest conditions. Easy adjust-equipped for dialed-in compression.



3 Smart-Shox

An industry-first, Smart-Shox semi-active suspension instantly reads terrain and rider input to automatically dial in your suspension to give you the optimal ride in any conditions.



RENEGADE® X-RS® 850 E-TEC® SHOWN



4 RS running boards

Designed for aggressive stand-up riding, they are flatter for most of their length, wider and strong. Thicker aluminum sheet, plus front and rear reinforcements to withstand tough landings.



5 Large panoramic 7.8 in. wide LCD color display available

Wide-screen full-color display lets riders truly customize their ride from behind the bars. Choose your preferred sled info, and see app integrated-information in a split-screen format with GPS, Bluetooth music, helmet-to-helmet communication and more.

6 Rack steering system

Derived from the MXZx race sled, further increases steering precision and straight tracking for a nimble and predictable ride in extreme bumps.

RENEGADE® X®

High-performance and high-tech features for the most demanding rider.





RENEGADE® X® 900 ACE® TURBO R SHOWN

// WHAT'S NEW

- Rotax® 900 ACE™ Turbo R with cable throttle housing and electro-mechanical reverse
- Standard with two sets of LinQ attachment points

// PACKAGE HIGHLIGHTS

- Rotax® 850 E-TEC® and 600R E-TEC® engines
- High-performance shock package
- 7.8 in. wide LCD display with BRP Connect available [850 E-TEC and 900 ACE Turbo R only]
- RAS™ X front suspension
- rMotion™ X rear suspension

- Electric starter
- pDrive™ clutch
- · Forward adjustable riser
- Transparent handguards
- Open toe-hold

- Ski choices: Pilot™ X or Pilot™ TX (available with QAS on 850 E-TEC and 900 ACE Turbo R)
- · Backlit multifunction handlebar controls
- Optional adjustment package: rMotion™ X Quick Adjust™ system and Pilot™ TX skis (850 E-TEC and 900 ACE Turbo R)

ROTAX® Engine	850 E-TEC®	600R E-TEC®	900 ACE™ Turbo r	
Engine details	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, four-stroke D.O.H.C., dry sump, turbocharged	
Horsepower	165	125	180	
Cylinders - Displacement	2 - 849 cc	2 - 599.4 cc	3 - 899 cc	
Bore – Stroke	82 mm - 80.4 mm	72.3 mm - 73 mm	73 mm - 69.7 mm	
Carburation	E-TEC® direct injection with additional booster injectors	E-TEC® direct injection	EFI	
Fuel type – Octane	Premium unleaded - 91	Premium unleaded - 91	Premium unleaded - 91	
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal	36 L/9.5 US gal	
Oil tank capacity	3.4 L/3.6 qt	3.4 L/3.6 qt	3.3 L/35 qt	
POWERTRAIN Drive clutch	pDrive™ with clickers	pDrive™ with clickers	pDrive™	
Driven clutch	QRS Vent	QRS	QRS Vent	
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.	73 mm/2.86 in.	
DRY WEIGHT				
Dry weight	221 kg/486 lb	214 kg/470 lb	238 kg/524 lb	
DIMENSIONS				
Overall vehicle length	,	3,038 mm/119.6 in.		
Overall vehicle width	1,209 - 1,2	232 - 1,255 mm/47.6 - 48	3.5 – 49.4 in.	
Overall vehicle height	1,267 mm/49.9 in.			
Ski stance	1,069 - 1,092 - 1,115 mm/42.1 - 43 - 43.9 in.			
Track	RipSaw†:			
(Length x Width x Profile)	137 x 15 x 1.25 in.			
	Ice Ripper XT:			
	137 x 15 x 1.25 in. opt.			
		137 x 15 x 1.5 in. opt.		

COLOR Sunburst Yellow / Black

Black

Windshield

Runner - Carbide

Bumpers (front/rear)

SUSPENSION RAS™ X Front suspension Front shock HPG™ Plus Front suspension travel 243 mm/9.6 in. Rear suspension rMotion™ X with QAS (optional) HPG™ Plus Center shock KYB† PRO 36 Easy-Adjust Rear shock 292 mm/11.5 in. Rear suspension travel

FEATURES	
Frame	REV® Gen4
Bodywork	Narrow design (2-stroke engines) Wide design (4-stroke engines)
Skis	Pilot™ X Pilot™ TX (optional)
Seating	Trail performance (2-stroke engines) Trail with storage (4-stroke engines)
Handlebar	U-shaped aluminum with J-hooks/ Transparent handguards
Riser block height	Adjustable-120 mm/4.7 in.
Starter	Electric
Reverse	RER™ (2-stroke engines) Electro-mechanic (4-stroke engines)
Brake system	Brembo racing brake with stainless- steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	7.2 in. wide digital display 7.8 in. wide LCD color display (opt.)

360 mm/14 in.

Round 7/16 - 4 in.

Std/Std



1 Rotax® 850 E-TEC® and 900 ACE™ Turbo R engines

The most powerful 2-stroke and 4-stroke options in the lineup, offering top performance for the most demanding riders.



Premium shock package

HPG Plus front and center shocks. KYB PRO 36 EA rear shock featuring compression adjustment with easy-adjust knob. All four shocks are aluminum and rebuildable/revalvable.





3 Adjustment package

Totally transforms the handling characteristics of the sled according to riding style or conditions with unmatched ease. Includes rMotion X Quick Adjust System and Pilot TX skis.



RENEGADE® X-RS® 850 E-TEC® SHOWN



4 rMotion™ X rear suspension

Built upon the same principles rMotion suspensions are renowned for, and then some. Completely redesigned for unmatched big-bump absorption and incredible comfort. Longer front arm with exclusive adjustable-angle design fits ideally with RAS X front suspension, creating superior cornering on trail.



5 Large panoramic 7.8 in. wide LCD color display available

Wide-screen full-color display lets riders truly customize their ride from behind the bars. Choose your preferred sled info, and see app integrated-information in a split-screen format with GPS, Bluetooth music, helmet-to-helmet communication and more.

(See website for image)

6 Three track choices

Superior performance assured with your choice of factory-installed Ripsaw or studded Ice Ripper tracks.

RENEGADE® ENDURO™

Adventure-ready with top-tier technology, comfort and performance.

WHAT'S NEW

- Rotax® 900 ACE™ Turbo R with cable throttle housing and electro-mechanical reverse
- 900 ACE Turbo 130 engine available
- 7.8 in. wide LCD display with BRP Connect
- rMotion™ X rear suspension with Air Control Suspension (ACS) rear shock
- RAS[™] X front suspension
- · Visor plug standard
- Pilot TX skis
- Standard with two sets of LinQ attachment points







RENEGADE® ENDURO™ 850 E-TEC® SHOWN

// PACKAGE HIGHLIGHTS

- Rotax® 850 E-TEC®, 600R E-TEC® and 900 ACE™ engines available
- pDrive™ clutch
- Electric starter

- Glove box with 4 L/1 gal of storage
- Heated trail seat with 7 L/1.85 gal of storage
- Medium windshield (17 in.) with air deflectors
- · Heavy-duty front bumper

ROTAX® Engine	850 E-TEC®	600R E-TEC®	900 ACE™ Turbo r	900 ACE™ TURBO – 130	900 ACE™
Engine details	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, four-stroke D.O.H.C., dry sump, turbocharged	Liquid-cooled, four-stroke D.O.H.C., dry sump, turbocharged	Liquid-cooled, four-stroke D.O.H.C., dry sump
Horsepower	165	125	180	130	95
Cylinders – Displacement	2 849 cc	2 599.4 cc	3 899 cc	3 899 cc	3 899 cc
Bore - Stroke	82 mm - 80.4 mm	72.3 mm - 73 mm	73 mm - 69.7 mm	73 mm - 69.7 mm	73 mm - 69.7 mm
Carburation	E-TEC® direct injection with additional booster injectors	E-TEC® direct injection	EFI	EFI	EFI
Fuel type Octane	Premium unleaded 91	Premium unleaded 91	Premium unleaded 91	Premium unleaded 91	Regular unleaded 87
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal	36 L/9.5 US gal	36 L/9.5 US gal	36 L/9.5 US gal
Oil tank capacity	3.4 L/3.6 qt	3.4 L/3.6 qt	3.3 L/3.5 qt	3.3 L/3.5 qt	3.3 L/3.5 qt
POWERTRAII	N				
Drive clutch Driven clutch	pDrive™ with clickers QRS Vent	pDrive™ with clickers QRS	pDrive™ QRS Vent	pDrive™ QRS Vent	pDrive™ with slider shoes – QRS
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.	73 mm/2.86 in.	73 mm/2.86 in.	73 mm/2.86 in.
DRY WEIGHT					
Dry weight	236 kg/519 lb	229 kg/504 lb	253 kg/558 lb	251 kg/552 lb	241 kg/529 lb
DIMENSIONS			011005110101		

DIMENSIONS SUSPENSION Overall vehicle length 3,038 mm/119.6 in. Front suspension RAS™ X Front shock HPG™ Overall vehicle width 1,217 mm/47.9 in. Overall vehicle height 1,331 mm/52.4 in. 235 mm/9.3 in. Front suspension travel 1,077 mm/42.4 in. Ski stance rMotion™ X Rear suspension Track RipSaw: (Length x Width x Profile) 137 x 15 x 1.25 in. Center shock HPG™ Ice Ripper XT: Rear shock ACS (Air Control Suspension) 137 x 15 x 1.25 in. Rear suspension travel 276 mm/10.9 in.

COLOR

(front/rear)

Scandinavian Blue/Manta Green Black **FEATURES** Frame REV® Gen4 Bodywork Wide design Skis Pilot™ TX Trail heated Seating with storage Handlebar U-shaped aluminum with J-hooks Riser block 120 mm/4.7 in. height Starter Electric RER™ Reverse (2-stroke engines) Electro-mechanic (4-stroke engines) Air radiator Brake system Brembo brake with stainless-steel braided brake line Heated throttle Standard lever/grips 7.8 in. wide LCD color Gauge type display Windshield 430 mm/17 in. Adjustable blade 1/4 Runner - Carbide 4 in. Bumpers Heavy-duty/Std



1 Rotax® 850 E-TEC® and 900 ACE™ Turbo R engines

The most powerful 2-stroke and 4-stroke options in the lineup, offering top performance for the most demanding riders.



² rMotion™ X rear suspension with Air Control Shock (ACS)

rMotion X redefines big-bump capability in the harshest terrain, while improving overall handling thanks to a longer front arm with adjustableangle design. Combined with ACS and its on-thefly preload settings, you have the best of both handling and adjustable comfort.




3 RAS™ X front suspension

Flatter cornering and precision handling in all conditions. Developed in tandem with the rMotion X rear suspension to raise the bar in trail snowmobile chassis performance. Wider, adjustable ski stance and +10 mm of suspension stroke maximize stability, capability and comfort.



RENEGADE® ENDURO™ 900 ACE™ TURBO R SHOWN



4 Studded track available

1.25 in. Ice Ripper XT direct from the factory with carbide studs for added grip.



5 Large panoramic 7.8 in. wide LCD color display

Wide-screen full-color display lets riders truly customize their ride from behind the bars. Choose your preferred sled info, and see app integrated-information in a split-screen format with GPS, Bluetooth music, helmet-to-helmet communication and more.



6 Pilot™ TX skis

Redesigned with a longer front keel to provide more positive ski traction and less darting, this ski lets riders dial in their preferred amount of ski bite.

RENEGADE® ADRENALINE®

Tight cornering, big-bumps, high speed and rough trailsthis sled conquers it all.

// WHAT'S NEW

- Rotax® 900 ACE™ Turbo R with cable throttle housing and electro-mechanical reverse
- 900 ACE Turbo 130 engine available
- rMotion™ X rear suspension
- RAS™ X front suspension w/ wider ski stance
- Pilot X skis
- Standard with 2 sets of LinQ attachment points

// PACKAGE HIGHLIGHTS



rMotion™ X

HPG™

HPG™

292 mm/11.5 in.

RENEGADE® ADRENALINE® 850 E-TEC® SHOWN

RENEGADE® ADRENALINE® 900 ACE™ TURBO R SHOWN

- Rotax® 850 E-TEC®, 600R E-TEC® and 900 ACE™ engines available
- High-quality HPG shock package
- pDrive™ clutch

Track

(Length x Width x Profile)

- 4.5 in. digital display
- · Electric starter
- Glove box with 4 L/1 gal of storage
- · Transparent handguards
- · Low windshield (14 in.) with air deflectors

ROTAX® Engine	850 E-TEC®	600R E-TEC®	900 ACE™ Turbo R	900 ACE™ TURBO – 130	900 ACE™
Engine details	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, four-stroke D.O.H.C., dry sump, turbocharged	Liquid-cooled, four-stroke D.O.H.C., dry sump, turbocharged	Liquid-cooled, four-stroke D.O.H.C., dry sump
Horsepower	165	125	180	130	95
Cylinders – Displacement	2 849 cc	2 599.4 cc	3 899 cc	3 899 cc	3 899 cc
Bore - Stroke	82 mm - 80.4 mm	72.3 mm - 73 mm	73 mm - 69.7 mm	73 mm - 69.7 mm	73 mm - 69.7 mm
Carburation	E-TEC® direct injection with additional booster injectors	E-TEC® direct injection	EFI	EFI	EFI
Fuel type Octane	Premium unleaded 91	Premium unleaded 91	Premium unleaded 91	Premium unleaded 91	Regular unleaded 87
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal	36 L/9.5 US gal	36 L/9.5 US gal	36 L/9.5 US gal
Oil tank capacity	3.4 L/3.6 qt	3.4 L/3.6 qt	3.3 L/3.5 qt	3.3 L/3.5 qt	3.3 L/3.5 qt
POWERTRAIN	N				
Drive clutch Driven clutch	pDrive™ with clickers QRS Vent	pDrive™ with clickers QRS	pDrive™ QRS Vent	pDrive™ QRS Vent	pDrive™ with slider shoes – QRS
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.	73 mm/2.86 in.	73 mm/2.86 in.	73 mm/2.86 in.
DRY WEIGHT	•				
Dry weight	221 kg/486 lb	214 kg/470 lb	238 kg/524 lb	236 kg/518 lb	226 kg/497 lb
DIMENSIONS			SUSPENSION		
Overall vehicle len	gth 3,038 n	nm/119.6 in.	Front suspension		RAS™ X
Overall vehicle wid	ith 1,217	mm/47.9 in.	Front shock		HPG™
Overall vehicle hei Ski stance	, ,	mm/49.9 in. mm/42.4 in.	Front suspension travel	243	mm/9.6 in.
	-,	·			

Rear suspension

Rear suspension travel

Center shock

Rear shock

RipSaw[†]:

137 x 15 x 1.25 in.

COLOR Sunburst Yellow / Black Black **FEATURES** REV® Gen4 Frame Bodywork Narrow design (2-stroke engines) Wide design (4-stroke engines) Skis $Pilot^{\text{TM}}\; X$ Trail performance Seating (2-stroke engines) Trail with storage (4-stroke engines) Handlebar U-shaped aluminum with J-hooks/ Transparent handguards 120 mm/4.7 in. Riser block height Starter Electric RER™ Reverse (2-stroke engines) Electro-mechanic (Turbo R only) Mechanical (900 ACE and 900 ACE Turbo - 130) Brake system Brembo brake with stainless-steel braided brake line Heated throttle Standard lever/grips Gauge type 4.5 in. digital display Windshield 360 mm/14 in. Square 3/8 in. -Runner - Carbide 4 in. Std/Std Bumpers

(front/rear)



1 Rotax® 850 E-TEC® and 900 ACE™ Turbo R engines

The most powerful 2-stroke and 4-stroke options in the lineup, offering top performance for the most demanding riders.



2 Rotax® 900 ACE™ Turbo – 130 engine

Powerful, lightweight and efficient, delivering instant acceleration at the punch of the throttle. Reliable, powerful performance with revised calibration of the drive-by-wire intelligent Throttle Control (iTC) for more linear and predictable response with three driving modes (Sport, Standard, ECO) and finger throttle.



3 rMotion™ X rear suspension

Built upon the same principles rMotion suspensions are renowned for, and then some. Completely redesigned for unmatched big-bump absorption and incredible comfort. Longer front arm with exclusive adjustable-angle design fits ideally with RAS X front suspension, creating superior cornering on trail.



RENEGADE® ADRENALINE® 900 ACE™ TURBO R SHOWN



4 RAS™ X front suspension

Flatter cornering and precision handling in all conditions. Developed in tandem with the rMotion X rear suspension to raise the bar in trail snowmobile chassis performance. Wider, adjustable ski stance and +10 mm of suspension stroke maximize stability, capability and comfort.



5 High-quality HPG shock package

Extremely capable high-pressure gas shocks by



6 Pilot™ X skis

Completely redesigned skis to match flawlessly with the most ride-compliant suspensions in the industry. Offering more positive ski traction and reduced darting for confident performance.

RENEGADE® SPORT

Value-oriented with exceptional handling, bump capability and light off-trail riding.



COLOR

// PACKAGE HIGHLIGHTS

- Rotax® 600 ACE™ with 420W magneto and 600 EFI engines available
- HPG™ rear shock
- RAS™ 3 front suspension
- SC[™]-5M rear suspension
- Standard electric start

- Glove box with 4 L/1 gal of storage
- Low windshield (14 in.)
- D.E.S.S.™ key [600 ACE™]
- Brembo brake with braided stainless-steel brake line
- Ergo-step side panels

- \bullet U-shaped aluminum handlebar with integrated J-hooks
- Pilot 5.7 skis

Sunburst Yellow / Black

• NEW standard with two sets of LinQ attachment

ROTAX® ENGINE	600 EFI	600 ACE™	
Engine details	Liquid-cooled, two-stroke	Liquid-cooled, four-stroke	
		D.O.H.C., dry sump	
Horsepower	85	62	
Cylinders – Displacement	2 - 599.4 cc	2 - 600 cc	
Bore – Stroke	72.3 mm - 73 mm	74 mm - 69.7 mm	
Carburation	EFI	EFI	
Fuel type – Octane	Regular unleaded – 87	Regular unleaded – 87	
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal	
Oil tank capacity	3.4 L/3.6 qt	2.1 L/2.2 qt	
POWERTRAIN			
Drive clutch Driven clutch	pDrive™ with slider shoes ORS	eDrive™ II QRS	
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.	
DRY WEIGHT			
Dry weight	200 kg/442 lb	213 kg/469 lb	
DIMENSIONS			
Overall vehicle length	3,038 mn	3,038 mm/119.6 in.	
Overall vehicle width	1,217 mi	1,217 mm/47.9 in.	
Overall vehicle height	1,267 mm/49.9 in.		
Ski stance	1,077 mm/42.4 in.		
Track	RipSaw:		
(Length x Width x Profile) 137		x 1.25 in.	
		bra:	
	137 x 15	x 1.35 in.	

Front suspension	RAS™ 3
Front shock	Motion Control
Front suspension travel	220 mm/8.7 in.
Rear suspension	SC™-5M
Center shock	Motion Control
Rear shock	HPG™
Rear suspension travel	245 mm/9.6 in.
FEATURES	
Frame	REV® Gen4
Bodywork	Narrow design (2-stroke engines) Wide design (4-stroke engines)
Skis	Pilot™ 5.7
Seating	Trail performance (2-stroke engines Trail with storage (4-stroke engines)
Handlebar	U-shaped aluminum with J-hooks
Riser block height	120 mm/4.7 in.
Starter	Electric
Reverse	RER™ (600 EFI) Mechanical (600 ACE™)
Brake system	Brembo brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	Compact (600 EFI) 4.5 in. digital display (ACE Engines)
Windshield	360 mm/14 in.
Runner – Carbide	Square 3/8 in - 4 in.
Bumpers (front/rear)	Std/Std



1 Rotax® 600 ACE™ and 600 EFI engines

Two easy-to-own, reliable and fuel-efficient choices. 60 hp* (600 ACE) or 85 hp* (600 EFI) versions ensure great performance and an incredible value.

*Observed HP metric based on internal dyno test in optimal conditions.



2 HPG™ rear shock

High-quality KYB high-pressure gas shock for excellent performance and reliability.

3 Electric start

Saves time and energy, adding immense value for the rider.



RENEGADE® SPORT 600 EFI SHOWN



4 Ergo-step side panels

Design offers natural progression to three natural positions for different cornering styles, including a new, extreme-forward position.



5 RAS™ 3 front suspension

Stable and precise front suspension design and geometry, optimized for the REV Gen4 platform.



6 Pilot™ 5.7 skis

Deliver outstanding grip and bite in corners with virtually no darting.

MXZ® X-RS®

A non-compromising race-inspired sled capable of taking on the roughest trails with ease.



// WHAT'S NEW

- Smart-Shox semi-active suspension available (850 E-TEC only)
- Standard with two sets of LinQ attachment points

// PACKAGE HIGHLIGHTS

- Rotax® 850 E-TEC® and 600R E-TEC® engines
- High-performance KYB PRO shock package
- 7.8 in. wide LCD display with BRP Connect available
- RAS™ X front suspension
- rMotion™ X rear suspension
- Electric starter

- RS running boards
- pDrive™ clutch
- · Forward steering post position
- Backlit multifunction handlebar controls
- Rack steering system
- Forward adjustable riser

- · Transparent handguards
- Open toe-hold

Hyper Silver / Carbon Black

COLOR

- Ski choices: Pilot™ X or Pilot™ TX (available with opt. QAS)
- Optional adjustment package: rMotion™ X Quick Adjust™ system and Pilot™ TX skis (850 E-TEC only)

Liquid-cooled, two-stroke,	Liquid-cooled, two-stroke	
eRAVE™	eRAVE™	
165	125	
2 - 849 cc	2 - 599.4 cc	
82 mm - 80.4 mm	72.3 mm - 73 mm	
E-TEC® direct injection with additional booster injectors	E-TEC® direct injection	
Premium unleaded – 91	Premium unleaded – 91	
36 L/9.5 US gal	36 L/9.5 US gal	
3.4 L/3.6 qt	3.4 L/3.6 qt	
pDrive™ with clickers QRS Vent	pDrive™ with clickers QRS	
73 mm/2.86 in.	73 mm/2.86 in.	
222 kg/490 lb	216 kg/476 lb	
2,925 mm/115.2 in.		
1,209 - 1,232 - 1,255 mm/47.6 - 48.5 - 49.4 in.		
1,267 mm/49.9 in.		
1,069 - 1,092 - 1,115 r	nm/42.1 - 43 - 43.9 in.	
RipSaw [†] :		
129 x 15 x 1.25 in.		
Ice Ripper XT:		
129 x 15 x 1.25 in. opt.		
	2 - 849 cc 82 mm - 80.4 mm E-TEC® direct injection with additional booster injectors Premium unleaded - 91 36 L/9.5 US gal 3.4 L/3.6 qt pDrive™ with clickers QRS Vent 73 mm/2.86 in. 222 kg/490 lb 2,925 mm 1,209 - 1,232 - 1,255 m 1,267 mm 1,069 - 1,092 - 1,115 r Rips 129 x 15 lee Rip	

Black SUSPENSION RAS™ X Front suspension Front shock KYB† PRO 36 Easy-Adjust KYB† PRO Smart-Shox (opt.) Front suspension travel 265 mm/10.4 in. Rear suspension rMotion™ X with QAS (optional) KYB† PRO 40 Easy-Adjust Center shock Rear shock KYB† PRO 40 Easy-Adjust KYB† PRO Smart-Shox (opt.) 292 mm/11.5 in. Rear suspension travel **FEATURES**

REV® Gen4
Narrow design
Pilot™ X
Pilot™ TX (optional)
Trail performance
U-shaped aluminum with J-hooks/ Transparent handguards
Adjustable-120 mm/4.7 in.
Electric
RER™
Brembo racing brake with stainless- steel braided brake line
Standard
7.2 in. wide digital display 7.8 in. wide LCD color display (opt.)
Optional
Round 1/2 – 4 in.
Std/Std



1 Rotax® 850 E-TEC® and 600R E-TEC® engines

Incredible power and unmatched dynamic response with exclusive E-TEC® direct-injection technology. Plasma-coated, mono-block cylinders are used for exceptional durability, while the precision of E-TEC® injection means you get excellent fuel and oil economy.



2 High-performance KYB PRO shock package

Extreme-capability, extreme-durability shocks for control in the toughest conditions. Easy adjust-equipped for dialed-in compression.



3 Smart-Shox

Industry-first, innovative semi-active KYB shock technology provides the ultimate suspension performance available in snowmobiles. The system constantly reads engine parameters and chassis inputs, including steering, to adjust damping of shocks as needed to deliver antibottoming, lateral stability and forward and aft pitch control. Comfort, Sport and Sport + modes make it easy to fine-tune on the fly.



MXZ® X-RS® 850 E-TEC® SHOWN



4 RS running boards

Designed for aggressive stand-up riding, they are flatter for most of their length, wider and strong. Thicker aluminum sheet, plus front and rear reinforcements to withstand tough landings.



5 Large panoramic 7.8 in. wide LCD color display available

Wide-screen full-color display lets riders truly customize their ride from behind the bars. Choose your preferred sled info, and see app integrated-information in a split-screen format with GPS, Bluetooth music, helmet-to-helmet communication and more.

6 Rack steering system

Derived from the MXZx race sled, further increases steering precision and straight tracking for a nimble and predictable ride in extreme bumps.

MXZ® X®

High-tech features and racing DNA for hard-core trail riders.



COLOR

// PACKAGE HIGHLIGHTS

- Rotax® 850 E-TEC® and 600R E-TEC® engines
- High-performance shock package
- 7.8 in. wide LCD display with BRP Connect available
- RAS™ X front suspension
- rMotion™ X rear suspension
- Electric starter

- pDrive™ clutch
- Backlit multifunction handlebar controls
- · Low windshield (14 in.) with air deflectors
- Forward adjustable riser
- Transparent handguards
- Open toe-hold

- Ski choices: $Pilot^{TM}~X~or~Pilot^{TM}~TX$ (available with opt. QAS)
- Optional adjustment package: rMotion™ X Quick Adjust™ system and Pilot™ TX skis (850 E-TEC only)
- NEW standard with two sets of LinQ attachment

ROTAX® ENGINE	850 E-TEC®	600R E-TEC®	
Engine details	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, two-stroke, eRAVE™	
Horsepower	165	125	
Cylinders - Displacement	2 - 849 cc	2 - 599.4 cc	
Bore - Stroke	82 mm - 80.4 mm	72.3 mm - 73 mm	
Carburation	E-TEC® direct injection with additional booster injectors	E-TEC® direct injection	
Fuel type – Octane	Premium unleaded – 91	Premium unleaded – 91	
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal	
Oil tank capacity	3.4 L/3.6 qt	3.4 L/3.6 qt	
POWERTRAIN			
Drive clutch	pDrive™ with clickers	pDrive™ with clickers	
Driven clutch	QRS Vent	QRS	
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.	
DRY WEIGHT			
Dry weight	216 kg/476 lb	210 kg/462 lb	
DIMENSIONS			
Overall vehicle length	2,925 mm	/115.2 in.	
Overall vehicle width	1,209 - 1,232 - 1,255 mm/47.6 - 48.5 - 49.4 in.		
Overall vehicle height	1.267 mm/49.9 in.		
Ski stance	1,069 - 1,092 - 1,115 mm/42.1 - 43 - 43.9 in.		
Track	RipSaw†:		
(Length x Width x Profile)	129 x 15 x 1.25 in.		
	Ice Ripper XT:		
		1.25 in. opt.	
	129 x 15 x	1.5 in. opt.	

Catalyst Grey / Black	
Black Black	
SUSPENSION	
Front suspension	RAS™ X
Front shock	HPG™ Plus
Front suspension travel	243 mm/9.6 in.
Rear suspension	rMotion™ X with QAS (optional)
Center shock	HPG™ Plus
Rear shock	KYB† PRO 36 Easy-Adjust
Rear suspension travel	292 mm/11.5 in.
FEATURES	
Frame	REV® Gen4
Bodywork	Narrow design
Skis	Pilot™ X
	Pilot™ TX (optional)
Seating	Trail performance
Handlebar	U-shaped aluminum with J-hooks/ Transparent handguards
Riser block height	Adjustable-120 mm/4.7 in.
Starter	Electric
Reverse	RER™
Brake system	Brembo racing brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	7.2 in. wide digital display 7.8 in. wide LCD color display (opt.)
Windshield	360 mm/14 in.
Runner – Carbide	Round 7/16 – 4 in.
Bumpers (front/rear)	Std/Std



1 Rotax® 850 E-TEC® and 600R E-TEC® engines

Incredible power and unmatched dynamic response with exclusive E-TEC® direct-injection technology. Plasma-coated, mono-block cylinders are used for exceptional durability, while the precision of E-TEC® injection means you get excellent fuel and oil economy.



Premium shock package

HPG Plus front and center shocks. KYB PRO 36 EA rear shock featuring compression adjustment with easy-adjust knob. All four shocks are aluminum and rebuildable/revalvable.





3 Adjustment package

Totally transforms the handling characteristics of the sled according to riding style or conditions with unmatched ease. Includes rMotion X Quick Adjust System and Pilot TX skis.



MXZ® X® 850 E-TEC® SHOWN



4 rMotion™ X rear suspension

Built upon the same principles rMotion suspensions are renowned for, and then some. Completely redesigned for unmatched big-bump absorption and incredible comfort. Longer front arm with exclusive adjustable-angle design fits ideally with RAS X front suspension, creating superior cornering on trail.



5 Large panoramic 7.8 in. wide LCD color display available

Wide-screen full-color display lets riders truly customize their ride from behind the bars. Choose your preferred sled info, and see app integrated-information in a split-screen format with GPS, Bluetooth music, helmet-to-helmet communication and more.

(See website for image)

6 Three track choices

Superior performance assured with your choice of factory-installed Ripsaw or studded Ice Ripper tracks.

MXZ® TNT®

Advancing its legacy as a favorite of agressive trail riders.



// WHAT'S NEW

- RAS™ X front suspension w/ wider ski stance
- rMotion™ X rear suspension
- Pilot X skis
- Standard with two sets of LinQ attachment points

// PACKAGE HIGHLIGHTS

- Rotax® 850 E-TEC® and 600R E-TEC® engines
- High-quality HPG shock package
- 4.5 in. digital display
- Electric starter

- pDrive™ clutch
- Low windshield (14 in.) with air deflectors
- Transparent handguards
- Open toe-hold

- Ergo-step side panels
- RER™ electronic reverse
- RF D.E.S.S.™ key

COLOR

ROTAX® ENGINE	850 E-TEC®	600R E-TEC®		
Engine details	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, two-stroke eRAVE™		
Horsepower	165	125		
Cylinders - Displacement	2 - 849 cc	2 - 599.4 cc		
Bore – Stroke	82 mm - 80.4 mm	72.3 mm - 73 mm		
Carburation	E-TEC® direct injection with additional booster injectors	E-TEC® direct injection		
Fuel type – Octane	Premium unleaded – 91	Premium unleaded – 91		
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal		
Oil tank capacity	3.4 L/3.6 qt	3.4 L/3.6 qt		
POWERTRAIN Drive clutch	pDrive™ with clickers	pDrive™ with clickers		
Driven clutch	QRS Vent	QRS		
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.		
DRY WEIGHT				
Dry weight	216 kg/475 lb	209 kg/460 lb		
DIMENSIONS				
Overall vehicle length	2,925 mm/115.2 in.			
Overall vehicle width	1,217 mm/47.9 in.			
Overall vehicle height	1,267 mm/49.9 in.			
Ski stance	1,077 mm/42.4 in.			
Track		Saw†:		
(Length x Width x Profile)	129 x 15 x 1.25 in.			
	Ice Ripper XT:			
	129 x 15 x	129 x 15 x 1.25 in. opt.		

Disale	
Black Black	
SUSPENSION	
Front suspension	RAS™ X
Front shock	HPG™
Front suspension travel	235 mm/9.3 in.
Rear suspension	rMotion™ X
Center shock	HPG™
Rear shock	HPG™
Rear suspension travel	272 mm/10.7 in.
FFATUREC	
FEATURES Frame	REV® Gen4
	1121 00111
Bodywork	Narrow design
Skis	Pilot™ X
Seating	Trail performance
Handlebar	U-shaped aluminum with J-hooks/ Transparent handguards
Riser block height	120 mm/4.7 in.
Starter	Electric
Reverse	RER™
Brake system	Brembo brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	4.5 in. digital display
Windshield	360 mm/14 in.
Runner – Carbide	Square 3/8 in 4 in.
Bumpers (front/rear)	Std/Std



1 Rotax® 850 E-TEC® and 600R E-TEC® engines

Incredible power and unmatched dynamic response with exclusive E-TEC® direct-injection technology. Plasma-coated, mono-block cylinders are used for exceptional durability, while the precision of E-TEC® injection means you get excellent fuel and oil economy.



2 rMotion™ X rear suspension

Built upon the same principles rMotion suspensions are renowned for, and then some. Completely redesigned for unmatched big-bump absorption and incredible comfort. Longer front arm with exclusive adjustable-angle design fits ideally with RAS X front suspension, creating superior cornering on trail.



3 RAS™ X front suspension

Flatter cornering and precision handling in all conditions. Developed in tandem with the rMotion X rear suspension to raise the bar in trail snowmobile chassis performance. Wider, adjustable ski stance and +10 mm of suspension stroke maximize stability, capability and comfort.



MXZ® TNT® 850 E-TEC® SHOWN



4 High-quality HPG shock package

Extremely capable high-pressure gas shocks by



⁵ Pilot™ X skis

Completely redesigned skis to match flawlessly with the most ride-compliant suspensions in the industry. Offering more positive ski traction and reduced darting for confident performance.



6 Ice Ripper track option

1.25 in. Ice Ripper XT direct from the factory with carbide studs for added grip.

MXZ[®] SPORT

Dynamic trail performance and value-oriented features.



MXZ® SPORT 600 EFI SHOWN

// PACKAGE HIGHLIGHTS

- Rotax® 600 EFI engine
- RAS™ 3 front suspension
- SC[™]-5M rear suspension
- Electric starter standard

- · Low windshield (14 in.)
- Brembo brake with braided stainless-steel brake line
- U-shaped aluminum handlebar with integrated
- J-hooks

• Ergo-step side panels

CULUD

Bumpers (front/rear)

- NEW standard with set of LinQ attachment points
- ROTAX® ENGINE 600 EFI Engine details Liquid-cooled, two-stroke Horsepower 85 Cylinders - Displacement 2 - 599.4 cc Bore – Stroke 72.3.7 mm - 73 mm Carburation EFI Fuel type – Octane Regular unleaded - 87 36 L/9.5 US gal Fuel tank Oil tank capacity 3.4 L/3.6 qt **POWERTRAIN** Drive clutch pDrive™ Driven clutch QRS Drive sprocket pitch 73 mm/2.86 in. DRY WEIGHT 198 kg/437 lb Dry weight **DIMENSIONS** Overall vehicle length 2,925 mm/115.2 in. 1,217 mm/47.9 in. Overall vehicle width Overall vehicle height 1,267 mm/49.9 in. Ski stance 1,077 mm/42.4 in. RipSaw†: (Length x Width x Profile) 129 x 15 x 1.25 in.

CULUR	
Catalyst Grey / Black	
SUSPENSION	
Front suspension	RAS™ 3
Front shock	Motion Control
Front suspension travel	220 mm/8.7 in.
Rear suspension	SC™-5M
Center shock	Motion Control
Rear shock	Motion Control
Rear suspension travel	245 mm/9.6 in.
FEATURES Frame	REV® Gen4
Bodywork	Narrow design
Skis	Pilot™ 5.7
Seating	Trail compact
Handlebar	U-shaped aluminum with J-hooks
Riser block height	120 mm/4.7 in.
Starter	Electric
Reverse	RER™
Brake system	Brembo brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	Compact
Windshield	360 mm/14 in.
Runner - Carbide	Square 3/8 in 4 in.

Std/Std



1 Rotax® 600 EFI engine

600 cc-class fuel-injected engine delivering 85 horsepower and outstanding economy at an incredible value. Design based on the 600R E-TEC with proven reliability and ease of ownership at its core with an outsized fun factor.

2 Brembo disc brake

Fade-resistant, world-renowned stopping power from hydraulic brake. Braided stainless-steel line delivers a direct, solid feel and greater braking



3 SC™-5M rear suspension

Offers great balance of comfort and performance.



MXZ® SPORT 600 EFI SHOWN



4 RAS™ 3 front suspension

Stable and precise front suspension design and geometry, optimized for the REV Gen4 platform.



5 Pilot™ 5.7 skis

Deliver outstanding grip and bite in corners with virtually no darting.



6 Ergo-step side panels

Design offers natural progression to three natural positions for different cornering styles, including a new, extreme-forward position.

GRAND TOURING LIMITED

The ultimate in 2-up trail comfort and technology with dynamic engine options.

// WHAT'S NEW

- Rotax® 900 ACE™ Turbo R with cable throttle housing and electro-mechanical reverse
- 900 ACE Turbo 130 engine available
- Luxury Package available: Includes 7.8 in. wide LCD display with BRP Connect, premium Liquid Titanium color and studded track
- RAS™ X front suspension w/ wider ski
- rMotion™ X rear suspension with Air Control Suspension (ACS) rear shock



GRAND TOURING LIMITED 900 ACE™ TURBO R W/ LIMITED PACKAGE SHOWN

// PACKAGE HIGHLIGHTS

- Premium Protection: 23 in. ultra-high windshield, side panel wind deflectors, rear snow deflector and running boards with small openings
- · Large rear LinQ cargo box with 62 L/16.1 gal of
- Premium heated 2-up seat with heated passenger handholds and air deflectors
- Glove box with 4 L/1 gal of storage
- · Heated boot plug
- Heated visor outlets for driver and passenger
- pDrive™ clutch

Studded Silent Track II:

137 x 15 x 1.25 in. Luxury Package only

- Electro-mechanical reverse
- · Ergo-step side panels

- SilentDrive[™] system with 15 x 137 x 1.25 in. Silent Track II available
- Forward adjustable riser
- · Heavy-duty rear bumper
- Backlit multifunction handlebar controls
- · Pivoting mirrors
- RF D.E.S.S.™ key

COLOR

Windshield

Runner - Carbide

Bumpers (front/rear)

ROTAX® ENGINE	900 ACE™ TURBO R	900 ACE™ Turbo – 130	900 ACE™
Engine details	Liquid-cooled,	Liquid-cooled,	Liquid-cooled,
Liigiile de taits	four-stroke D.O.H.C.,	four-stroke D.O.H.C.,	four-stroke D.O.H.C.,
		dry sump, turbocharged	
Horsepower	180	130	95
Cylinders - Displacement	3 - 899 cc	3 - 899 cc	3 - 899 cc
Bore - Stroke	73 mm - 69.7 mm	73 mm - 69.7 mm	73 mm - 69.7 mm
Carburation	EFI	EFI	EFI
Fuel type – Octane	Premium unleaded - 91	Premium unleaded - 91	Regular unleaded – 87
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal	36 L/9.5 US gal
Oil tank capacity	3.3 L/3.5 qt	3.3 L/3.5 qt	3.3 L/3.5 qt
POWERTRAIN			
Drive clutch	pDrive™	pDrive™	pDrive™ with slider shoes
Driven clutch	QRS Vent	QRS Vent	QSR
Drive sprocket pitch	36 mm/1.43 in.	36 mm/1.43 in.	36 mm/1.43 in.
DRY WEIGHT			
Dry weight	268 kg/590 lb	266 kg/586 lb	254 kg/559 lb
DIMENSIONS			
Overall vehicle length		3,127 mm/123.1 in.	
Overall vehicle width		1,217 mm/47.9 in.	
Overall vehicle height	1,513 mm/59.6 in.		
Ski stance	1,077 mm/42.4 in.		
Track	RipSaw:		
(Length x Width x Profile)		137 x 15 x 1.25 in.	
		Silent Track II:	
		137 x 15 x 1.25 in.	

Liquid Titanium (w/ Luxury Package only) Black SUSPENSION Front suspension RASTM X HPG™ Front shock 225 mm/8.9 in. Front suspension travel Rear suspension rMotion™ X HPG™ Center shock Rear shock ACS (Air Control Suspension) Rear suspension travel 276 mm/10.9 in. **FEATURES** REV® Gen4 Frame Bodywork Wide design Skis Pilot™ 5.7 SL Seating 2-up heated U-shaped aluminum Handlebar Riser block height Adjustable-120 mm/4.7 in Electric Starter Reverse Electro-mechanic Air radiator Fan (Turbo engines only) Brake system Brembo brake with stainless-steel braided brake line Heated throttle lever/grips Standard (driver and passenger) 7.2 in. wide digital display Gauge type 7.8 in. wide LCD color display

(w/ Luxury Package)

585 mm/23 in. with mirrors

Round 1/2 - 4 in.

Std/Heavy-duty



1 Rotax® 900 ACE™ Turbo R with cable throttle housing

Now the most powerful engine ever offered in a Ski-Doo. Ferocious instant acceleration and top speed through bigger fuel injectors, increased boost and optimized intake and exhaust systems. The new cable-activated iTC throttle better matches a performance rider's profile while offering three driving modes.



2 Rotax® 900 ACE™ Turbo – 130 engine

Powerful, lightweight and efficient, delivering instant acceleration at the punch of the throttle. Reliable, powerful performance with revised calibration of the drive-by-wire intelligent Throttle Control (iTC) for more linear and predictable response with three driving modes (Sport, Standard, ECO) and finger throttle.



3 Luxury Package

Three premium features consisting of a distinctive Liquid Titanium coloration, 7.8 in. wide LCD display with BRP Connect and a studded Silent Track II.



GRAND TOURING LIMITED 900 ACE™ TURBO R W/ LIMITED PACKAGE SHOWN



4 rMotion™ X rear suspension with Air Control Shock (ACS)

rMotion X redefines big-bump capability in the harshest terrain, while improving overall handling thanks to a longer front arm with adjustableangle design. Combined with ACS and its on-thefly preload settings, you have the best of both handling and adjustable comfort.



5 Large cargo box

Hard-top weather-resistant LinQ box adds 62 L (16.1 gal) of storage on the tunnel.



6 Heated 2-up seat

Premium 2-up heated seat with backrest, including handholds.

GRAND TOURING SPORT

Trail comfort and 2-up features with precision handling and savvý style.



// PACKAGE HIGHLIGHTS

- Rotax® 900 ACE™ and 600 ACE™ engines with 420W
- 23 in. ultra-high windshield with side deflectors
- 2-up seat with heated passenger handholds and air deflectors
- 4.5 in. digital display
- RAS™ 3 front suspension
- SC[™]-5M rear suspension

- Heated driver's visor power outlet
- pDrive™ clutch (900 ACE™)
- Pivoting mirrors
- Reversible throttle lever (thumb or finger activated)
- Brembo brake with braided stainless-steel brake line
- iTC $^{\text{TM}}$ Engine mapping modes (Standard, Sport or
- Pilot™ 5.7 SL skis

CULUB

- Mechanical reverse
- SilentDrive $^{\text{TM}}$ system with 15 x 137 x 1.25 in. Silent Track II available
- NEW standard with two sets of LinQ attachment points

ROTAX® ENGINE	900 ACE™	600 ACE™	
Engine details	Liquid-cooled, four-stroke	Liquid-cooled, four-stroke	
	D.O.H.C., dry sump	D.O.H.C., dry sump	
Horsepower	95	62	
Cylinders – Displacement	3 - 899 cc	2 - 600 cc	
Bore – Stroke	73 mm - 69.7 mm	74 mm - 69.7 mm	
Carburation	EFI	EFI	
Fuel type – Octane	Regular unleaded – 87	Regular unleaded – 87	
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal	
Oil tank capacity	3.3 L/3.5 qt	2.1 L/2.2 qt	
POWERTRAIN			
Drive clutch	pDrive™ with slider shoes	eDrive™ 2	
Driven clutch	QRS	QRS	
Drive sprocket pitch	36 mm/1.43 in.	36 mm/1.43 in.	
DRY WEIGHT			
Dry weight	241 kg/530 lb	231 kg/509 lb	
DIMENSIONS			
Overall vehicle length	3,127 mm	n/123.1 in.	
Overall vehicle width	1,217 mm/47.9 in.		
Overall vehicle height	1,513 mm/59.6 in.		
Ski stance	1,077 mm/42.4 in.		
Track	Silent Track II:		
(Length x Width x Profile)	137 x 15 x 1.25 in.		
		Saw:	
	137 x 15	x 1.25 in.	

Catalyst Grey / Black	
Catalyst ofey / black	
SUSPENSION	
Front suspension	RAS™ 3
Front shock	Motion Control
Front suspension travel	245 mm/8.9 in.
Rear suspension	SC™-5M
Center shock	Motion Control
Rear shock	HPG™
Rear suspension travel	245 mm/9.6 in.
FEATURES	REV® Gen4
Frame	1121 00111
Bodywork	Wide design
Skis	Pilot™ 5.7 SL
Seating Handlebar	2-up
	U-shaped aluminum 120 mm/4.7 in.
Riser block height Starter	Flectric
Reverse	Mechanical
Brake system	Brembo brake with stainless-steel
biake system	braided brake line
Heated throttle lever/grips	
	braided brake line
Heated throttle lever/grips	braided brake line Standard (driver and passenger)
Heated throttle lever/grips Gauge type	braided brake line Standard (driver and passenger) 4.5 in. digital display



1 Rotax® 900 ACE™ and 600 ACE™ engines

Two reliable, low-maintenance choices with proven ACE technology and Intelligent Throttle Control (iTC) with three driving modes. The 60 hp* 600 ACE is the industry's fuel-economy leader, and the 95 hp* 900 ACE ensures lively performance at an incredible value.
*Observed HP metric based on internal



2 RAS™ 3 front suspension

Stable and precise front suspension design and geometry, optimized for the REV Gen4 platform.



3 HPG™ rear shock

High-quality KYB high-pressure gas shock for excellent performance and reliability.



GRAND TOURING SPORT 900 ACE™ SHOWN



4 SilentDrive™ system

Clearly noticeable track drivers, interior track design and suspension geometry designed to reduce sound for the rider as well as up to 70% less vibration to the rider's feet.



5 Ultra-high windshield

Sculpted to offer improved rider and passenger wind deflection.



6 Modular 2-up seat

2-up seat with passenger handholds and air deflectors

EXPEDITION® XTREME™

The high-performance sport-utility sled with capability to go just about anywhere.



CULUB

Bumpers (front/rear)

// PACKAGE HIGHLIGHTS

- Rotax® 850 E-TEC® engine
- KYB† PRO 36 aluminum piggyback rear shock with compression adjusters
- $\mathsf{HPG^{\mathsf{TM}}}$ Plus front shocks
- 4.5 in. digital display
- RAS™ 3 front suspension
- SC™-5U articulating rear suspension with locking mechanism (no tool required)
- 20 in. wide Multi-LinQ plate with 125 lb/56.7 kg cargo capacity
- Air radiator with fan
- Deep-snow running boards with large openings
- $\bullet \ \mathsf{pDrive}^\mathsf{TM} \ \mathsf{clutch} \ \mathsf{with} \ \mathsf{clickers}$
- Low handlebar strap
- Flexible handguards

- Electric start
- Easy-shift transmission (H-L-N) with RER™ electronic
- Pilot™ DS 3 skis
- Adjustable ski stance
- RF D.E.S.S.™ key
- NEW two color options

850 E-TEC®	
Liquid-cooled, two-stroke, eRAVE™	
165	
2 - 849 cc	
82 mm - 80.4 mm	
E-TEC® direct injection with additional booster injectors	
Premium unleaded – 91	
42 L/11.1 US gal	
3.4 L/3.6 gt	
pDrive™ with clickers	
ORS	
73 mm/2.86 in.	
· · · · · · · · · · · · · · · · · · ·	
271 kg/596 lb	
2/1 kg/596 tb	
3,293 mm/129.6 in.	
1,140 to 1,180 mm/44.9 to 46.5 in.	
1,280 mm/50.4 in.	
975 or 1,020 mm/38.4 or 40.2 in.	
Cobra WT: 154 x 20 x 1.8 in.	

COLOR	
Arctic Desert / Black	
Black Black	
SUSPENSION	
Front suspension	RAS™ 3
Front shock	HPG™ Plus
Front suspension travel	220 mm/8.7 in.
Rear suspension	SC™-5U
Center shock	HPG™ Plus
Rear shock	KYB† PRO 36
Rear suspension travel	239 mm/9.4 in.
FEATURES Frame	REV® Gen4
Bodywork	Wide design
Skis	Pilot™ DS 3
Seating	1-up modular with rear seat storage
Handlebar	U-shaped aluminum with J-hooks/ Low grab handle/Flexible handguards
Riser block height	145 mm/5.7 in.
Starter	Electric
Reverse	RER™
Air radiator	Fan
Brake system	Brembo brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	4.5 in. digital display
Windshield	360 mm/14 in.
Runner – Carbide	Square 3/8 in. – 4 in.
- (/)	

Heavy-duty/Std



1 Like a Summit® with a 20 in. wide track

The REV® Gen4 platform paired with the hybrid RAS 3 front suspension allows effortless maneuvers in deep-snow, while the 20 x 154 x $\,$ 1.8 in. Cobra track provides incredible flotation and traction.



2 Rotax® 850 E-TEC® engine

Next generation of the most advanced directinjection two-stroke engine technology. Designed for reliability and durability with proven four-stroke and long-lasting automotive technologies.



3 KYB† PRO 36 piggyback rear shock with compression adjustment

Extreme-capability, extreme-durability shocks with compression adjustment for optimized control in the toughest conditions. Lightweight aluminum and rebuildable/revalvable.





4 HPG™ Plus front shocks

Highest-quality KYB lightweight rebuildable highpressure gas shocks. Rebuildable and revalvable.



5 SC™-5U articulating rear suspension

The articulated rail maximizes deep-snow traction in reverse, and its toolless locking mechanism is ideal for towing.



6 Multi-LinQ plate

Standard LinQ adaptable storage. Fits 16- and 20-inch-wide LinQ accessories to maximize accessory options. Up to 125 lb (56.7 kg) of cargo capacity.

EXPEDITION® SE

The utmost touring sport-utility vehicle with an incredible list of work and luxury features.



// WHAT'S NEW

• Two color options

// PACKAGE HIGHLIGHTS

- Rotax® 600R E-TEC®, 900 ACE™ Turbo 150 and 900 ACE™ engines
- Air Control Suspension (ACS) rear shock
- 7.8 in. wide LCD display with BRP Connect available (ACE engines only)
- RAS™ 3 front suspension
- SCTM-5U articulating rear suspension with locking mechanism (no tool required)
- 20 in. wide Multi-LinQ plate with 125 lb/56.7 kg cargo capacity
- · Air radiator with fan
- Deep-snow running boards with large openings
- Removable passenger seat with heated grips
- Ultra-large LinQ utility cargo box with 135 L/35.7 US gal of storage
- Hitch receiver with 1,500 lb/680 kg towing capacity when equiped with an HD rear bumper. [1,200 lb/544 kg std.]
- High-capacity battery
- Forward adjustable riser

- Easy-shift transmission (H-L-N) with RER™ electronic reverse (2-stroke)/electro-mechanical reverse
- 23 in. ultra-high windshield with side deflectors
- Pivoting mirrors
- Pilot 7.4 skis
- Heated driver's visor power outlet
- pDrive[™] clutch
- RF D.E.S.S.™ key

COLOR

• Backlit multifunction handlebar controls

ROTAX® Engine	600R E-TEC®	900 ACE™ TURBO - 150	900 ACE™
Engine details	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, four-stroke D.O.H.C., dry sump, turbocharged	Liquid-cooled, four-stroke D.O.H.C., dry sump
Horsepower	125	150	95
Cylinders - Displacement	2 - 599.4 cc	3 - 899 cc	3 - 899 cc
Bore - Stroke	72.3 mm – 73 mm	73 mm – 69.7 mm	73 mm – 69.7 mm
Carburation	E-TEC® direct injection	EFI	EFI
Fuel type - Octane	Premium unleaded - 91	Premium unleaded - 91	Regular unleaded - 87
Fuel tank	42 L/11.1 US gal	42 L/11.1 US gal	42 L/11.1 US gal
Oil tank capacity	3.4 L/3.6 gt	3.3 L/3.5 gt	3.3 L/3.5 qt
POWERTRAIN Drive clutch Driven clutch	pDrive™ with clickers ORS	pDrive™ QRS Vent	pDrive™ with slider shoes QRS
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.	73 mm/2.86 in.
DRY WEIGHT			
Dry weight	290 kg/639 lb	315 kg/694 lb	303 kg/666 lbs.
DIMENSIONS			
Overall vehicle length		3,256 mm/128.2 in.	
Overall vehicle width	1.200 to 1.240 mm/47.7 to 48.8 in.		3.8 in.
Overall vehicle height	1,513 mm/59.6 in.		
Ski stance	975 or 1,020 mm/38.4 or 40.2 in.		
Track (Length x Width x Profile)		Silent Cobra WT: 154 x 20 x 1.5 in. Silent Ice Cobra WT: 154 x 20 x 1.5 in. opt.	
		Cobra WT: 154 x 20 x 1.8 in. opt.	

Liquid Titanium / Black	
Liquid IIIdilidili / Black	-
Black E	
SUSPENSION	
Front suspension	RAS™ 3
Front shock	HPG™
Front suspension travel	220 mm/8.7 in.
Rear suspension	SC™-5U
Center shock	HPG™
Rear shock	ACS (Air Control Suspension)
Rear suspension travel	239 mm/9.4 in.
FEATURES	
Frame	REV® Gen4
Bodywork	Wide design
Skis	Pilot™ 7.4
Seating	2-up modular with underseat storage
Handlebar	U-shaped aluminum with J-hooks/Low grab handle
Riser block height	Adjustable-120 mm/4.7 in.
Starter	Electric
Reverse	RER™ (2-stroke) Electro-mechanic (4-stroke)
Air radiator	High-efficiency w/ fan (4-stroke) Fan (2-stroke)
Brake system	Brembo brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard (driver and passenger)
Gauge type	7.2 in. wide digital display 7.8 in. wide LCD color display (opt. on ACE engines)
Windshield	585 mm/23 in. with mirrors
Runner – Carbide	Square 3/8 in. – 4 in.
Bumpers (front/rear)	Heavy-duty/Hitch receiver



1 Rotax® 900 ACE™ Turbo - 150 engine

With a Rotax-built turbocharger specifically designed for the 900 ACE engine, riders get the technology they love with the reliable, powerful performance they demand in one advanced engine package.



² SC[™]-5U rear suspension with Air Control Shock (ACS)

The articulated rail maximizes deep-snow traction in reverse, and its toolless locking mechanism is ideal for towing. Combined with ACS and its on-the-fly preload settings, you have the best of both utility functions and adjustable comfort.



3 Ultra-large LinQ utility cargo box

135 L/35.7 gal of lockable, weather-resistant storage capacity. Incorporated hatchet and saw holder, plus attachment points for bungees and two 16 in. LinQ positions on top for expandable accessory use.



EXPEDITION® SE 900 ACE™ TURBO SHOWN



4 Multi-LinQ plate

Standard LinQ adaptable storage. Fits 16- and 20-inch-wide LinQ accessories to maximize accessory options. Up to 125 lb (56.7 kg) of cargo capacity.



5 Large panoramic 7.8 in. wide LCD color display available

Wide-screen full-color display lets riders truly customize their ride from behind the bars. Choose your preferred sled info, and see app integrated-information in a split-screen format with GPS, Bluetooth music, helmet-to-helmet communication and more.

(See website for image)

6 Three utility track choices

Choose from three different factory-installed Silent Cobra tracks, with or without carbine studs for extra traction in icy conditions.

EXPEDITION® SWT

A supreme deep-snow sport-utility vehicle with unrivaled flotation and an exemplary list of utility features.



// WHAT'S NEW

- High-quality HPG shock package
- Two color options

// PACKAGE HIGHLIGHTS

- Rotax® 600R E-TEC®, 900 ACE™ Turbo 150 and 900 ACE™ engines
- 24 in. wide Multi-LinQ plate with 125 lb/56.7 kg cargo capacity
- 4.5-in. digital display
- RAS™ 3 front suspension
- SC[™]-5U articulating rear suspension with locking mechanism (no tool required)
- Air radiator with fan
- Deep-snow running boards with large openings
- Removable passenger seat with heated grips
- High passenger backrest
- · Hitch receiver with 1,500 lb/680 kg towing capacity when equiped with an HD rear bumper. [1,200 lb / 544 kg std.]
- High-capacity battery
- Easy-shift transmission (H-L-N) with RER™ electronic reverse [2-stroke] / electro-mechanical reverse
- 23 in. Ultra-high windshield with side deflectors
- Pivoting mirrors
- Pilot 7.4 skis
- · Heated driver's visor power outlet
- · Low handlebar strap
- pDrive[™] clutch
- RF D.E.S.S.™ key

COLOR

Lava Red / Black

ROTAX® Engine	600R E-TEC®	900 ACE™ TURBO – 150	900 ACE™
Engine details	Liquid-cooled,	Liquid-cooled,	Liquid-cooled,
	two-stroke, eRAVE™	four-stroke D.O.H.C.,	four-stroke D.O.H.C.,
		dry sump, turbocharged	dry sump
Horsepower	125	150	95
Cylinders – Displacement	2 - 599.4 cc	3 - 899 cc	3 - 899 cc
Bore – Stroke	72.3 mm - 73 mm	73 mm - 69.7 mm	73 mm - 69.7 mm
Carburation	E-TEC® direct injection	EFI	EFI
Fuel type – Octane	Premium unleaded - 91	Premium unleaded - 91	Regular unleaded – 87
Fuel tank	42 L/11.1 US gal	42 L/11.1 US gal	42 L/11.1 US gal
Oil tank capacity	3.3 L/3.5 qt	3.3 L/3.5 qt	3.3 L/3.5 qt
POWERTRAIN Drive clutch Driven clutch	pDrive™ with clickers QRS	pDrive™ QRS Vent	pDrive™ with slider shoe QRS
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.	73 mm/2.86 in.
DRY WEIGHT			
Dry weight	285 kg/626 lb	309 kg/681 lb	296 kg/650 lb
DIMENSIONS	-		
Overall vehicle length		3,256 mm/128.2 in.	
Overall vehicle width	1,2	00 to 1,240 mm/47.7 to 48	3.8 in.
Overall vehicle height		1,513 mm/59.6 in.	
Ski stance	975 or 1,020 mm/38.4 or 40.2 in.		
Track (Length x Width x Profile)	Silent Cobra WT: 154 x 24 x 1.5 in.		

Black	
SUSPENSION	
Front suspension	RAS™ 3
Front shock	HPG™
Front suspension travel	220 mm/8.7 in.
Rear suspension	SC™-5U
Center shock	HPG™
Rear shock	HPG™
Rear suspension travel	239 mm/9.4 in.
FEATURES	
Frame	REV® Gen4
Bodywork	Wide design
Skis	Pilot™ 7.4
Seating	2-up modular with underseat storage
Handlebar	U-shaped aluminum with J-hooks/ Low grab handle
Riser block height	145 mm/5.7 in.
Starter	Electric
Reverse	RER™ (2-stroke)
	Electro-mechanic (4-stroke)
Air radiator	High-efficiency w/ fan (4-stroke) Fan (2-stroke)
Brake system	Brembo brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard (driver and passenger)
Gauge type	4.5 in. digital display
Windshield	585 mm/23 in.
Runner – Carbide	Square 3/8 in. – 4 in.
Bumpers (front/rear)	Heavy Duty/Hitch receiver



1 Rotax® 900 ACE™ Turbo – 150 engine

With a Rotax-built turbocharger specifically designed for the 900 ACE engine, riders get the technology they love with the reliable, powerful performance they demand in one advanced engine package.



2 Utility 2-up utility seat

The ideal combination of comfort and convenience. Driver and passenger seat offering comfort and maneuverability for the driver, and convenience and protection for the passenger. Shielded and heated passenger hand grips.



3 SC™-5U articulating rear suspension

The articulated rail maximizes deep-snow traction in reverse, and its toolless locking mechanism is ideal for towing.



EXPEDITION® SWT 900 ACE™ TURBO SHOWN



4 RAS™ 3 front suspension

Similar geometry and steering to the RAS 3 mountain front end for capability and light steering feel on- and off-trail. Optimized for crossover usage, two ski stance positions dial in handling: 40.2 in. (102 cm) or 38.4 in. (97.5 cm).



5 24 in. Super Wide Track (SWT)

The industry's largest footprint provides unmatched traction and helps achieve the lowest ground pressure in snowmobiling.



6 Multi-LinQ plate

Standard LinQ adaptable storage. Fits 16- and 20-inch-wide LinQ accessories to maximize accessory options. Up to 125 lb (56.7 kg) of cargo capacity.

EXPEDITION® LE

A hybrid touring sport-utility vehicle with premium features for off-trail exploration and on-trail cruises.



// WHAT'S NEW

- High-quality HPG shock package
- Two color options

// PACKAGE HIGHLIGHTS

- Rotax® 600R E-TEC®, 900 ACETM Turbo 150 and 900 ACE™ engines
- \bullet 20 in. wide Multi-LinQ plate with 125 lb/56.7 kg cargo capacity
- 4.5 in. digital display
- RAS™ 3 front suspension
- SC[™]-5U articulating rear suspension with locking mechanism (no tool required)
- · Air radiator with fan

- Deep-snow running boards with large openings
- Removable passenger seat with heated grips
- Hitch receiver with 1,500 lb/680 kg towing capacity when equiped with an HD rear bumper. [1,200 lb/544 kg std.]
- · High-capacity battery
- Easy-shift transmission (H-L-N) with RER™ electronic reverse (2-stroke)/electro-mechanical reverse
- 23 in. ultra-high windshield with side deflectors
- Pivoting mirrors
- Pilot 7.4 skis
- Heated driver's visor power outlet
- · Low handlebar strap
- pDrive™ clutch
- RF D.E.S.S.™ key

COLOR

ROTAX® Engine	600R E-TEC®	900 ACE™ Turbo – 150	900 ACE™
Engine details	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, four-stroke D.O.H.C., dry sump, turbocharged	Liquid-cooled, four-stroke D.O.H.C., dry sump
Horsepower	125	150	95
Cylinders - Displacement	2 - 599.4 cc	3 - 899 cc	3 - 899 cc
Bore - Stroke	72.3 mm - 73 mm	73 mm - 69.7 mm	73 mm - 69.7 mm
Carburation	E-TEC® direct injection	EFI	EFI
Fuel type – Octane	Premium unleaded - 91	Premium unleaded - 91	Regular unleaded - 87
Fuel tank	42 L/11.1 US gal	42 L/11.1 US gal	42 L/11.1 US gal
Oil tank capacity	3.3 L/3.5 qt	3.3 L/3.5 qt	3.3 L/3.5 qt
POWERTRAIN			
Drive clutch Driven clutch	pDrive™ with clickers QRS	pDrive™ QRS Vent	pDrive™ with slider shoe QRS
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.	73 mm/2.86 in.
DRY WEIGHT			
Dry weight	280 kg/616 lb	304 kg/669 lb	290 kg/639 lb
DIMENSIONS			
Overall vehicle length		3,256 mm/128.2 in.	
Overall vehicle width	1,2	00 to 1,240 mm/47.7 to 48	3.8 in.
Overall vehicle height	1,513 mm/59.6 in.		
Ski stance	97	5 or 1,020 mm/38.4 or 40	.2 in.
Track		Silent Cobra WT:	
(Length x Width x Profile)	154 x 20 x 1.5 in.		

Neo Yellow / Black	
Black Black	
SUSPENSION	
Front suspension	RAS™ 3
Front shock	HPG™
Front suspension travel	220 mm/8.7 in.
Rear suspension	SC™-5U
Center shock	HPG™
Rear shock	HPG™
Rear suspension travel	239 mm/9.4 in.
FEATURES	
Frame	REV® Gen4
Bodywork	Wide design
Skis	Pilot™ 7.4
Seating	2-up modular with underseat storage
Handlebar	U-shaped aluminum with J-hooks/ Low grab handle
Riser block height	145 mm/5.7 in.
Starter	Electric
Reverse	RER™ (2-stroke) Electro-mechanic (4-stroke)
Air radiator	High-efficiency w/ fan (4-stroke) Fan (2-stroke)
Brake system	Brembo brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard (driver and passenger)
Gauge type	4.5 in. digital display
Windshield	585 mm/23 in. with mirrors
Runner – Carbide	Square 3/8 - 4 in.
Bumpers (front/rear)	Heavy-duty/Hitch receiver



1 Rotax® 900 ACE™ Turbo – 150 engine

With a Rotax-built turbocharger specifically designed for the 900 ACE engine, riders get the technology they love with the reliable, powerful performance they demand in one advanced engine package.



2 Utility 2-up utility seat

The ideal combination of comfort and convenience. Driver and passenger seat offering comfort and maneuverability for the driver, and convenience and protection for the passenger. Shielded and heated passenger hand grips.



3 SC™-5U articulating rear suspension

The articulated rail maximizes deep-snow traction in reverse, and its toolless locking mechanism is ideal for towing.



EXPEDITION® LE 900 ACE™ TURBO SHOWN



4 RAS™ 3 front suspension

Similar geometry and steering to the RAS 3 mountain front end for capability and light steering feel on- and off-trail. Optimized for crossover usage, two ski stance positions dial in handling: 40.2 in. (102 cm) or 38.4 in. (97.5 cm).



5 20" wide track

Superb flotation and towing capability.



6 Multi-LinQ plate

Standard LinQ adaptable storage. Fits 16- and 20-inch-wide LinQ accessories to maximize accessory options. Up to 125 lb (56.7 kg) of cargo capacity.

EXPEDITION® SPORT

Ultra-responsive chassis for on- or off-trail rides and extensive array of sport-utility and 2-up features.



// PACKAGE HIGHLIGHTS

- Rotax® 600 EFI, 900 ACE™ and 600 ACE™ engines with Heavy duty rear bumper with tongue-type hitch 420W magneto available
- pDrive[™] clutch (600 EFI and 900 ACE[™])
- RAS™ 3 front suspension
- SC^{TM} -5U articulating rear suspension with locking mechanism (no tool required)
- Brembo brake with braided stainless-steel brake line
- Air radiator with fan and engine oil cooler
- 2-up seat with removable LinQ passenger backrest and handholds
- Deep-snow running boards with large openings
- NEW standard with 2 sets of LinQ attachment points
- · Adjustable ski stance
- Pilot™ DS 2 skis

ROTAX® ENGINE	600 EFI	900 ACE™	600 ACE™
Engine details	Liquid-cooled,	Liquid-cooled,	Liquid-cooled,
-	two-stroke	four-stroke D.O.H.C.,	four-stroke D.O.H.C.,
		dry sump	dry sump
Horsepower	85	95	62
Cylinders – Displacement	2 - 599.4 cc	3 - 899 cc	2 - 600.0 cc
Bore – Stroke	72.3 mm - 73 mm	73 mm - 69.7 mm	74 mm - 69.7 mm
Carburation	EFI	EFI	EFI
Fuel type – Octane	Regular unleaded – 87	Regular unleaded – 87	Regular unleaded - 87
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal	36 L/9.5 US gal
Oil tank capacity	3.4 L/3.6 qt	3.3 L/3.5 qt	2.1 L/2.2 qt
POWERTRAIN			
Drive clutch	pDrive™ with slider shoes	pDrive™ with slider shoes	eDrive™ 2
Driven clutch	QRS	QRS	QRS
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.	73 mm/2.86 in.
DRY WEIGHT			
Dry weight	228 kg/502 lb	251 kg/552 lb	241 kg/531 lb
DIMENSIONS			
Overall vehicle length	3,309 mm/130.3 in.		
Overall vehicle width	1,140 to 1,180 mm/44.9 to 46.5 in.		5 in.
Overall vehicle height	1.513 mm/59.6 in.		
Ski stance	97	5 or 1,020 mm/38.4 or 40.2	in.
Track		Charger:	
(Length x Width x Profile)	154 x 16 x 1.5 in.		

White / Black	
SUSPENSION	
Front suspension	RAS™ 3
Front shock	Motion Control
Front suspension travel	210 mm/8.3 in.
Rear suspension	SC™-5U
Center shock	Motion Control
Rear shock	HPG™
Rear suspension travel	239 mm/9.4 in.
FEATURES	
Frame	REV® Gen4
Bodywork	Wide design
Skis	Pilot™ DS 2
Seating	2-up
Handlebar	U-shaped aluminum with J-hooks
Riser block height	145 mm/5.7 in.
Starter	Electric
Reverse	RER™ (600 EFI)
	Mechanical (ACE™ engines)
Air radiator	Fan (4-stroke only)
Brake system	Brembo brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard (driver only)
Gauge type	Compact (600 EFI) 4.5 in. digital display (ACE Engines)
Windshield	585 mm/23 in.
Runner – Carbide	Square 3/8 – 4 in.
Bumpers (front/rear)	Std/Heavy Duty with tongue-type hitch

(See website for image)

1 Three engine choices

This versatile model benefits from three reliable, easy-to-own and fuel-efficient engine choices with the right power for any rider.



2 Modular 2-up seat

Easily remove or install the passenger backrest and handholds with the Lin $\!\!\mathbb{Q}$ system.



3 RAS™ 3 front suspension

Stable and precise front suspension design and geometry, optimized for the REV Gen4 platform.



EXPEDITION® SPORT 900 ACE™ SHOWN



4 Air radiator with fan (ACE™ engines only)

Extra cooling capacity when pulling heavy load, in low-snow conditions or at low speed.



5 Deep-snow running boards

Massive, strategically shaped openings keep the boards clear. A tall extruded edge adds stiffness and has aggressive boot grips.



6 SC™-5U articulating rear suspension

The articulated rail maximizes deep-snow traction in reverse, and its toolless locking mechanism is ideal for towing.

TUNDRA™ LT

Great off-trail and deep-snow performance with light-utility capability.



COLOR

// PACKAGE HIGHLIGHTS

- Rotax® 600 EFI and 600 ACE™ engine with 650W magneto available
- HPG™ rear shock
- LTS telescopic front suspension
- SC[™]-5U articulating rear suspension with locking mechanism (no tool required)
- Brembo brake with braided stainless-steel brake line
- Heavy-duty rear bumper with tongue-type hitch
- Air radiator with fan
- Standard electric start
- Deep-snow running boards with large openings
- Standard with two sets of LinQ attachment points
- Pilot™ DS 2 skis
- Low handlebar strap

ROTAX® ENGINE	600 EFI	600 ACE™	
Engine details	Liquid-cooled, two-stroke	Liquid-cooled, four-stroke D.O.H.C., dry sump	
Horsepower	85	62	
Cylinders - Displacement	2 - 599.4 cc	2 - 600 cc	
Bore - Stroke	72.3 mm - 73 mm	73 mm - 69.7 mm	
Carburation	EFI	EFI	
Fuel type – Octane	Regular unleaded – 87	Regular unleaded – 87	
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal	
Oil tank capacity	3.4 L/3.6 qt	2.1 L/2.2 qt	
POWERTRAIN			
Drive clutch Driven clutch	pDrive™ with slider shoes QRS	eDrive™ 2 QRS	
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.	
DRY WEIGHT			
Dry weight	223 kg/491 lb	234 kg/515 lb	
DIMENSIONS			
Overall vehicle length	3,259 mn	n/129.3 in.	
Overall vehicle width		994 mm/39.1 in.	
Overall vehicle height	1,513 mm/59.6 in.		
Ski stance	813 mm/32 in.		
Track	Cha	irger:	
(Length x Width x Profile)	154 x 16 x 1.5 in.		

Neo Yellow / Black	
SUSPENSION	
Front suspension	LTS
Front shock	Motion Control
Front suspension travel	150 mm/5.9 in.
Rear suspension	SC™-5U
Center shock	Motion Control
Rear shock	HPG™
Rear suspension travel	239 mm/9.4 in.
FEATURES	
Frame	REV® Gen4
Bodywork	Wide design
Skis	Pilot™ DS 2
Seating	Short 2-up
Handlebar	U-shaped aluminum with J-hooks/ Low grab handle
Riser block height	145 mm/5.7 in.
Starter	Electric
Reverse	RER™ (600 EFI) Mechanical (600 ACE™)
Air radiator	Fan
Brake system	Brembo brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	Compact (600 EFI) 4.5 in. digital display (ACE Engines)
Windshield	430 mm/17 in.
Runner - Carbide	Square 3/8 - 4 in.
Bumpers (front/rear)	Std/Heavy-duty
-	with tongue-type hitch



1 Rotax® 600 ACE™ and 600 EFI engines

Two easy-to-own, reliable and fuel-efficient choices. 60 hp* (600 ACE) or 85 hp* (600 EFI) versions ensure great performance and an incredible value.

*Observed HP metric based on internal dyno test in optimal conditions.

2 154 in. track length

Provides extra flotation and traction when riding in deep-snow.



3 LTS front suspension

Industry-exclusive telescopic front suspension enables a large, flat belly pan for exceptional deep-snow flotation.



TUNDRA™ LT 600 EFI SHOWN



4 Air radiator with fan

Extra cooling capacity when pulling heavy load, in low-snow conditions or at low speed.



5 SC™-5U articulating rear suspension

The articulated rail maximizes deep-snow traction in reverse, and its toolless locking mechanism is ideal for towing.



6 Heavy-duty rear bumper

For extra protection and extreme utility.

TUNDRA™ SPORT

Economical, nimble and fun light-utility vehicle.



COLOR

// PACKAGE HIGHLIGHTS

- Rotax® 600 EFI and 600 ACE™ engine with 650W magneto available
- HPG™ rear shock
- LTS telescopic front suspension
- cMotion™ rear suspension

- Brembo brake with braided stainless-steel brake line
- · Heavy-duty rear bumper
- Air radiator with fan (600 ACE only)
- Standard electric start

- Deep-snow running boards with large openings
- \bullet NEW standard with two sets of LinQ attachment points
- Pilot™ DS 2 skis

ROTAX® ENGINE	600 EFI	600 ACE™	
Engine details	Liquid-cooled, two-stroke	Liquid-cooled, four-stroke D.O.H.C., dry sump	
Horsepower	85	62	
Cylinders - Displacement	2 - 599.4 cc	2 - 600 cc	
Bore - Stroke	72.3 mm - 73 mm	73 mm - 69.7 mm	
Carburation	EFI	EFI	
Fuel type – Octane	Regular unleaded – 87	Regular unleaded – 87	
Fueltank	36 L/9.5 US gal	36 L/9.5 US gal	
Oil tank capacity	3.4 L/3.6 qt	2.1 L/2.2 qt	
POWERTRAIN			
Drive clutch	pDrive™ with slider shoes	eDrive™ 2	
Driven clutch	QRS	QRS	
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.	
DRY WEIGHT			
Dry weight	212 kg/466 lb	221 kg/486 lb	
DIMENSIONS			
Overall vehicle length	3,110 mn	n/122.4 in.	
Overall vehicle width	994 mm	994 mm/39.1 in.	
Overall vehicle height	1,369 mm/53.9 in.		
Ski stance	813 mm/32 in.		
Track	Со	bra:	
(Length x Width x Profile)	146 x 16 x 1.6 in.		

Neo Yellow / Black	
SUSPENSION	
Front suspension	LTS
Front shock	Motion Control
Front suspension travel	150 mm/5.9 in.
Rear suspension	cMotion™
Center shock	Motion Control
Rear shock	HPG™
Rear suspension travel	245 mm/9.6 in.
FEATURES	
Frame	REV® Gen4
Bodywork	Wide design
Skis	Pilot™ DS 2
Seating	Short 2-up
Handlebar	U-shaped aluminum with J-hooks
Riser block height	145 mm/5.7 in.
Starter	Electric
Reverse	RER™ (600 EFI) Mechanical (600 ACE™)
Air radiator	Fan (600 ACE only)
Brake system	Brembo brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	Compact (600 EFI) 4.5 in. digital display (ACE Engines)
Windshield	430 mm/17 in.
Runner - Carbide	Square 3/8 – 4 in.
Bumpers (front/rear)	Std/Heavy-duty



1 Rotax® 600 ACE™ and 600 EFI engines

Two easy-to-own, reliable and fuel-efficient choices. 60 hp* (600 ACE) or 85 hp* (600 EFI) versions ensure great performance and an incredible value.

*Observed HP metric based on internal dyno test in optimal conditions.

2 146 in. track length

Outstanding versatility on rough trails or in deep-snow.



3 LTS front suspension

Industry-exclusive telescopic front suspension enables a large, flat belly pan for exceptional deep-snow flotation.



TUNDRA™ SPORT 600 ACE™ SHOWN



4 Air radiator with fan (600 ACE only)

Extra cooling capacity when pulling heavy load, in low-snow conditions or at low speed.



5 cMotion™ rear suspension

Crossover-specific suspension uses best principles of the rMotion™ trail and tMotion™ mountain skids for confident cornering and agile boondocking.



6 Heavy-duty rear bumper

For extra protection and extreme utility.

SKANDIC® SWT

Optimal off-trail traction and flotation with the widest track in the industry.



// PACKAGE HIGHLIGHTS

- Rotax® 600R E-TEC® engine or 900 ACE™ engine with 650W magneto available Removable passenger
- 24 in. wide Multi-LinQ plate with 125 lb/56.7 kg cargo capacity
- 4.5 in. digital display
- LTS telescopic front suspension
- SC™-5U articulating rear suspension with locking mechanism (no tool required)
- Removable passenger seat with grips
- 23 in. ultra-high windshield with side deflectors
- Hitch receiver with 1,500 lb/680 kg towing capacity when equiped with an HD rear bumper. [1,200 lb/544 kg std.]
- Air radiator with fan
- · Standard electric start

- Deep-snow running boards with large openings
- Easy-shift transmission (H-L-N) with RER™ electronic reverse (2-stroke)/electro-mechanical reverse (4-stroke)
- Pivoting mirrors
- pDrive™ clutch
- Low handlebar strap
- Pilot 7.4 skis

COLOR

Lava Red / Black

ROTAX® ENGINE	600R E-TEC®	900 ACE™
Engine details	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, four-stroke D.O.H.C., dry sump
Horsepower	125	95
Cylinders - Displacement	2 - 599.4 cc	3 - 899 cc
Bore - Stroke	72.3 mm - 73 mm	73 mm - 69.7 mm
Carburation	E-TEC® direct injection	EFI
Fuel type – Octane	Premium unleaded – 91	Regular unleaded – 87
Fuel tank	42 L/11.1 US gal	42 L/11.1 US gal
Oil tank capacity	3.4 L/3.6 qt	3.3 L/3.5 qt
POWERTRAIN		
Drive clutch Driven clutch	pDrive™ with clickers QRS	pDrive™ with slider shoes QRS
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.
DRY WEIGHT		
Dry weight	287 kg/633 lb	298 kg/657 lb
DIMENSIONS		
Overall vehicle length	3,222 mi	m/126.9 in.
Overall vehicle width	1,089 m	ım/42.8 in.
Overall vehicle height	1,513 m	ım/59.6 in.
Ski stance	889 m	ım/35 in.
Track	Silent C	obra SWT:
(Length x Width x Profile)	154 x 2	4 x 1.5 in.

SUSPENSION	
Front suspension	LTS
Front shock	Motion Control
Front suspension travel	150 mm/5.9 in.
Rear suspension	SC™-5U
Center shock	Motion Control
Rear shock	HPG™
Rear suspension travel	239 mm/9.4 in.
FEATURES	
Frame	REV® Gen4
Bodywork	Wide design
Skis	Pilot™ 7.4
Seating	2-up modular with underseat storage
Handlebar	U-shaped aluminum with J-hooks/
	Low grab handle
Riser block height	145 mm/5.7 in.
Starter	Electric
Reverse	RER™ (2-stroke)
	Electro-mechanic (4-stroke)
Air radiator	High-efficiency w/ fan (4-stroke) Fan (2-stroke)
Brake system	Brembo brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard (driver only)
Gauge type	4.5 in. digital display
Windshield	585 mm/23 in. with mirrors
Runner – Carbide	Square 3/8 - 4 in.
Bumpers (front/rear)	Heavy-duty/Std
	with tongue-type hitch



Multi-LinQ plate

Standard LinQ adaptable storage. Fits 16- and 20-inch-wide LinQ accessories to maximize accessory options. Up to 125 lb (56.7 kg) of cargo capacity.



2 Utility 2-up utility seat

The ideal combination of comfort and convenience. Driver and passenger seat offering comfort and maneuverability for the driver, and convenience for the passenger.



3 LTS front suspension

Industry-exclusive telescopic front suspension enables a large, flat belly pan for exceptional deep-snow flotation.



SKANDIC® SWT 900 ACE™ SHOWN



4 Pilot™ 7.4 skis

Designed to provide better reverse capability, more floatation off trail and more positive steering on trail and while hauling loads.



5 24 in. super wide track (SWT)

The industry's largest footprint provides unmatched traction and helps achieve the lowest ground pressure in snowmobiling.



6 SC™-5U articulating rear suspension

The articulated rail maximizes deep-snow traction in reverse, and its toolless locking mechanism is ideal for towing.

SKANDIC® WT

Hardworking off-trail performance

and towing capacity.



- Rotax® 600 R E-TEC and 600 EFI, 2-stroke or 900 ACE™ and 600 ACE™ engines with 650W magneto available
- HPG[™] rear shock
- 20 in. wide Multi-LinQ plate with 125 lb/56.7 kg cargo capacity
- LTS telescopic front suspension
- SC[™]-5U articulating rear suspension with locking mechanism (no tool required)
- Removable passenger seat with grips
- 23 in. ultra-high windshield with side deflectors
- · Hitch receiver with 1,500 lb/680 kg towing capacity when equiped with an HD rear bumper. (1,200 lb/544 kg std.)
- Air radiator with fan
- Standard electric start
- Deep-snow running boards with large openings
- Easy-shift transmission (H-L-N) with RER™ electronic reverse (2-stroke)/electro-mechanical reverse (4-stroke)
- Pivoting mirrors
- pDrive™ clutch
- · Low handlebar strap
- NEW two color options

ROTAX® ENGINE	600R E-TEC®	600 EFI	900 ACE™	600 ACE™
Engine details	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, two-stroke	Liquid-cooled, four-stroke L D.O.H.C., dry sump	iquid-cooled, four-stroke D.O.H.C., dry sump
Horsepower	125	85	95	62
Cylinders – Displacement	2 599.4 cc	2 599.4 cc	3 899 cc	3 600 cc
Bore - Stroke	72.3 mm - 73 mm	72.3 mm – 73 mm	73 mm - 69.7 mm	74 mm - 69.7 mm
Carburation	E-TEC® direct injection	EFI	EFI	EFI
Fuel type Octane	Premium unleaded 91	Regular unleaded 87	Regular unleaded 87	Regular unleaded 87
Fuel tank	42 L/11.1 US gal	42 L/11.1 US gal	42 L/11.1 US gal	42 L/11.1 US gal
Oil tank capacity	3.4 L/3.6 qt	3.4 L/3.6 qt	3.3 L/3.5 qt	2.1 L/2.2 qt
POWERTRAIN				
Drive clutch Driven clutch	pDrive™ with clicker QRS	pDrive™ with slider shoes QRS	pDrive™ with slider shoes QRS	eDrive™ 2 QRS
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.	73 mm/2.86 in.	73 mm/2.86 in.

261 kg/575 lb

DIMENSIONS

Dry weight

Overall vehicle length	3,222 mm/126.9 in.
Overall vehicle width	1,089 mm/42.8 in.
Overall vehicle height	1,513 mm/59.6 in.
Ski stance	889 mm/35 in.
Track	Cobra WT:
[Length x Width x Profile]	154 x 20 x 1.5 in.

271 kg/596 lb

SUSPENSION

Front suspension	LTS	
Front shock	Motion Control	
Front suspension travel	150 mm/5.9 in.	
Rear suspension	SC™-5U	
Center shock	Motion Control	
Rear shock	HPG™	
Rear suspension travel	239 mm/9.4 in.	

272 kg/598 lb

282 kg/620 lb

COLOR

(front/rear)

Lava Red / Black Black **FEATURES**

Frame	REV® Gen4
Bodywork	Wide design
Skis	Pilot™ 7.4
Seating	2-up modular with underseat storage
Handlebar	U-shaped aluminum with J-hooks/ Low grab handle
Riser block height	145 mm/5.7 in.
Starter	Electric
Reverse	RER™ (2-stroke) Electro-mechanic (4-stroke)
Air radiator	High-efficiency w/ fan (4-stroke) Fan (2-stroke)
Brake system	Brembo brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard (driver only)
Gauge type	Compact (600 EFI) 4.5 in. digital display (E-TEC and ACE Engines)
Windshield	585 mm/23 in. with mirrors
Runner – Carbide	Square 3/8 in. – 14 in.
Bumpers	Heavy-duty/Std with

tongue-type hitch



1 Multi-LinQ plate

Standard LinQ adaptable storage. Fits 16- and 20-inch-wide LinQ accessories to maximize accessory options. Up to 125 lb (56.7 kg) of cargo capacity.



2 Utility 2-up utility seat

The ideal combination of comfort and convenience. Driver and passenger seat offering comfort and maneuverability for the driver, and convenience for the passenger.



3 LTS front suspension

Industry-exclusive telescopic front suspension enables a large, flat belly pan for exceptional deep-snow flotation.




SKANDIC® WT 900 ACE™ SHOWN



4 Four engine options This versatile model benefits from four reliable and easy-to-own engine choices. Powerful 4and 2-stroke options ensure the right match for

any rider.



5 20" wide track

Superb flotation and towing capability.



6 SC™-5U articulating rear suspension

The articulated rail maximizes deep-snow traction in reverse, and its toolless locking mechanism is ideal for towing.

SKANDIC® SPORT

The best 20 in. utility value in snowmobiling.



COLOR

Catalyst Grey / Black

// PACKAGE HIGHLIGHTS

- Rotax® 600 EFI engine
- HPG™ rear shock
- LTS telescopic front suspension
- SC™-5U articulating rear suspension with locking mechanism (no tool required)
- 1-up modular with rear seat storage
- Medium (17 in.) windshield with air deflectors
- · Standard electric start
- Deep-snow running boards with large openings
- RER[™] electronic reverse
- pDrive $^{\text{TM}}$ clutch

ROTAX® ENGINE	600 EFI			
Engine details	Liquid-cooled, two-stroke			
Horsepower	85			
Cylinders – Displacement	2 - 599.4 cc			
Bore – Stroke	72.3 mm – 73 mm			
Carburation	EFI			
Fuel type – Octane	Regular unleaded - 87			
Fuel tank	42 L/11.1 US gal			
Oil tank capacity	3.4 L/3.6 qt			
POWERTRAIN				
Drive clutch	pDrive™ with slider shoes			
Driven clutch	QRS			
Drive sprocket pitch	73 mm/2.86 in.			
DRY WEIGHT				
Dry weight	236 kg/520 lb			
DIMENSIONS				
Overall vehicle length	3,259 mm/129.3 in.			
Overall vehicle width	1,089 mm/42.8 in.			
Overall vehicle height	1,369 mm/53.9 in.			
Ski stance	889 mm/35 in.			
Track	Utility WT			
(Length x Width x Profile)	154 x 20 x 1.25 in.			

Front suspension	LTS
Front shock	Motion Control
Front suspension travel	150 mm/5.9 in.
Rear suspension	SC™-5U
Center shock	Motion Control
Rear shock	HPG™
Rear suspension travel	239 mm/9.4 in.
Frame	REV® Gen4
Bodywork	Wide design
Skis	Pilot™ 7.4
Seating	1-up modular with rear seat storage
Handlebar	U-shaped aluminum with J-hooks
Riser block height	145 mm/5.7 in.
Starter	Electric
Reverse	RER™
Brake system	Brembo brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	Compact
Windshield	430 mm/17 in.
Runner – Carbide	Square 3/8 in. – 4 in.
Bumpers (front/rear)	Std/Std



1 Rotax® 600 EFI engine

600 cc-class fuel-injected engine delivering 85 horsepower and outstanding economy at an incredible value. Design based on the 600R E-TEC with proven reliability and ease of ownership at its core with an outsized fun factor.



² Utility 1-up seat

Big comfort with premium ride quality feel. Storage compartment behind the seat.



3 LTS front suspension

Industry-exclusive telescopic front suspension enables a large, flat belly pan for exceptional deep-snow flotation.





4 Pilot™ 7.4 skis

Designed to provide better reverse capability, more floatation off trail and more positive steering on trail and while hauling loads.

(See website for image)

5 20" wide track

Superb flotation and towing capability.



6 SC™-5U articulating rear suspension

The articulated rail maximizes deep-snow traction in reverse, and its toolless locking mechanism is ideal for towing.

COMPARATIVE CHART

				DEEP-SNOW					
			SUM	IMIT		FREERIDE	BACKC	DUNTRY	
SPECIFIC	ATIONS			NEW					
		X WITH EXPERT PACKAGE	Х	EDGE	SP	FREERIDE	X-RS	х	
COL	OR	ULTIMATE Liquid Titanium / Carbon Black ULTIMATE Triple Black	ULTIMATE Scandinavian Blue / Orange Crush Triple Black	ULTIMATE Catalyst Grey / Octane Blue ULTIMATE Black	Black/Orange Crush Black	Arctic Desert	ULTIMATE Liquid Titanium/Carbon Black ULTIMATE Black	Scandinavian Blue/Orange Crush Black	
	Skis	Pilot DS 3	Pilot DS 3	Pilot DS 3	Pilot DS 3	Pilot DS 3	Pilot DS 2	Pilot DS 2	
	Seat	Deep-snow ultra compact and lightweight	Deep-snow compact and lightweight	Deep-snow compact and lightweight	Deep-snow	Deep-snow compact and lightweight	Trail performance	Trail performance	
	Handlebar	Tapered U-shaped aluminum with J-hooks/ Low grab handle/ Flexible handguards	Tapered U-shaped aluminum with J-hooks/ Low grab handle	Tapered U-shaped aluminum with J-hooks/ Low grab handle	Tapered U-shaped aluminum with J-hooks/ Low grab handle	Tapered U-shaped aluminum with J-hooks/ Low grab handle	U-shaped aluminum with J-hooks/ Transparent handguards	U-shaped aluminum with J-hooks/ Transparent handguards	
FEATURES	Starter	SHOT	SHOT, Electric (opt. select models), Manual (opt. select models)	SHOT	Electric, SHOT (opt.), Manual (opt. select models)	850 E-TEC: SHOT, Electric (opt. Select models) 850 E-TEC Turbo: SHOT	Electric, SHOT (opt. select configurations)	Electric, SHOT (opt. select configurations)	
	Reverse	RER	RER	RER	RER	RER	RER	RER	
	Windshield height (in.)	Optional	Optional	Optional	Optional	Optional	Optional	14	
GAUGE	Туре	Compact	Compact	Compact	Compact	Compact	7.2 in. wide digital display 7.8 in. wide LCD color display (opt.)	7.2 in. wide digital display 7.8 in. wide LCD color display (opt.)	
	Front suspension	RAS 3	RAS 3	RAS 3	RAS 3	RAS 3	RAS 3	RAS 3	
	Front shock	HPG Plus with lightweight springs	HPG Plus	HPG	HPG	KYB PRO 36 R Easy-Adjust	KYB PRO 36 R Easy-Adjust	HPG Plus	
SUSPENSION	Rear suspension	tMotion with adjustable limiter strap	tMotion	tMotion	tMotion	tMotion	cMotion	cMotion	
SUST ENGION	Center shock	HPG Plus with lightweight spring	HPG Plus	HPG	HPG	KYB PRO 40 Easy-Adjust	KYB PRO 40 Easy-Adjust	HPG Plus	
	Rear shock	KYB PRO 36 Easy-Adjust	HPG Plus	HPG	HPG	KYB PRO 40 Easy-Adjust	KYB PRO 40 Easy-Adjust	KYB PRO 36 Easy-Adjust	
ROTAX ENGINE	Engine	850 E-TEC Turbo 850 E-TEC	850 E-TEC Turbo 850 E-TEC	850 E-TEC	850 E-TEC 600R E-TEC	850 E-TEC Turbo 850 E-TEC	850 E-TEC	850 E-TEC	
	Fuel tank (liters / US gallons)	36/9.5	36/9.5	36/9.5	36/9.5	36/9.5	36/9.5	36/9.5	
TRACK	Lenght x Width x Profile (in.)	PowderMax Light with FlexEdge: 154 x 16 x 2.5 154 x 16 x 3.0 165 x 16 x 3.0 850 E-TEC Turbo only 175 x 16 x 3.0	PowderMax Light with FlexEdge: 154x16x2.5 154x16x3.0 (ppt.) 165x16x2.5 (sea-level opt. only) 165x16x3.0	PowderMax Light with FlexEdge: 154x16x2.5 154x16x3.0 [opt.] 165x16x3.0 175x16x3.0	PowderMax II with FlexEdge: 146 x 16 x 2.5 PowderMax Light with FlexEdge: 154 x 16 x 2.5 154 x 16 x 3.0 (opt.) 165 x 16 x 2.5 165 x 16 x 3.0 (opt.)	PowderMax II with FlexEdge: 146 x 16 x 2.5 PowderMax Light with FlexEdge: 154 x 16 x 2.5 154 x 16 x 3.0 [opt.] 165 x 16 x 2.5 [sea-level opt. only]	Cobra: 146 x 15 x 1.6 ce Cobra: 146 x 15 x 1.6 (opt.) Powder Max: 146 x 16 x 2.0 (opt.) 154 x 16 x 2.5 (opt.)	Cobra: 146 x 15 x 1.6 ce Cobra: 146 x 15 x 1.6 opt. PowderMax: 146 x 16 x 2.0 opt.	
	Ski stance (in.)	34	35.8 or 37.4	35.8 or 37.4	35.8 or 37.4	35.8 or 37.4	38.4 or 40.2	38.4 or 40.2	
OVERALL DIMENSIONS	Length (in.)	125.5 (154 in.) 129.9 (165 in.) 136 (175 in.)	125.5 (154 in.) 129.9 (165 in.)	125.5 (154 in.) 129.9 (165 in.)	122.4 (146 in.) 130.6 (154 in.) 850 E-TEC® only 135.9 (165 in.)	120.4 (146 in.) 125.5 (154 in.) 129.9 (165 in.)	125 [146 in.] 129.3 (154 in.)	125	
	Width (in.)	42.5 to 43.7	42.5 to 43.7	42.5 to 43.7	42.5 to 43.7	42.5 to 43.7	44.9 to 46.5	44.9 to 46.5	
	Height (in.)	51.4	54.9	54.9	54.9	54.9	50.5	50.5	
ESTIMATED DRY WEIGHT	By engine [kg / lb]	850 E-TEC Turbo: 208/458 [154 in.] 212/468 [165 in.] 215/474 [175 in.] 850 E-TEC: 198/437 [154 in.] 202/446 [165 in.]	850 E-TEC Turbo: 207/456 [154 in.] 211/466 [155 in.] 850 E-TEC: 198/435 [154 in.] 201/442 [165 in.]	207/458 (154 in.) 210/463 (165 in.) 214/470 (175 in.)	850 E-TEC: 208 / 455 [146 in.] 206 / 454 [154 in.] 209 / 460 [165 in.] 600R E-TEC: 204 / 449 [146 in.] 202 / 445 [154 in.]	850 E-TEC Turbo: 214 / 471 (154 in.) 217 / 478 (165 in.) 850 E-TEC: 206 / 453 (146 in.) 205 / 450 (154 in.) 206 / 453 (165 in.)	214/472 (146 in.) 220/485 (154 in.)	209/462	

	С	ROSSOVER						
BACKC	DUNTRY	масн			RENE	GADE		
		NEW	NEW					
			X-RS WITH					
BACKCOUNTRY	SPORT	Z	COMPETITION PACKAGE	X-RS	Х	ENDURO	ADRENALINE	SPORT
Catalyst Grey/Octane Blue Black	Catalyst Grey/Black	Carbon Black/Liquid Titanium	Black	Sunburst Yellow/Black Black	Sunburst Yellow/Black Black	Scandinavian Blue/ Manta Green Black	Sunburst Yellow/Black Black	Sunburst Yellow/Black
Pilot DS 2	Pilot DS 2	Pilot X	Pilot X	Pilot X Pilot TX (optional)	Pilot X Pilot TX (optional)	Pilot TX	Pilot X	Pilot 5.7
Trail performance	Trail compact	Trail with storage	Trail performance	Trail performance (2-stroke engines) Trail with storage (4-stroke engines)	Trail performance (2-stroke engines) Trail with storage (4-stroke engines)	Trail heated with storage	Trail performance (2-stroke engines) Trail with storage (4 -stroke engines)	Trail performance (2-stroke engines) Trail with storage (4-stroke engines)
U-shaped aluminum with J-hooks / Transparent handguards	U-shaped aluminum with J-hooks	U-shaped aluminum with J-hooks/ Dark smoke handguards	U-shaped aluminum with J-hooks / Transparent handguards	U-shaped aluminum with J-hooks / Transparent handguards	U-shaped aluminum with J-hooks / Transparent handguards	U-shaped aluminum with J-hooks	U-shaped aluminum with J-hooks/ Transparent handguards	U-shaped aluminum with J-hooks
Electric	Electric	Electric	Manual	Electric	Electric	Electric	Electric	Electric
RER	RER	Electro-mechanic	RER	RER (850 E-TEC) Electro-mechanical (900 ACE Turbo R)	RER (2-stroke) Electro-mechanic (4-stroke)	RER (2-stroke) Electro-mechanic (4-stroke)	RER (2-stroke) Electro-mechanic (Turbo R only) Mechanical (900 ACE and 900 ACE Turbo – 130)	RER (600 EFI) Mechanical (600 ACE)
14	14	14	14	Optional	14	17	14	14
4.5 in. digital display	Compact	7.8 in. wide LCD color display	7.2 in. wide digital display	7.2 in. wide digital display 7.8 in. wide LCD color display (opt.)	7.2 in. wide digital display 7.8 in. wide LCD color display (opt.)	7.8 in. wide LCD color display	4.5 in. digital display	Compact (600 EFI) 4.5 in. digital display (ACE Engines)
RAS 3	RAS 3	RAS X	RAS X	RAS X	RAS X	RAS X	RAS X	RAS 3
HPG Plus	Motion Control	KYB PRO Smart-Shox	KYB PRO 40 R Easy-Adjust	KYB PRO 36 Easy-Adjust KYB PRO Smart-Shox w/ opt. SAS	HPG Plus	HPG	HPG	Motion Control
cMotion	cMotion	rMotion X	rMotion X	rMotion X with QAS (optional)	rMotion X with QAS (optional)	rMotion X	rMotion X	SC-5M
HPG	Motion Control	KYB PRO 40	KYB PRO 40 Easy-Adjust (double-rate springs)	KYB PRO 40 Easy-Adjust	HPG Plus	HPG	HPG	Motion Control
HPG	HPG	KYB PRO Smart-Shox	KYB PRO 40 Easy-Adjust	KYB PRO 40 Easy-Adjust KYB PRO Smart-Shox w/ opt. SAS	KYB PRO 36 Easy-Adjust	ACS (Air Control Suspension)	HPG	HPG
850 E-TEC 600R E-TEC	600 EFI	900 ACE Turbo R	600R E-TEC	850 E-TEC 900 ACE Turbo R	850 E-TEC 600R E-TEC 900 ACE Turbo R	850 E-TEC 600R E-TEC 900 ACE Turbo R 900 ACE Turbo – 130 900 ACE	850 E-TEC 600R E-TEC 900 ACE Turbo R 900 ACE Turbo – 130 900 ACE	600 EFI 600 ACE
36/9.5	36/9.5	36/9.5	36/9.5	36/9.5	36/9.5	36/9.5	36/9.5	36/9.5
Cobra: 146 x 15 x 1.6	Cobra: 146 x 15 x 1.35 PowderMax: 146 x 16 x 2.0 (opt.)	Ripsaw 2-Ply: 137 x 15 x 1.25 Ice Ripper XT: 137 x 15 x 1.25	Ripsaw II 2-Ply: 137 x 15 x 1.25	RipSaw: 137 x 15 x 1.25 loe Ripper XT: 137 x 15 x 1.25 (opt.) 137 x 15 x 1.5 (opt.)	RipSaw: 137 x 15 x 1.25 Ice Ripper XT: 137 x 15 x 1.25 (opt.) 137 x 15 x 1.5 (opt.)	RipSaw: 137 x 15 x 1.25 loe Ripper XT: 137 x 15 x 1.25	RipSaw: 137 x 15 x 1.25	RipSaw: 137 x 15 x 1.25 Cobra: 137 x 15 x 1.35
38.4 or 40.2	38.4 or 40.2	42.1 or 43.0 or 43.9	42.1 or 43.0 or 43.9	42.1 or 43.0 or 43.9	42.1 or 43.0 or 43.9	42.4	42.4	42.4
125	125	119.6	119.6	119.6	119.6	119.6	119.6	119.6
44.9 to 46.5	44.9 to 46.5	47.6 - 48.5 - 49.4	47.6 - 48.5 - 49.4	47.6 - 48.5 - 49.4	47.6 - 48.5 - 49.4	47.9	47.9	47.9
50.5	50.5	49.9	49.9	49.9	49.9	52.4	49.9	49.9
850 E-TEC: 219/483 600R E-TEC: 212/466	202/446	249/548	213/468	850 E-TEC: 225/495 900 ACE Turbo R: 241/531	850 E-TEC: 221 / 486 600R E-TEC: 214 / 470 900 ACE Turbo R: 238 / 524	850 E-TEC: 236/519 600R E-TEC: 229/504 900 ACE Turbo R: 253/558 900 ACE Turbo: 251/552 900 ACE: 241/529	850 E-TEC: 221/486 600R E-TEC: 214/470 900 ACE Turbo R: 238/524 900 ACE Turbo: 236/518 900 ACE: 226/497	600 EFI: 200/442 600 ACE: 213/469

			M.	XZ		GRAND	TOURING	
SPECIFICATIONS								
		X-RS	х	TNT	SPORT	LIMITED	SPORT	
COL	OR	Hyper Silver / Carbon Black Black	Catalyst Grey / Black Black	Catalyst Grey / Black Black	Catalyst Grey / Black	Liquid Titanium (w/ Luxury Package only) Black	Catalyst Grey / Black	
	Skis	Pilot X Pilot TX (optional)	Pilot X Pilot TX (optional)	Pilot X	Pilot 5.7	Pilot 5.7 SL	Pilot 5.7 SL	
	Seat	Trail performance	Trail performance	Trail performance	Trail compact	2-up heated	2-up	
FEATURES	Handlebar	U-shaped aluminum with J-hooks/ Transparent handguards	U-shaped aluminum with J-hooks/ Transparent handguards	U-shaped aluminum with J-hooks/ Transparent handguards	U-shaped aluminum with J-hooks	U-shaped aluminum	U-shaped aluminum	
TEATORES	Starter	Electric	Electric	Electric	Electric	Electric	Electric	
	Reverse	RER	RER	RER	RER	Electro-mechanic	Mechanical	
	Windshield height (in.)	Optional	14	14	14	23 with mirrors	23 with mirrors	
GAUGE	Туре	7.2 in. wide digital display 7.8 in. wide LCD color display (opt.)	7.2 in. wide digital display 7.8 in. wide LCD color display (opt.)	4.5 in. digital display	Compact	7.2 in. wide digital display 7.8 in. wide LCD color display (w/ Luxury Package)	4.5 in. digital display	
	Front suspension	RAS X	RAS X	RASX	RAS 3	RAS X	RAS 3	
	Front shock	KYB PRO 36 Easy-Adjust KYB PRO Smart-Shox (opt.)	HPG Plus	HPG	Motion Control	HPG	Motion Control	
SUSPENSION	Rear suspension	rMotion X with QAS (optional)	rMotion X with QAS (optional)	rMotion	SC-5M	rMotion	SC-5M	
	Center shock	KYB PRO 40 Easy-Adjust	HPG Plus	HPG	Motion Control	HPG	Motion Control	
	Rear shock	KYB PRO 40 Easy-Adjust KYB PRO Smart-Shox (opt.)	KYB PRO 36 Easy-Adjust	HPG	Motion Control	ACS (Air Control Suspension)	HPG	
ROTAX ENGINE	Engine	850 E-TEC 600R E-TEC	850 E-TEC 600R E-TEC	850 E-TEC 600R E-TEC	600 EFI	900 ACE Turbo R 900 ACE Turbo – 130 900 ACE	900 ACE 600 ACE	
	Fuel tank (liters / US gallons)	36/9.5	36/9.5	36/9.5	36/9.5	36/9.5	36/9.5	
TRACK	Lenght x Width x Profile (in.)	RipSaw: 129 x 15 x 1.25 Ice Ripper XT: 129 x 15 x 1.25 (opt.) 129 x 15 x 1.5 (opt.)	RipSaw: 129 x 15 x 1.25 Ice Ripper XT: 129 x 15 x 1.25 (opt.) 129 x 15 x 1.5 (opt.)	RipSaw: 129 x 15 x 1.25 Ice Ripper XT: 129 x 15 x 1.25 (opt.)	RipSaw: 129 x 15 x 1.25	RipSaw: 137 x 15 x 1.25 Silent Track II: 137 x 15 x 1.25 Studded Silent Track II: 137 x 15 x 1.25 Luxury Package only	RipSaw: 137 x 15 x 1.25 Silent Track II: 137 x 15 x 1.25	
	Ski stance (in.)	42.1 or 43.0 or 43.9	42.1 or 43.0 or 43.9	42.4	42.4	42.4	42.4	
OVERALL DIMENSIONS	Length (in.)	115.2	115.2	115.2	115.2	123.1	123.1	
DIMENSIONS	Width (in.)	47.6 - 48.5 - 49.4	47.6 - 48.5 - 49.4	47.9	47.9	47.9	47.9	
	Height (in.)	49.9	49.9	49.9	49.9	59.6	59.6	
ESTIMATED DRY WEIGHT	By engine (kg / lb)	850 E-TEC: 222/490 600R E-TEC: 216/476	850 E-TEC: 216/476 600R E-TEC: 210/462	850 E-TEC: 216/477 600R E-TEC: 209/462	198/437	900 ACE Turbo R: 268 / 590 900 ACE Turbo: 266 / 586 900 ACE: 254 / 559	900 ACE: 241/530 600 ACE: 231/509	

SPORT-UTILITY						
EXPEDITION						
XTREME	SE	SWT	LE	SPORT		
Arctic Desert/Black Black	Liquid Titanium/Black Black	Lava Red/Black Black	Neo Yellow/Black Black	White/Black		
Pilot DS 3	Pilot 7.4	Pilot 7.4	Pilot 7.4	Pilot DS 2		
1-up modular with rear seat storage	2-up modular with underseat storage	2-up modular with underseat storage	2-up modular with underseat storage	2-up		
U-shaped aluminum with J-hooks/ Low grab handle/Flexible handguards	U-shaped aluminum with J-hooks/ Low grab handle	U-shaped aluminum with J-hooks/ Low grab handle	U-shaped aluminum with J-hooks/ Low grab handle	U-shaped aluminum with J-hooks		
Electric	Electric	Electric	Electric	Electric		
RER	RER (2-stroke) Electro-mechanic (4-stroke)	RER (2-stroke) Electro-mechanic (4-stroke)	RER (2-stroke) Electro-mechanic (4-stroke)	RER (600 EFI) Mechanical (ACE engines)		
14	23 with mirrors	23	23 with mirrors	23		
4.5 in. digital display	7.2 in. wide digital display 7.8 in. wide LCD color display (opt. on ACE engines)	4.5 in. digital display	4.5 in. digital display	Compact (600 EFI) 4.5 in. digital display (ACE Engines)		
RAS 3	RAS 3	RAS 3	RAS 3	RAS 3		
HPG Plus	HPG	HPG	HPG	Motion Control		
SC-5U	SC-5U	SC-5U	SC-5U	SC-5U		
HPG Plus	HPG	нр6	HPG	Motion Control		
KYB PRO 36	ACS (Air Control Suspension)	HPG	HPG	HPG		
850 E-TEC	600R E-TEC 900 ACE Turbo – 150 900 ACE	600R E-TEC 900 ACE Turbo - 150 900 ACE	600R E-TEC 900 ACE Turbo – 150 900 ACE	600 EFI 900 ACE 600 ACE		
42/11.1	42/11.1	42/11.1	42/11.1	36/9.5		
Cobra WT: 154 x 20 x 1.8	Silent Cobra WT: 154 x 20 x 1.5 Silent Ice Cobra WT: 154 x 20 x 1.5 (opt.) Cobra WT: 154 x 20 x 1.8 (opt.)	Silent Cobra SWT: 154 x 24 x 1.5	Silent Cobra WT: 154 x 20 x 1.5	Charger: 154 x 16 x 1.5		
38.4 or 40.2	38.4 or 40.2	38.4 or 40.2	38.4 or 40.2	38.4 or 40.2		
129.6	128.2	128.2	128.2	130.3		
44.9 to 46.5	47.7 to 48.8	47.7 to 48.8	47.7 to 48.8	44.9 to 46.5		
50.4	59.6	59.6	59.6	59.6		
271/596	600R E-TEC: 290/639 900 ACE Turbo: 315/694 900 ACE: 303/666	600R E-TEC: 285/626 900 ACE Turbo: 309/681 900 ACE: 296/650	600R E-TEC: 280/616 900 ACE Turbo: 304/669 900 ACE: 290/639	600 EFI: 228/502 900 ACE: 251/552 600 ACE: 241/531		

				SPORT-UTILITY			
		TUNDRA		SKANDIC			
SPECIFICATIONS							
		LT Neo Yellow/Black	SPORT Neo Yellow/Black	SWT Lava Red / Black	WT Lava Red / Black	SPORT Catalyst Grey / Black	
COL	OR	Neo Tellow/ Black	Neo Tellow / Black	Black	Black	catalyst diey/ black	
	Skis	Pilot DS 2	Pilot DS 2	Pilot 7.4	Pilot 7.4	Pilot 7.4	
	Seat	Short 2-up	Short 2-up	2-up modular with underseat storage	2-up modular with underseat storage	1-up modular with rear seat storage	
FEATURES	Handlebar	U-shaped aluminum with J-hooks / Low grab handle	U-shaped aluminum with J-hooks	U-shaped aluminum with J-hooks/ Low grab handle	U-shaped aluminum with J-hooks/ Low grab handle	U-shaped aluminum with J-hooks	
TEATORES	Starter	Electric	Electric	Electric	Electric	Electric	
	Reverse	RER (600 EFI) Mechanical (600 ACE)	RER (600 EFI) Mechanical (600 ACE)	RER (2-stroke) Electro-mechanic (4-stroke)	RER (2-stroke) Electro-mechanic (4-stroke)	RER	
	Windshield height (in.)	17	17	23 with mirrors	23 with mirrors	17	
GAUGE	Туре	Compact (600 EFI) 4.5 in. digital display (ACE Engines)	Compact (600 EFI) 4.5 in. digital display (ACE Engines)	4.5 in. digital display	Compact (600 EFI) 4.5 in. digital display (E-TEC and ACE Engines)	Compact	
	Front suspension	LTS	LTS	LTS	LTS	LTS	
	Front shock	Motion Control	Motion Control	Motion Control	Motion Control	Motion Control	
SUSPENSION	Rear suspension	SC-5U	cMotion	SC-5U	SC-5U	SC-5U	
2007 21107011	Center shock	Motion Control	Motion Control	Motion Control	Motion Control	Motion Control	
	Rear shock	HPG	HPG	HPG	HPG	HPG	
ROTAX ENGINE	Engine	600 EFI 600 ACE	600 EFI 600 ACE	600R E-TEC 900 ACE	600R E-TEC 600 EFI 900 ACE 600 ACE	600 EFI	
	Fuel tank (liters / US gallons)	36/9.5	36/9.5	42/11.1	42/11.1	42/11.1	
TRACK	Lenght x Width x Profile (in.)	Charger: 154 x 16 x 1.5	Cobra: 146×16×1.6	Silent Cobra SWT: 154 x 24 x 1.5	Cobra WT: 154 x 20 x 1.5	Utility WT: 154 x 20 x 1.25	
	Ski stance	32	32	35	35	35	
OVERALL	(in.) Length (in.)	129.3	122.4	126.9	126.9	129.3	
DIMENSIONS	Width (in.)	39.1	39.1	42.8	42.8	42.8	
	Height (in.)	59.6	53.9	59.6	59.6	53.9	
ESTIMATED DRY WEIGHT	By engine (kg / lb)	600 EFI: 223/491 600 ACE: 234/515	600 EFI: 212/466 600 ACE: 221/486	600R E-TEC 287/633 900 ACE 298/657	600R E-TEC 271/596 600 EFI 261/575 900 ACE 282/620 600 ACE 272/598	236/520	



ACCESSORIES

// ACCESSORIES

78	linn	$\Delta \Gamma \Gamma F$	SSDR	IFS

81 FUEL & OIL CADDIES

81 STORAGE

92 SLEIGH, RACKS & HOLDERS

94 SEATS & BACKRESTS

98 WINDSHIELDS & WIND PROTECTION

105 HANDGUARDS & HANDLEBAR

107 MIRRORS

108 ADJUSTABLE RISERS & EXTENSION KITS

110 LED LIGHTS

111 BUMPERS, HITCHES & WINCHES

117 PROTECTION & REINFORCEMENT

120 TOE-HOLDS, FOOTRESTS & KNEE PADS

122 SUSPENSION & FOX SHOCK KITS

125 VENT KITS & PREFILTERS

126 COOLING & LUBRICATION

127 ELECTRICAL & ELECTRONICS

131 TRAILERING & COVERS

134 GARAGE & TRUCK SLED DECKS

SKI-DOO ACCESSORIES LIMITED WARRANTY*

// 1-YEAR ON BRP ACCESSORIES

GET THE RIGHT ACCESSORIES FOR YOUR SLED

You'll see a list of platforms like REV Gen4 (Narrow and Wide), REV-XP, REV-XS, REV-XM and REV-XU after the descriptions in this catalog—these indicators tell you which accessories fit your snowmobile.

Use this chart to find the platform you're riding and choose the right items to personalize your ride.





2022

	202	2
MODEL	ENGINE	PLATFORM
MACH Z™		
	900 ACE Turbo R	REV Gen4 (Wide)
MXZ		
X-RS® X® TNT™ Sport	All	REV Gen4 (Narrow)
BACKCOUNT	'R Y ™	
X-RS® X® Backcountry™ Sport	All	REV Gen4 (Narrow)
RENEGADE®		
X-RS® X® Adrenaline Sport	850 E-TEC 600R E-TEC 600 EFI	REV Gen4 (Narrow)
X-RS® X® Adrenaline Sport	900 ACE 900 ACE Turbo 900 ACE Turbo R 600 ACE	REV Gen4 (Wide)
Enduro	All	REV Gen4 (Wide)
GRAND TOU	RING	
Limited Sport	All	REV Gen4 (Wide)
SUMMIT		
X® X with Expert Package Edge SP	All	REV Gen4 (Narrow)
FREERIDE		
	All	REV Gen4 (Narrow)
EXPEDITION		
Sport	All	REV Gen4 (Wide)
LE SE Xtreme	All	REV Gen4 (Wide) 20"
SWT	All	REV Gen4 (Wide) 24"
TUNDRA		
	All	REV Gen4 (Wide)
SKANDIC		
WT Sport	All	REV Gen4 (Wide) 20"

REV Gen4 (Wide) 24"

SWT

All

MODEL	ENGINE	PLATFORM		
MXZ				
X-RS® X® TNT™ Sport	All	REV Gen4 (Narrow)		
BACKCOUNT	R Y ™			
X-RS® X® Backcountry™ Sport	All	REV Gen4 (Narrow)		
RENEGADE®				
X-RS® X® Adrenaline Sport	850 E-TEC 600R E-TEC 600 EFI	REV Gen4 (Narrow)		
X-RS® X® Adrenaline Sport	900 ACE 900 ACE Turbo 600 ACE	REV Gen4 (Wide)		
Enduro	All	REV Gen4 (Wide)		
GRAND TOUI	RING			
Limited Sport	All	REV Gen4 (Wide)		
SUMMIT				
X® X with Expert Package SP	All	REV Gen4 (Narrow)		
FREERIDE				
	All	REV Gen4 (Narrow)		
EXPEDITION				
Sport	900 ACE 600 ACE	REV Gen4 (Wide)		
Sport	600 EFI	REV Gen4 (Narrow)		
LE SE Xtreme	All	REV Gen4 (Wide) 20"		
SWT	All	REV Gen4 (Wide) 24"		
TUNDRA				
LT Sport	All	REV Gen4 (Wide)		
SKANDIC				
WT Sport	All	REV Gen4 (Wide) 20"		
SWT	All	REV Gen4 (Wide) 24"		

MODEL	ENGINE	PLATFORM
MXZ		
X-RS® X® TNT™	850 E-TEC 600R E-TEC	REV Gen4 (Narrow)
Sport	600	REV-XP
BACKCOUNT	RY™	
X-RS® X® Backcountry™	850 E-TEC 600R E-TEC	REV Gen4 (Narrow)
<i>RENEGADE®</i>		
X-RS® X® Adrenaline	850 E-TEC 600R E-TEC	REV Gen4 (Narrow)
X-RS® X® Adrenaline	900 ACE 900 ACE Turbo	REV Gen4 (Wide)
Enduro	850 E-TEC 600R E-TEC 900 ACE 900 ACE Turbo	REV Gen4 (Wide)
Sport	600 ACE	REV Gen4 (Wide)
Sport	600	REV-XP
GRAND TOU	RING	
Limited Sport	600R E-TEC 900 ACE 900 ACE Turbo 600 ACE	REV Gen4 (Wide)
SUMMIT		
X* SP 175 SP 165 SP 154 SP 146	850 E-TEC 600R E-TEC	REV Gen4 (Narrow)
Sport	600	REV-XP
FREERIDE		
	850 E-TEC	REV Gen4 (Narrow)
EXPEDITION		
Sport	900 ACE 600 ACE	REV Gen4 (Wide)
Sport	550 Fan	REV-XP
LE SE Xtreme	All	REV Gen4 (Wide) 20°
TUNDRA		
	All	REV-XU
SKANDIC		
		REV-XU

LITTER ACCESSORIES

// FAST, EASY AND SECURE

A BRP EXCLUSIVE, LinQ IS A TOOL-LESS SYSTEM FOR NEAR-INSTANT INSTALLATION OF ACCESSORIES.

- LinQ accessories to transform your machine to fit the moment.
- No tools needed: quickly install and remove accessories by hand.
- Stylish, fully integrated solution to your cargo needs.
- Sturdy mounting system that holds up in every terrain.

154" AND LONGER (Regular Tunnel) 165" AND LONGER POSITION **137" AND LONGER** (Regular Tunnel) 146" AND LONGER (Short Tunnel) POSITION 1 129" AND LONGER POSITION O 129" AND LONGER

LinQ is the industry standard in fast, secure and easy accessory attachment. Here's how you can use multiple LinQ items together to create the perfect ride.



LinQ FUEL CADDY 860201774 / 860201775



LinQ OIL CADDY 860202445



LinQ STACKABLE FUEL CADDY 860202246



LinQ FUEL CADDY 860202247



LinQ DEEP SNOW PRO BAG



860202456



LinQ TRAIL PRO BAG 860201986



Ling SLIM WATERPROOF TUNNEL BAG 860202451



860202191

LinQ SNOWBOARD/SKI RACK



LinQ DRY BAG 715008110



LinQ ADVENTURE TUNNEL BAG 860202444





LinQ MODULAR CARGO BOX - 10 L 715005494



LinQ THERMAL BOX 219400964





860202448



Ling CARGO BOX - 62 L 860202446



LinQ CARGO BOX - 40 L

860202442



LinQ SR21 TUNNEL BAG

860202449



LinQ SPORT BAG 860202447

LinQ TOOL BOX

715008111

860200624

860202208

860201914



LinQ SADDLEBAGS

UNIVERSAL LinQ RACK



LinQ REMOVABLE SNOW FLAP

REV GEN4 VEHICLES MULTIPLE TUNNEL CONFIGURATIONS

POSITION 1

129" AND LONGER

ON THE TUNNEL	ON TOP OF Ling Stackable Fuel Caddy
YES	YES
YES	YES
YES	NO
YES	NO
YES	YES
YES	YES
YES position #1 and #2 required	NO
NO	NO
YES	YES
YES position #1 and #2 required	NO
YES	NO
YES except when LinQ 1 + 1 Backrest is installed	NO
NO	NO
YES position #1 and #2 required	NO
YES position #1 and #2 required	NO
except when Lin	ES Q 1 + 1 Backrest t are installed
YES	YES
YES except with 1 + 1 Seat	NO
YES	NO
YES	NO
Specific install	ES ation required, sheet for details

POSITION 2

137" AND LONGER (Regular Tunnel) 146" AND LONGER (Short Tunnel)

140 AND LONGE	k (Short runnet)			
ON THE TUNNEL	BEHIND The Fuel Caddy			
YES	YES			
except 146"	except 146"			
(Short Tunnel)	(Short Tunnel)			
YES	YES			
NO too heavy for this position	NO			
NO too heavy for this position	NO			
YES except 146" (Short Tunnel)	YES except 146" (Short Tunnel)			
YES	YES			
except 146" (Short Tunnel)	except 146" (Short Tunnel)			
YES position #1 and #2 required	YES position #2 and #3 required			
YES	YES			
position #0	position #0			
and #2 required	and #2 required			
YES on 146" and up	NO			
YES				
position #1	NO			
and #2 required	NO			
YES	YES			
except 146"	except 146"			
(Short Tunnel)	(Short Tunnel)			
NO too heavy for this position	NO			
Y	S			
position #1				
and #2 required on 146" and up				
YES	·			
position #1 and #2 required	NO			
YES position #1 and #2 required	NO			
YES	NO			
YES	YES			
NO				
too heavy for this position	NO			
NO	NO			
YES	YES			
YES Specific installation required, see instruction sheet for details				

POSITION 3

154" AND LONGER (Regular Tunnel) 165" AND LONGER (Short Tunnel)

ON THE TUNNEL			
NO			
YES position #2 and #3 required			
NO			
YES Does not fit Short Tunnel			

Ling	COMPATIBILITY / REQUIREMENTS					
LinQ ACCESSORIES	REV GEN4 16"		REV GEN4 20" – 24"*	REV-XM REV-XS	RADIAN Lynx	
REQUIREMENTS CHART	2022 2021 AND PRIOR		2022 AND PRIOR	REV-XP REV-XU	2022	
LinQ ACCESSORIES WITH 16" BASE		6 inches apart, center-to- ATV and SSV vehicles, Sea		oo snowmobiles.		
LinQ OIL CADDY – 1 GAL 860202445	LinQ Cargo Base Kit 860201806 [for installation on LinQ Stackable Fuel Caddy or on stackable LinQ accessories]	LinQ Cargo Base Kit 860201806 (for installation on tunnel or on stackable LinQ accessories)	LinQ Cargo Base Kit 860202482 (for installation on tunnel) or 860201806 (for installation on stackable LinQ accessories)		LinQ Cargo Base Kit 860201806 (for installation on LinQ Stackable Fuel Caddy or on stackable LinQ accessories)	
Ling Stackable fuel Caddy – 4 Gal 860202246		LinQ Cargo Base Kit	LinQ Cargo Base Kit			
Ling Fuel Caddy – 3 Gal 860202247	No further requirements	860201806 (for installation on tunnel)	860202482 (for installation on tunnel)		No further requirements	
LinQ DEEP SNOW PRO BAG – 30 L 860202456	LinQ Cargo Base Kit 860201806	LinQ Cargo Base Kit 860201806 (for installation on tunnel or	LinQ Cargo Base Kit 860202482 (for installation on tunnel)		LinQ Cargo Base Kit 860201806	
Ling Trail pro Bag 860201986	(for installation on LinQ Stackable Fuel Caddy or on stackable LinQ accessories)	on stackable LinQ accessories)	or 860201806 (for installation on stackable LinQ accessories)		(for installation on LinQ Stackable Fuel Caddy or on stackable LinQ accessories)	
Ling SLIM WATERPROOF TUNNEL BAG – 26 L 860202451		LinQ Cargo Base Kit	LinQ Cargo Base Kit			
SLIM TUNNEL BAG WITH SOFT STRAPS – 15 L 860202440	No further requirements	2 X 860201806 (for installation on tunnel)	2x 86ŏ202482 (for installation on tunnel)		No further requirements	
Ling Snowboard/SKI rack 860202191		LinQ Cargo Base Kit 860201806 (for installation on tunnel)	Not compatible			
LinQ DRY BAG - 40 L 715008110	LinQ Cargo Base Kit 860201806 (for installation on LinQ Stackable Fuel Caddy or on stackable LinQ accessories)	LinQ Cargo Base Kit 860201806 (for installation on tunnel or on stackable LinQ accessories)	LinQ Cargo Base Kit 860202482 (for installation on tunnel) or 860201806 (for installation on stackable LinQ accessories)	Con annulate fit	LinQ Cargo Base Kit 860201806 (for installation on LinQ Stackable Fuel Caddy or on stackable LinQ accessories)	
TUNNEL BACKPACK WITH LinQ SOFT STRAP – 28 L 860200939		LinQ Cargo Base Kit 2 X 860201806	Not compatible	See complete fit information and requirements for REV-XM, XS, XP & XU on page 194		
LinQ ADVENTURE TUNNEL BAG – 40 L 860202444		[for installation on tunnel]	Not compatible			
LinQ THERMAL BOX – 16 L 219400964	No further requirements	LinQ Cargo Base Kit 860201806 (for installation on tunnel)	LinQ Cargo Base Kit 860202482 (for installation on tunnel)		No further requirements	
LinQ ADVENTURE CARGO BOX – 90 L 860202448	No further requirements	LinQ Cargo Base Kit 2 X 860201806 (for installation on tunnel)	LinQ Cargo Base Kit 2x 850202482 (for installation on tunnel)		No further requirements	
LinQ CARGO BOX - 62 L 860202446						
LinQ CARGO BOX - 40 L 860202442						
LinQ SR 21 TUNNEL BAG – 21 L 860202449	LinQ Cargo Base Kit 860201806	LinQ Cargo Base Kit 860201806	LinQ Cargo Base Kit 860202482 (for installation on tunnel)		LinQ Cargo Base Kit 860201806	
LinQ SPORT BAG – 17 L 860202447	(for installation on LinQ Stackable Fuel Caddy or on stackable LinQ accessories)	(for installation on tunnel or on stackable LinQ accessories)	or 860201806 (for installation on stackable LinQ accessories)		(for installation on LinQ Stackable Fuel Caddy or on stackable LinQ accessories)	
LinQ T00L B0X - 19 L 715008111	No further requirements	LinQ Cargo Base Kit 860201806 (for installation on tunnel)	LinQ Cargo Base Kit 860202482 (for installation on tunnel)		No further requirements	
LinQ MODULAR CARGO BOX 715005494 • (10 L)	LinQ Cargo Base Kit 860201806 (for installation on stackable LinQ accessories)	LinQ Cargo Base Kit 860201806 [for installation on tunnel or on stackable LinQ accessories]	LinQ Cargo Base Kit 860202482 (for installation on tunnel) or 860201806 (for installation on stackable LinQ accessories)		LinQ Cargo Base Kit 860201806 (for installation on stackable LinQ accessories)	
LinQ RACKS & HOLDERS						
LinQ UNIVERSAL RACK 860202208		LinQ Cargo Base Kit	LinQ Cargo Base Kit	See complete fit		
LinQ TOOL HOLDER	No further requirements	860201806 (for installation on tunnel)	860202482 (for installation on tunnel)	information and requirements for REV-XM, XS, XP & XU on page 194	No further requirements	

LinQ TOOL HOLDER 860201846

FUEL & OIL CADDIES

Ling FUEL CADDY - 1 GALLON

REV Gen4, XS, XM, XR, XP, XU

860201774* • Canada only **860201775*** • US only



- 1 US gallon (3.78 liter) capacity.
- · Smaller size for less weight.
- \bullet Can be used in position 1 or 2 and on top of LinQ Stackable Fuel Caddy.
- Easy pour design for sleds or power tools.

• Doesn't fit Grand Touring REV-XS.

LinQ OIL CADDY - 1 GALLON

REV Gen4, XS, XM, XR, XP, XU

860202445



- 1 US gallon (3.78 liter) capacity. • Can be used in position 1 or 2.
- · Can be used on top of LinQ Stackable Fuel Caddy.
- Doesn't fit Grand Touring REV-XS.

- Requires LinQ Cargo Base Kit (860201806) for installation on REV Gen4 16" tunnels (2021 and prior), 2021 Skandic Sport and stackable LinQ accessories.
- Requires LinQ Cargo Base Kit (860202482) for installation on REV Gen4 20" & 24" tunnels (2022 and prior), except Skandic Sport.

LinQ STACKABLE FUEL CADDY -4 GALLONS

REV Gen4, XU, XS, XM, XR

860202246



- Quick, easy and secure installation with LinQ system.
- · No-Spill spout for easy use.
- 3.7 US gallon (14 liter) capacity.
- Single LinQ tunnel bag or LinQ oil caddy stacks on top for
- Meets the new latest Flame Mitigation Device (FMD) standard.
- Cannot be used with Luggage Rack Reinforcement Plates [860200798].
- Requires LinQ Cargo Base Kit (860201806) for installation on REV Gen4 16" tunnels (2021 and prior) and 2021 Skandic Sport.
- Requires LinQ Cargo Base Kit (860202482) for installation on REV Gen4 20" & 24" tunnels (2022 and prior), except Skandic Sport.

Ling Fuel Caddy - 3 Gallons

REV Gen4 XS XM XR XP XII

860202247



- Quick, easy and secure installation with LinQ system.
- · No-Spill spout for easy use.
- 3 US gallon (11 L) capacity.
- Meets the new latest Flame Mitigation Device (FMD)
- Doesn't fit Grand Touring REV-XS.
- Cannot be used with Luggage Rack Reinforcement Plates [860200798].
- Requires LinQ Cargo Base Kit (860201806) for installation on REV Gen4 16" tunnels (2021 and prior) and 2021 Skandic Sport.
- Requires LinQ Cargo Base Kit (860202482) for installation on REV Gen4 20" & 24" tunnels (2022 and prior), except Skandic Sport.

STORAGE

LinO DEEP SNOW PRO BAG - 30 L

REV Gen4, XU, XS, XM, XR

860202456



- Watertight (with TiZip)—our highest level of waterproofing.
- Lightweight—uses one set of LinQ fasteners.
- Fits position 1, 2 and on top of LinQ Stackable Fuel Caddy.
- Expandable 9 to 30 liter (2-6 US gallon, 550-1,831 cu in) capacity.
- Improved Shovel Holder System.

- Requires LinQ Cargo Base Kit (860201806) for installation on REV Gen4 16" tunnels (2021 and prior), 2021 Skandic Sport and stackable LinQ accessories.
- Requires LinQ Cargo Base Kit (860202482) for installation on REV Gen4 20" & 24" tunnels (2022 and prior), except Skandic Sport.

NEW DEEP SNOW PRO BAG COVER

Fits on Deep Snow Pro Bag and LinQ Trail Pro Bag



- Replacement cover for Deep Snow Pro Bag.
- Improved Shovel Holder System on lid.
- Mesh pocket under the lid for easy, quick access to smaller items.

^{*}While supplies last.

STORAGE

SEAT STORAGE BOX - 6 L

REV Gen4 (Narrow)

860202532



- Low profile integrated storage box utilizing the battery area.
- Added storage capacity of 1.5 L (0.4 US gallons, 916 cu in) with battery and 6 L for a vehicle without the battery.
- Same height as battery cover.

- Rainproof liner included.
- Works with Deluxe Tool Kit (860202029) (not included).
- Allows use of LinQ tunnel accessories.
- Does not work with 1 + 1 seat.

LinQ SLIM WATERPROOF TUNNEL BAG - 26 L

REV Gen4 137" and longer

860202451



- Rigid bottom and top design.
- Allows storage of removable snow flap.
- · Waterproof inner roll top.
- Shovel can be stored while assembled on top of the bag.
- 16 to 26 liter (4.2 to 6.9 US gallon, 976 to 1,587 cu in) capacity.
- Fit on the tunnel in positions 1 & 2 and 2 & 3.
- Requires LinQ Cargo Base Kits (2x) (860201806) for installation on REV Gen4 16" tunnels (2021 and prior) and 2021 Skandic Sport.
- Requires LinQ Cargo Base Kit [1x] [860201806] for installation on 2022 Skandic Sport.
- Requires LinQ Cargo Base Kits [2x] [860202482] for installation on REV Gen4 20" & 24" tunnels [2022 and prior], except Skandic Sport.

SLIM TUNNEL BAG WITH SOFT STRAPS – 15 L

137" and longer with 1-up and 2-up seats (except XU 20" and 24" and XS)

860202440



- Low profile, positioned flat on tunnel, for convenient out-of-the-way storage.
- Easy access full wrap-around zipper.
- Top mount shovel pocket.
- 15 liter (4 US gallon, 915 cu in) capacity.
- Requires LinQ Cargo Base Kits (2x) (860201806) for installation on REV Gen4 16" tunnels (2021 and prior) and 2021 Skandic Sport.
- Requires LinQ Cargo Base Kit (1x) (860201806) for installation on 2022 Skandic Sport.
- Requires LinQ Cargo Base Kits (2x) (860202482) for installation on REV Gen4 20" & 24" tunnels (2022 and prior), except Skandic Sport.

SHOVEL WITH SAW HANDLE

860201919



- Design with better cutting edge.
- Features integrated saw handle.
- \bullet Blade flips 90° to pull snow away.
- · Can be dismantled for easy storage.

SAW & HANDLE REPLACEMENT FOR SHOVEL

520002004



2.8 M AVALANCHE PROBE

520000408



- Lightweight, durable and strong % inch (12 mm) aluminum tubing construction.
- 7-16" (40 cm) color-coded sections.
- Weight: 13 oz (370 g).

· D-shaped handle.

NEW SKI-DOO PULLING STRAP



- Save your back and get unstuck the easy way.
- Lightweight, compact, affordable.
- Extremely robust material.
- Available in yellow only. 2 per pack.

REV Gen4 Summit & Freeride (without battery)

860201274



- 5 liter (1.3 US gallon, 305 cu in) capacity.
- · Improved design with greater capacity than the LinQ Seat Bag (860201355).
- Thermoformed hard plastic base.

• Requires Low Profile Battery Compartment Cover (860201505).

EXTREME SEAT BAG - 5 L

REV-XM, XP, XU Tundra Xtreme

860200745



- · A must for extreme deep snow riding.
- Low profile bag lets you add storage without getting in the 5 liter (1.2 US gallon, 305 cu in) capacity. way of your riding needs.
- Fully integrated and allows for the REV-XM seat to easily clip on/off in seconds without taking away any tunnel space.
- · Works in conjunction with REV-XM seat.
- Inner zipper to access underseat compartment.

NEW LinQ SNOWBOARD/SKI RACK

REV Gen4 16", 146" and longer Fits short tunnel

attach skis or snowboards.

860202191



- · Newly redesigned—simpler, quicker and easier way to
- Fits 1 snowboard or 1 pair of skis and poles.
- Easy to adjust from skis to boards or back in seconds.
- · Fits all sizes of skis, snowboards and snowsurfs.
- Easy release straps can be operated with gloves on.
- · Rubber cushions protect edges and hold ski poles securely without damage.
- · Non-intrusive positioning.

- Can be installed with stock bumper using the Reinforcement Kit (860202385).
- Works with the new hitch and Adventure rear bumpers
- Requires LinQ Cargo Base Kit (860201806) for installation on REV Gen4 16" tunnels for 2021 and prior models.

NEW LinQ SNOWBOARD/SKI RACK REINFORCEMENT KIT

Fits with LinQ Snowboard/Ski Rack [860202191] except Renegade X-RS, Grand Touring, MXZ, Expedition Sport and Tundra LT

860202385



- Use to install the LinQ Snowboard/Ski Rack with the stock rear bumper.
- · Adds strength and support to the tunnel.

PROTECTIVE DECAL FOR LinQ SNOWBOARD/SKI RACK

· To protect your tunnel from ski tip scratches when using

the LinQ Snowboard/Ski Rack.

REV Gen4 with 235 mm riser, XP Summit, XU Tundra, Skandic, XM (for

860201564 • Long

RISER BLOCK BAG

(Not illustrated)

• Innovative 2-pocket carry bag for secure storage around the steering riser block.

REV Gen4 with 165 mm riser and longer, REV-XM, XP, XR, XU Tundra 860201550 · Short • Requires Heated Visor Kit (860201234) for REV-XU, XM, XS,

516006982

- 3W heated insulated pocket design reduces the chance of water bottles freezing and increases the battery life of small electronic equipment.
- Includes RCA adaptor kit.

risers 175 mm and up)

XP, XR and (860201283) for REV Gen4, sold separately.



REV-XM, XS



- · Multi-purpose bag.
- · Allows you to easily access and carry an extra liter of XPS oil or a spare set of goggles.
- Installs conveniently on top of the CVT cooling system.
- Models without E-TEC engine need the Acoustic Plate (512060847).

84 | ACCESSORIES | STORAGE STORAGE **GOGGLE DRYING BAG** REV Gen4 (Narrow) 860201691 · Designed specifically for a spare set of goggles. · Under hood heat clears and dries wet fogged goggles. · Protects goggles during the ride. **NEW LinQ MODULAR CARGO BOX** REV Gen4 715005494 • 10 liters (2.6 gallons) • Requires LinQ Cargo Base Kit (860201806) for installation • Modular LinQ cargo box with 10 liter (2.6 US gallon) capacity. on REV Gen4 16" tunnels (2021 and prior), 2021 Skandic Sport and stackable LinQ accessories. • Single LinQ tunnel bag stacks on top for more storage. • Requires LinQ Cargo Base Kit (860202482) for installation · Heavy duty construction for durability. on REV Gen4 20" & 24" tunnels (2022 and prior), except • Weather resistant sealed lid. Skandic Sport. COMBO BAG - 30 L REV Gen4 (Wide) Renegade (except Renegade Sport) 860201821 • Works with Comfort Seat (REV Gen4 (Wide)). • Multiple compartments with easy access • Thermoformed hard plastic base, semi-rigid top and sides. • 30 liter (6 US gallon, 1,831 cu in) capacity. · Provides additional storage while not using any tunnel Waterproof inner lining. space. · LinQ tunnel accessories compatible. SR50 UTILITY BAG - 50 L 860201939 REV Gen4 (Wide) 20" & 24" • Replaces passenger seat in seconds for additional storage. • Quick release straps to easily access storage underneath. • Waterproof to keep your cargo dry. • 50 liter (11 US gallon, 3,052 cu in) capacity. • Works with the 135-liter LinQ Utility Cargo Box (860201781). REV Gen4 (Narrow) COMBO BAG - 31 L 860201475 [MXZ, Backcountry and Renegade except Sport models] • 31 liter (8.2 US gallon, 1,892 cu in) capacity. • Multiple compartments with easy access. • Thermoformed hard plastic base, semi-rigid top and sides.

• Vehicles with pull start require the Battery Cover (860201407).

LinQ DRY BAG - 40 L

REV Gen4, XU

- Fully waterproof roll-top design secures gear tightly.
- 40 liter (10.6 US gallons, 2,441 cu in) of adjustable capacity.
- · Heavy-duty rigid plastic base.
- $\bullet \ \mathsf{Foam} \ \mathsf{lined} \ \mathsf{bottom} \ \mathsf{for} \ \mathsf{additional} \ \mathsf{protection}.$
- Integrated handle for easy transportation on/off the vehicle.

715008110

- Requires LinQ Cargo Base Kit (860201806) for installation on REV Gen4 16" tunnels (2021 and prior), 2021 Skandic Sport and stackable LinQ accessories.
 Requires LinQ Cargo Base Kit (860202482) for installation
- on REV Gen4 20" & 24" tunnels (2022 and prior), except Skandic Sport.

TUNNEL BACKPACK WITH LinQ SOFT STRAP - 28 L

iNQ

137" and longer (except XU 20" and 24")

860200939 • Black **860200940 •** Orange





- Includes a compartment for the Ski-Doo Shovel [860201919] and 2.8 m Avalanche Probe [520000408] [not included].
- Quick-disconnect system instantly transforms the bag into a backpack.
- 28 liter (7.4 US gallon, 1709 cu in) capacity.
- Requires LinQ Cargo Base Kits (2x) (860201806) for installation on REV Gen4 16" tunnels (2021 and prior) and 2021 Skandic Sport.
- Requires LinQ Cargo Base Kit (1x) (860201806) for installation on 2022 Skandic Sport.
- Requires LinQ Cargo Base Kits (2x) (860202482) for installation on REV Gen4 20" & 24" tunnels (2022 and prior), except Skandic Sport.

REV Gen4 137" and longer



- 40 liter (10.6 US gallon, 2,441 cu in) capacity.
- Thermoformed hard base and semi-rigid sides and top.
- Cover can be removed for easier access.
- Multiple compartments, separators and fixation points for hooks or bungee cords.
- Inside goggle soft pocket.

 Requires LinQ Cargo Base Kits (2x) (860201806) for installation on REV Gen4 16" tunnels (2021 and prior) and 2021 Skandic Sport.

- Requires LinQ Cargo Base Kit (1x) (860201806) for installation on 2022 Skandic Sport.
- Requires LinQ Cargo Base Kits (2x) (860202482) for installation on REV Gen4 20" & 24" tunnels (2022 and prior), except Skandic Sport.

LinQ THERMAL BOX - 16 L

REV Gen4, XM, XS, XP, XU (except Grand Touring)



- High quality foam insulation for optimal performance hot or cold.
- Does not fit with 1+1 backrest.

219400964

860202444

- Requires LinQ Cargo Base Kit (860201806) for installation on REV Gen4 16" tunnels (2021 and prior) and 2021 Skandic Sport.
- Requires LinQ Cargo Base Kit (860202482) for installation on REV Gen4 20" & 24" tunnels (2022 and prior), except Skandic Sport.

Ling ADVENTURE CARGO BOX - 90 L

REV Gen4, XM, 146" and up

- Extra large 90 liter (24 US gallon, 1,465 cu in) capacity.
- Uses 16" LinQ mounts in position 1 and 2.
- Easy on and off.
- 2 LinQ anchors can be added on lid of box to install 16" LinQ accessories or additional storage.
- · Rugged and tough rotomolded plastic construction.
- · Not compatible with short tunnel.

860202448

- Requires LinQ Cargo Base Kits (2x) (860201806) for installation on REV Gen4 16" tunnels (2021 and prior) and 2021 Skandic Sport.
- Requires LinQ Cargo Base Kit (1x) (860201806) for installation on 2022 Skandic Sport.
- Requires LinQ Cargo Base Kits [2x] [860202482] for installation on REV Gen4 20" & 24" tunnels [2022 and prior], except Skandic Sport.

LinQ CARGO BOX - 62 L

REV Gen4 137" and up

- Standard on Grand Touring Limited model.
- Optional LinQ mounts can be added on top for even more capacity.
- 62 liter (16.3 gallon, 3,765 cu in) capacity.

860202446

- Requires LinQ Cargo Base Kits (2x) (860201806) for installation on REV Gen4 16" tunnels (2021 and prior) and 2021 Skandic Sport.
- Requires LinQ Cargo Base Kit (1x) (860201806) for installation on 2022 Skandic Sport.
- Requires LinQ Cargo Base Kits (2x) (860202482) for installation on REV Gen4 20" & 24" tunnels (2022 and prior), except Skandic Sport.

LinQ CARGO BOX BAG - 62 L

Fits with LinQ Cargo Box (860202446)

860201635



- · Easy to take everything with you on arrival.
- 62 liter (16.3 gallon, 3,765 cu in) capacity.

Ling CARGO BOX TOP COVER

Fits with LinQ Cargo Box (860202446)

860201808 • Silver 860201768 • Black



• Matches the color of the vehicle perfectly.

LinQ CARGO BOX - 40 L

Fits 137" and longer (except all XU & XS models)

860202442



- Rigid molded plastic construction with integrated design.
- · Provides dry, safe storage.
- 40 liter (11 US gallon, 2,441 cu in) capacity.
- Requires LinQ Cargo Base Kits (2x) (860201806) for installation on REV Gen4 16" tunnels (2021 and prior) and 2021 Skandic Sport.
- Requires LinQ Cargo Base Kit (1x) (860201806) for installation on 2022 Skandic Sport.
- Requires LinQ Cargo Base Kits (2x) (860202482) for installation on REV Gen4 20" & 24" tunnels (2022 and prior), except Skandic Sport.

CARGO BAG - 80 L

REV Gen4, XM, XP, XU, Backcountry, Freeride, Renegade, Summit, Tundra, 137" and up

- Rugged all-purpose utility design.
- Sealed PVC construction.
- 80 liter (21 US gallon, 4,882 cu in) capacity.
- Integrated attachment system.
- \bullet Includes rain cover for added resistance to the elements.
- Can also double as travel/duffle bag.



STORAGE Ling RETROFIT KIT FOR CARGO BAG (Not illustrated) 860200941 • 4 straps to adapt the Cargo Bag (860200801) to LinQ • LinQ Cargo Base Kit (2x) (860201806) not included but required to mount the bag on the tunnel. NEW Ling TRAIL PRO BAG - 30 L 860201986 REV Gen4 XII XS XM XR • Premium bag with our highest level of waterproofing. • Expandable 9 to 30 L (2-6 US gallon, 550-1,831 cu in) capacity. · Watertight zipper (TiZip). • Requires LinQ Cargo Base Kit (860201806) for installation • Map holder & quick access storage compartment on lid. on REV Gen4 16" tunnels (2021 and prior), 2021 Skandic • Mesh pocket under the lid for easy, quick access to smaller Sport and stackable LinQ accessories. items. • Requires LinQ Cargo Base Kit (860202482) for installation • Brightly colored interior makes locating items easier. on REV Gen4 20" & 24" tunnels (2022 and prior), except · Lightweight and mounts securely using one set of LinQ Skandic Sport. anchors. **NEW TRAIL PRO BAG COVER LID** Fits on Deep Snow Pro Bag and LinQ Trail Pro Bag 860202383 Replacement cover for Trail Pro Bag. · Map holder & quick access storage compartment on lid. · Mesh pocket under the lid for easy, quick access to smaller LinQ SR 21 TUNNEL BAG - 21 L REV Gen4 860202449 • Semi-rigid expandable LinQ tunnel bag. • Requires LinQ Cargo Base Kit (860201806) for installation on REV Gen4 16" tunnels (2021 and prior), 2021 Skandic • 21 liter (5.5 US gallon, 1,282 cu in) capacity. Sport and stackable LinQ accessories. • Can be installed on top of LinQ Stackable Fuel Caddy or • Requires LinQ Cargo Base Kit (860202482) for installation behind seat. on REV Gen4 20" & 24" tunnels (2022 and prior), except • Easy one-second on/off tool-less system. Skandic Sport LinQ SPORT BAG - 17 L REV Gen4, XM, XS, XP, XR (except GTX, Grand Touring) 860202447 • 17 liter (4.5 US gallon, 1,037 cu in) capacity. • Requires LinQ Cargo Base Kit (860201806) for installation on REV Gen4 16" tunnels (2021 and prior), 2021 Skandic · Rigid bottom, semi-rigid top. Sport and stackable LinQ accessories. • Does not fit on REV-XU Tundra with a rack. • Requires LinQ Cargo Base Kit (860202482) for installation on REV Gen4 20" & 24" tunnels (2022 and prior), except Skandic Sport. LinQ TRAIL SEAT BAG - 11 L REV Gen4 (Narrow) MXZ, Backcountry & Renegade (except Sport models) 860201275 • 11 liter (2.9 US gallon, 671 cu in) capacity. • Thermoformed hard plastic base, semi-rigid sides and top. • Vehicles with pull start require the Battery Cover (860201407). LinQ SEAT BAG - 4 L REV Gen4 (Narrow) 860201355 · Integrated storage that stays out-of-the-way. • Vehicles with pull start require the Battery Cover

- 4 liter (1 US gallon, 244 cu in) capacity.
- · Can be used with tunnel bags or fuel caddies.
- (860201407).
- · Thermoformed hard plastic base.

HANDLEBAR BAG - 2 L

REV Gen4 without mountain strap

860201565

- · 2.3 liter (0.6 US gallon, 122 cu in) capacity.
- · Semi-rigid construction.
- · Mounted sturdily with clamp setup.
- · Can be removed easily with vehicle's tool.
- · Inside soft liner.

· Water-resistant.

- Thermoformed hard plastic base.
- · Features a pocket to separate items.



REV Gen4 20" & 24"

860201781



- Massive 135 liter (36 US gallon, 8,238 cu in) capacity.
- 4 LinQ anchors (860201806) can be added on lid of box to install 16" LinQ accessories or additional storage.
- Slots molded in for plywood dividers.
- Rugged and tough rotomolded plastic construction.
- \bullet Integrated axe and saw holders.
- Removable/lockable lid.

- Dedicated hooks for bungee cords or elastic net to expand storage capacity on top of the box.
- 4 fixation hook points to secure cargo in the box and 4 molded handle features for ease of transportation.
- Multi LinQ Plate Retrofit Kit (860202133) required for REV Gen4 Skandic Sport.

EXTRA LARGE XU BAG - 150 L

Ling UTILITY CARGO BOX - 135 L

REV-XU Skandic, XU Expedition



- Extra large 150 liter (40 US gallon, 9,154 cu in) capacity bag shaped to fit utility model racks.
- Weather-resistant polyester, includes compartment organizer.

STORAGE

CARGO BOX - 75 L

REV-XU Skandic WT, SWT, Expedition SE, LE, Xtreme MY19 and prior

860200395



- 75 liter (19.8 US gallon, 4,577 cu in) capacity.
- Made of durable polyethylene.
- Provides additional secure storage.
- Convenient flip top provides easy access to stored goods.
- Standard on SE 2019 and prior models.

RACK AND NET KIT FOR CARGO BOX

860201025



- Rack to carry additional items on top of Cargo Box.
- Net to better secure items inside Cargo Box (860200395).

CENTER CARGO BOX - 20 L

REV-XU Skandic and Expedition

860200732



- 20 liter (5.28 US gallon, 1,221 cu in) capacity.
- Easily interchangeable with passenger seat.
- Provides additional storage space.
- Can be padlocked.
- Can be installed in conjunction with Cargo Box (860200395).

UNDER-SEAT STORAGE BAG

REV-XU Skandic and Expedition

860201063



• Padded bag protects your items and makes them easy to transport.

STORAGE ACCESSORIES

TANK BAG - 5 L

REV-XM, XS

860200974



- · Low profile bag.
- Easy-to-view map pocket.
- Access fuel cap without removal.
- Ready for 3W Heater for Bags (515176786) (not included).
- 5 liter (1.32 US gallon, 305 cu in) capacity.

HEATED TANK BAG - 2 L

REV-XR, XU

860201127



- \bullet Easy-access bag with full-length zipper.
- Map pocket.
- Access gas cap without removing bag.
- 3W heated, insulated pocket for battery-powered electronics, e.g., cell, GPS.
- Access to the 12V plug-in port.

- \bullet 2.4 liter (0.6 US gallon, 122 cu in) capacity.
- Includes RCA adaptor plug kit.
- Requires Heated Visor Kit (860201234) (not included but required for installation).

3W HEATER FOR BAGS

515176786



• Replacement or additional heater for heated bags.

DASHBOARD BAG - 2 L

REV-XR, XU 860201177 860201176 RFV-XP



- · Easy-access bag designed to provide extra storage.
- 2 liter (0.5 US gallon, 116 cu in) capacity.

BATTERY COVER

REV Gen4 16" without battery1 860201720 REV Gen4 16" with battery² 511001210

- Stock on REV Gen4 (Wide).
- ¹Support bracket and plastic cover included.
- ²Plastic cover included.

• Required when installing Comfort Seat (860201551, 860201633) on REV Gen4 (Narrow).



BATTERY COVER

REV Gen4 16" (Narrow) without battery1

REV Gen4 16" with battery²

860201407

511001053

- Use in conjunction with LinQ Seat Bag (860201355), LinQ Trail Seat Bag (860201275), LinQ Combo Bag (860201475) or • ²Plastic cover included. LinQ 1 + 1 Seat System (860201268) on models without a
- Stock on REV Gen4 (Narrow) with battery.
- ¹Support bracket and plastic cover included.

LOW PROFILE BATTERY COMPARTMENT COVER

REV Gen4 16" without battery

860201505



• Required for REV Gen4 sleds without battery for LinQ Deep Snow Seat Bag (860201274) and for improved aesthetics.

NEW GLOVEBOX FOR ONE-PIECE LIGHTWEIGHT HOOD

REV Gen4 Summit and Freeride (2020-2021) with one-piece lightweight

REV Gen4 Summit and Freeride (2022) with one-piece lightweight hood

860202193

860202572



- · Adds storage to one-piece lightweight hoods.
- Provides an additionnal 4.6 liter (1.2 gallon, 280 cu in) capacity.
- · Approximately 2 water bottles or 2 pairs of goggles.
- · Easy access for smaller items.

- Bright yellow interior to find objects easier.
- · Water resistant.
- Includes new mount to reposition the factory gauge.
- · Works with a windshield or deflector.

GLOVEBOX EXTENSION / CELL PHONE HOLDER

REV Gen4

860202072



- Doubles the storage with additional 3.5 liter (0.9 US gallon, 211 cu in) capacity (includes Glovebox Extension (517305966)).
- · Can be used with or without windshield.
- Door allows for perfect positioning and mounting of a cell phone.
- Cell Phone heater included.

- Requires 12V Outlet (860201261). For screen size up to 6.4" (16.26 cm) x 3.3" (8.38 cm).
- Fits all cell phones with a screen of 6.4" and smaller.
- Works with capacitive and resistive touch screen technology.
- · Not compatible with Lightweight Hood.
- Does not include cell phone.

GLOVEBOX EXTENSION / GPS SUPPORT

REV Gen4

860201249



- Doubles the storage with additional 4 liter (1 US gallon, 244 cu in) capacity.
- Can be used with or without windshield.
- · GPS sold separately.
- Door allows for perfect positioning and mounting of GPS.
- Replaces stock storage compartment cover.

• Not compatible with Lightweight Hood.

- Fits with Glovebox Extension (860201249)
- Replacement door to update Glovebox Extension with a cell phone holder.
- Door allows for perfect positioning and mounting of a cell
- · Cell phone heater included.

860202169

- Requires 12V Outlet Plug (860201261).
- For screen size up to 6.4" (16.26 cm) x 3.3" (8.38 cm).
- Works with capacitive and resistive touch screen technology.

GLOVEBOX EXTENSION

REV-XM, XS

860200707



- Increases storage capacity by 50%.
- Replaces stock storage compartment cover.
- Face door allows for perfect positioning and mounting of GPS
- · GPS sold separately.
- · 2 liter (0.5 US gallon, 122 cu in) capacity.

GLOVEBOX LINER

REV-XM, XS 2014 and up

860201084

- Padded inner liner protects items.
- Design seals against snow intrusion.
- Glovebox Extension compatible.

• Can be used with 3W Heater for Bags (515176786) (not included).

GLOVEBOX LINER

REV Gen4

860201270



- Thermoformed liner has a soft finish interior.
- Features one pocket to separate items.
- Not compatible with Lightweight Hood (860202087).

LINQ ACCESSORIES AND REPLACEMENT PARTS FOR LINQ STORAGE ACCESSORIES

MULTI LinQ PLATE RETROFIT KIT

Skandic Sport

860202133



- Retrofit to add Multi LinQ Plate on Skandic Sport.
- Allows more LinQ configurations on the tunnel.
- Includes rear double light.

NEW LinQ LOCK

860201968 • Pack of 1 with 2 keys

860202478 • Pack of 2 with 4 keys



- Simple way to lock most LinQ accessories in place.
- Retrofits most LinQ accessories.
- · Lock cover prevents snow and ice build-up.
- Not compatible with Tool Holder or Working Light.

Lin₀ FASTENER





- · Works with LinQ Snowboard/Ski Rack (860201255/860201222/860202191) and LinQ Saddlebags (860200624).
- · Tool-less installation and removal.
- · Sold in pairs.





- Unique mounting fastener usable on any LinQ System accessory.
- Includes: 2 Cargo LinQ bases and hardware.

NEW LinQ CARGO BASE KIT

REV Gen4 (Wide) 20" & 24" equipped with the Multi LinQ Plate

860202482





- Unique mounting fastener usable on any LinQ System accessory.
- Includes: 2 Cargo LinQ bases and hardware for Multi LinQ Plate (860202133).

LinQ CARGO BASE RETROFIT KIT

REV Gen4 (Wide) 20" & 24"equipped with the Multi LinQ Plate

860201812



• Hardware to fit LinQ Cargo Base Kit on 20" and 24" tunnels with Multi LinQ Plate Retrofit Kit [860202133].

LinQ PROTECTIVE DECAL KIT

REV Gen4

516007627



- Durable Lexan† decals to protect your tunnel.
- · 2 decals included.

LinQ PROTECTIVE DECAL KIT

REV-XS, XM, XP, XU Tundra

860200767



- Replacement item on model years 2013 and up, but required for using the LinQ accessories on model years 2012 and prior.
- 2 decals included.

RUBBER LATCH SERVICE KIT FOR LinQ TUNNEL ACCESSORIES

(Not illustrated)

LinQ Tunnel Bags and LinQ Fuel and Oil Caddies.

860201057

LinQ REPAIR KIT T-LOCK ALUMINUM

(Not illustrated)

860201753 • Left Side **860201754** • Right Side

- Replaces LinQ mechanism.
- Includes lever, T-lock and hardware.

LinQ REPAIR KIT T-LOCK PLASTIC

(Not illustrated)

860201137 • Left Side **860201138** • Right Side

- Replaces LinQ mechanism.
- Includes lever, T-lock and hardware.

LINO ACCESSORIES AND REPLACEMENT PARTS FOR LINO STORAGE ACCESSORIES

SHIMS FOR LinQ ACCESSORIES

REV-XS, XM, XP, XU 16"

860201432



- Required to fit LinQ accessories on REV-XS, XM, XP and XU Tundra.
- See last column of the chart on page 79 for accessories that require shims.
- Does not fit 120" models.

LinQ ADAPTOR PLATE

REV-XU 20" & 24"

860200945



 Allows installation of LinQ Cargo Base (860201806) on embossed REV-XU tunnels.

SLEIGH, RACKS & HOLDERS

RACKS

LinQ SLEIGH

Fits on vehicles equiped with Tongue Hitch

860202544



- Comes with an easy to retract protective cover that prevents snow intrusion while still allowing the installation of LinQ accessories on the sleigh top.
- LinQ accessories can be installed on top and inside (LinQ Cargo Base Kit not included).
- Made of high-molecular-weight polyethylene.
- 2-part removable cover.
- Rain resistant

- Carbide ready (860201044).
- Slots for dividers precast in. (Dividers not included.)
- \bullet Dimensions 81" (206 cm) L x 33" (84 cm) W x 21" (54 cm) H.
- Volume 485 L (110 US gallons, 29 597 cu in).
- Weight capacity: 750 lb (340 kg) TOTAL (including top); max on top 75 lb (34 kg).
- Spring dampened pull bar.

LinQ UNIVERSAL RACK

REV Gen4

860202208



- \bullet This Universal Rack can make generic accessories LinQ compatible.
- Allows a multitude of products and configurations on LinQ tunnels.
- Requires LinQ Cargo Base Kit (860201806) for installation on REV Gen4 16" tunnels (2021 and prior) and 2021 Skandic Sport.
- Requires LinQ Cargo Base Kit (860202482) for installation on REV Gen4 20" & 24" tunnels (2022 and prior), except Skandic Sport.

LinQ UNIVERSAL RACK - OTHER BRANDS

Other vehicles with tunnel of 15" to 17" wide (378 mm to 432 mm)

860202357



- Universal rack designed to fit non-LinQ tunnels (Ski-Doo and competitive brands).
- Install LinQ accessories on non-LinQ compatible tunnels.
- Allows a multitude of products and configurations on almost any sled.
- Double the storage by adding another on longer tunnels.
- Includes installation hardware for side mounting.
- \bullet Fits 14.875 to 17 inch (37.8 cm to 43.2 cm) wide tunnels.

LinQ REAR CARGO RACK

REV Gen4 (Wide) 20" & 24"



- · Replaces passenger seat for extra cargo capacity.
- · Simple attachment.
- Retains underseat access with clever hinge system.
- Allows use of more LinQ bags.

LinQ REAR CARGO RACK

REV-XU Skandic and Expedition

860200914



- Provides mounting point for LinQ Cargo Base Kit [860201806]
- Compatible with LinQ fuel caddies and tunnel bags.
- Easily interchangeable with passenger seat.
- Provides additional cargo space.

NEW CARGO RACK KIT

REV Gen4 146" Backcountry (except Backcountry X-RS), Summit SP, Tundra

860202217

REV Gen4 154" Summit SP, Tundra, Expedition Sport

860202223



- Maximizes tunnel cargo capacity.
- · Integrated anchor points for bungees or tie downs.
- Adds functionality with mounts for LinQ Tool Holders (860201846).

LUGGAGE RACK REINFORCEMENT **PLATES**

REV-XM, XP, XR, XS, XU Tundra

860200798



- · Additional reinforcement for your long and short
- Made of high strength steel.
- · Sold in pairs.

CARGO RACK KIT

REV Gen4 (Wide) 20" Expedition Xtreme and Skandic Sport

860202245



- A convenient way to maximize tunnel cargo space.
- Required to install the chain saw holder (860201827).
- Includes the rack and hardware.
- 11/4" Hitch included.

REAR RACK EXTENSION

REV-XU Skandic and Expedition

860200700



- Delivers increased cargo space.
- Does not fit with XU Heavy-Duty Rear Bumper (860201106).

HOLDERS

LinQ AXE HOLDER

REV Gen4, XM, XS, XU,137" and up

860201854



- · Securely mounts on either side of the tunnel using LinQ anchors.
- · Universal sizing to fit a wide variety of axes.
- · Can be mounted on either side of the vehicle.

CHAIN SAW HOLDER

REV Gen4 (Wide) 20" & 24"

860201827



- Securely mounts to rear of vehicle.
- Retains full function of LinQ accessories, including cargo box.
- Compatible with most blades up to 18".
- Cargo Rack Kit (860202245) required for Expedition Xtreme & Skandic Sport.
- Not compatible with LinQ Adventure Cargo Box (860202448).

LinQ ICE AUGER HOLDER

REV Gen4 (Wide) 20" & 24" except Skandic Sport and Expedition Xtreme



- Securely mounts to right side of vehicle.
- Easy on/off and installation.
- Retains full function of LinQ accessories.
- Handles augers with up to 10" blades.
- May be installed with Heavy-Duty Hitch Rear Bumper (860201795)

HOLDERS

LinQ GUN BOOT HOLDER

REV Gen4 (Wide) 20" & 24" except Skandic Sport and Expedition Xtreme

860201829



- Securely mounts to side of vehicle.
- Easy on and off LinQ installation.
- Retains full function of LinQ accessories.
- · Can be installed on either side of the tunnel.
- Required for Gun Boot use on vehicle.

• May be installed with Heavy-Duty Hitch Rear Bumper [860201795].

GUN BOOT HOLDER

REV-XU Skandic, XU Expedition

860200984



· Can be installed on either side of the sled, facing forward or rearward and at any angle. • Required for Gun Boot use on vehicle.

LinQ TOOL HOLDER

REV Gen4, XS, XM

860201846



- Designed for universal applications.
- · Convenient swivel latch allows tools like a shovel to be stored in multiple positions.
- Designed specifically for winter use.
- · Sold in pairs.

- Requires LinQ Cargo Base Kit (860201806) for installation on REV Gen4 16" tunnels (2021 and prior) and Skandic Sport.
- Requires LinQ Cargo Base Kit (860202482) for installation on REV Gen4 20" & 24" tunnels (2022 and prior), except Skandic Sport.

GUN BOOT 6.0 IMPACT[†] BY KOLPIN[‡]

715001419



- Extra room for pistol-grip-type weapons and small bipods.
- Easily fits firearms up to 51" (130 cm) in total length.
- Provides ample room for 60 mm scopes.
- · Hatchback design allows easy access.
- · Snap-close cover with locking capability.
- Ergonomically designed handle and molded attachment points for sling.
- Features largest interior room of all Kolpin Gun Boot cases. Designed to accommodate left and right hand bolt-action rifles and shotguns.
 - · Includes removable, shock-absorbing foam and nylon impact liner for superior interior protection.
 - Requires Gun Boot Holder (860200984 or 860201829) for installation.

SEATS & BACKRESTS

SEATS

HEATED SEAT

REV Gen4 (Wide) 20" & 24"

860202032



- · Adds warmth in the coldest conditions.
- Multiple High/Low/OFF settings.

PASSENGER HEATED SEAT

REV Gen4 (Wide) 20" & 24" (Expedition Xtreme & Skandic Sport)



- Complete seat adds warmth for a passenger.
- 1 + 1 configuration.
- Includes heated handles.
- Passenger Backrest (860202036) can be added for more comfort.
- · Same seat as 860202037 with heat added.
- · High/Low/Off settings.

• Ergonomically correct positions for driver and passenger.

• Two easy tool-less steps: 1 - Clip in seat.

2 - Add LinQ 1 + 1 Backrest.

SEATS 1 + 1 SEAT REV Gen4 16" (except Grand Touring and Expedition) 860201766 · Quick, easy installation and ideal ergonomics for driver and passenger. · Full tunnel capacity is maintained and allows additional accessories to be added. • Battery Cover with Support (860201407) required for vehicle with rewind. 1 + 1 SEAT REV-XM, XS, XP, XR (except GTX, Grand Touring), XU Tundra 860200665 · Quick, easy installation and ideal ergonomics for driver and passenger. · Full tunnel capacity is maintained and allows additional accessories to be added. REV Gen4 16" with 1 + 1 seat and passenger seat with handles, REV Gen4 (Wide) 20" & 24" with passenger seat with handles 860201840 LinQ 1 + 1 SEAT HEATED GRIPS REV-XS, XM 2016-2019 860202030 • Allow your passenger to ride in comfort in all conditions. · Easy unplug. • Requires Seat Wiring Harness (515178588) for installation on REV Gen4 (Wide) 20" & 24" models. 2-UP SEAT REV-XP, XR, XM, XS, XU Tundra 860201314 • Extended seat providing convenient 2-up riding. · Complete seat assembly with passenger strap. · Replaces existing seat in seconds. • Ideal use with LinQ Snowboard/Ski Rack (860201222). **NEW COMPACT PASSENGER SEAT** REV Gen4 16" 860202220 • Longer seat allows for a passenger while being more • Battery Cover with Support (860201720) required for compact than the 1+1 seat. REV Gen4 (Narrow) without battery • Battery Cover with Support (511001210) required for · Easy, tool-less installation. REV Gen4 (Narrow) with battery. · Complete assembly features a passenger strap. • Tunnel capacity is maintained for additional accessories. • 180 mm (7") height. **PASSENGER SEAT** REV Gen4 20" & 24" 860202037 • Passenger seat to transform into a 1 + 1 configuration. · Includes safety handles. • Passenger Backrest (860202036) can be added for more comfort. · Stock on REV Gen4 Expedition LE, SE. PASSENGER BACKREST 860202036 REV Gen4 20" & 24"



- Passenger backrest to complement the Passenger Seat [860202037] for added back comfort.
- Passenger Seat (860202037) required for installation.
- Stock on REV Gen4 Expedition LE, SE.

PASSENGER MUFFS FOR 1 + 1 SEAT

REV Gen4, XS, XM 2018 and prior with 1+1 Seat

860200831* 860201028**



- Muffs fit snugly around the passenger handles and provide total warmth even on the coldest days.
- Easy to install and remove.

- *Fits seat with handles and handguards.
- **Fits seat with handles only.

PASSENGER MUFFS FOR 1 + 1 SEAT

REV Gen4, XS, XM 2019 and up with 1+1 Seat.

860201929



- Ultra warm passenger muffs with fleece liner.
- Designed for extreme cold conditions.
- Easy to remove in warmer weather.

• Fits with REV Gen4 new handles.

HEATED GRIPS WITH GUARDS FOR 1 + 1 SEAT

REV-XS, XM 2016 and up

860201322



• Allow your passenger to ride in comfort in all conditions.

· Self disconnect.

BACKRESTS

LinQ1+1SEAT BACKREST

REV Gen4 16"

860202360

REV-XM, XS, XP, XR (except GTX, Grand Touring), XU Tundra

860202362



- Option for 1 + 1 Seat when not sold as a kit.
- Can be locked using a padlock (not included).

LinQ1+1BACKREST ANCHOR **BASE KIT**

REV Gen4 16"

860202059

REV-XM, XS

860202060



• Allows installation of LinQ 1 + 1 Backrest on more than one vehicle.

RUBBER LATCH FOR LinQ 1 + 1 BACKREST

(Not illustrated)

510005617 • Left Side 510005618 • Right Side

ADJUSTABLE BACKREST

REV-XP, XR, XM, XS, XU Tundra

860200823



- · Adjustable and works in conjunction with 2-Up Seat (860201314).
- · Positionable for passenger or driver use.
- Rigid steel frame and integrated foam pad.
- Easy, tool-less removal when not needed.

PASSENGER SEAT / BACKREST

REV-XU Skandic, XU Expedition

619400068



PASSENGER BACKREST

REV-XU Skandic, XU Expedition

860200060




• Enhances the comfort level of your seat by adding this backrest option.

WINDSHIELDS & WIND PROTECTION

// EASILY CHOOSE YOUR IDEAL WINDSHIELD

ADJUSTABLE WINDSHIELDS		LOWEST POSITION	HIGHEST POSITION
1 HIGH TO ULTRA HIGH	860201782	23" (58.5 cm)	27" (68.5 cm)
2 MEDIUM TO HIGH	860201493	19" (48.5 cm)	23" (58.5 cm)
3 LOW TO MEDIUM	860201820	14.5" (37 cm)	17" (43 cm)

WINDSHIELDS		HEIGHT
4 ULTRA HIGH	860202124	27.5" (70 cm)
5 HIGH	860201495	23" (58.5 cm)
6 MEDIUM	860201258	17" (43 cm)
7 LOW	860201448 / 860202472	14" (36 cm)
8 ULTRA LOW	860201259	8" [20 cm]
9 CENTRAL DEFLECTOR	517305875	For REV Gen4 platform



REV GEN4

ADJUSTABLE WINDSHIELD LOW TO MEDIUM

REV Gen4

860201820 · Smoke



- Quickly change your level of wind protection with the flip of a lever.
- · Compatible with Glove Box Extension (860201249).
- Adjustable range of 14.5" (37 cm) to 17" (43 cm).
- · Windshield support included.

ADJUSTABLE WINDSHIELD MEDIUM TO HIGH

REV Gen4 (except X-RS)

860201493 · Smoke



- Quickly change your level of wind protection with the flip of a lever.
- Compatible with Glove Box Extension (860201249).
- Adjustable range of 19" (48.5 cm) to 23" (58.5 cm).
- Side deflectors and windshield support not included.
- Not compatible with One-Piece Lightweight Hood.

ADJUSTABLE WINDSHIELD HIGH TO ULTRA HIGH



REV Gen4 (except X-RS)

860201782 · Smoke



- Quickly change your level of wind protection with the flip of a lever.
- Compatible with Glove Box Extension (860201249).
- Adjustable range of 23" (58.5 cm) to 27" (68.5 cm).
- Side deflectors and windshield support not included.
- Not compatible with One-Piece Lightweight Hood.

ULTRA LOW WINDSHIELD



REV Gen4

860201259 · Smoke



- 8" (20 cm) in length.
- Sporty and aggressive look.
- Windshield support not included.

LOW WINDSHIELD



REV Gen4

860201448 · Smoke



- 14" (36 cm) in length.
- · High quality, best durability.
- Includes low windshield support.

NEW LOW WINDSHIELD



REV Gen4

860202472 • Dark Smoke



- 14" (36 cm) in length.
- High quality, best durability.
- · Includes low windshield support.

MEDIUM WINDSHIELD KIT



REV Gen4

860201258 · Smoke



- 17" (43 cm) in length.
- Offers a generous amount of protection with integrated style.
- Injection molded for clarity.
- Compatible with Windshield-Mount Mirrors (860201285).
- · Complete kit includes windshield, side deflectors,
- windshield support & hardware.
- Not compatible with One-Piece Lightweight Hood.

REV GEN4

HIGH WINDSHIELD

REV Gen4 (except X-RS)

860201495 • Smoke



- 23" (58.5 cm) in length.
- Side deflectors and windshield support not included.
- Compatible with Windshield-Mount Mirrors (860201285).

• Not compatible with One-Piece Lightweight Hood.

ULTRA HIGH WINDSHIELD

REV Gen4 (except X-RS)

860202124



- - 27.5" (70 cm) length.
 - Provides maximum wind protection.
 - · Side deflectors and support not included.
 - Compatible with Windshield-Mount Mirrors (860201285).

• Not compatible with One-Piece Lightweight Hood [860202087].

WINDSHIELD SIDE DEFLECTOR KIT

REV Gen4 - For low and ultra low windshields

860201449 • Smoke



• Increases wind deflection for windshields.

• Compatible with Adjustable Windshield – Low to Medium (860201820).

• Not compatible with One piece lightweight Hood [860202087].

NEW WINDSHIELD SIDE DEFLECTOR

KIT

REV Gen4 - For low and ultra low windshields

860202473 • Dark Smoke



• Increases wind deflection for windshields.

• Compatible with Adjustable Windshield – Low to Medium (860201820).

• Not compatible with One-Piece Lightweight Hood [860202087].

WINDSHIELD SIDE DEFLECTOR KIT

REV Gen4 - For medium and higher windshields

860201256 · Smoke



· Increased wind deflection for windshields.

• Compatible with Windshield-Mount Mirrors (860201285).

SIDE PANEL DEFLECTOR KIT

REV Gen4 (Wide)

860201879 · Smoke



• Added wind protection.

• Standard on the Grand Touring Limited.

WINDSHIELD SUPPORT

REV Gen4 - For ultra low and low windshields

517305749 · Black **517306380 •** Manta Green **517306375 •** Sunburst Yellow



WINDSHIELD SUPPORT

REV Gen4 - For medium and high windshields

517306183 · Black 517306456 • Sunburst Yellow



• Not compatible with One-Piece Lightweight Hood (860202087).

CENTRAL DEFLECTOR

REV Gen4

517305875 • Black 517306432 • Sunburst Yellow 517306433 • Manta Green 517306473 • White Bright 517306697 • Lava Red

517306764 • Orange Crush **517307054** • Labrador Blue **517307061** • Nordic Teal **517307383** • Catalyst Grey

REV-XS & REV-XM

ULTRA LOW WINDSHIELD

REV-XM, XS

• 6" (15 cm) in length.

860200901 · Smoke



MEDIUM SPORT PERFORMANCE FLARED WINDSHIELD

REV-XM, XS

860200696 · Smoke



- 12" (31 cm) in length.
- One piece with integrated deflectors.

MEDIUM INJECTED WINDSHIELD AND SIDE DEFLECTOR KIT

REV-XM, XS

860200759 • Smoke



- 13.5" (34 cm) in length.
- Offers a generous amount of protection with integrated style.
- Medium side deflectors ready to receive Windshield Mirrors (860200694).
- Includes medium windshield support.

HIGH WINDSHIELD

REV-XM, XS

860200928 · Smoke



- 18" (46 cm) in length.
- Side deflectors and windshield support not included.

HIGH SPORT PERFORMANCE FLARED WINDSHIELD

REV-XM, XS

860200602 • Smoke



- 16" (41 cm) in length.
- \bullet One piece with integrated deflectors.
- Redirects snow in deep powder conditions.

ULTRA HIGH WINDSHIELD

REV-XM, XS

860201185 • Clear



- 24" (60 cm) in length.
- $\bullet \ {\tt Our \ largest \ sport \ windshield \ ever}.$
- \bullet One piece with integrated deflectors.
- Maximum wind protection, for extreme cold conditions.

REV-XS & REV-XM

EXTRA HIGH WINDSHIELD

REV-XM, XS

860201182 • Smoke



• 20" (51 cm) in length.

- Standard on 2016-2018 Grand Touring Sport.
- Side deflectors and windshield support not included.

WINDSHIELD SIDE DEFLECTOR KIT

REV-XM, XS – For low and ultra low windshields

860201012 · Smoke 860200912 · Smoke

REV-XM, XS – For medium and high windshields



• Increases wind deflection for windshields.

• Ready for Windshield Mirrors (860200694).

WINDSHIELD SIDE DEFLECTOR KIT

REV-XM, XS - For medium and higher windshields

860201221 · Smoke



• Adds lower body wind protection.

- Ready for Windshield Mirrors (860200694).
- Standard on 2016-2019 Grand Touring Sport.

REV-XM, XS – For ultra low, low
and one-piece windshields

517305403 • Grey **517305617 •** Manta Green **517305808 •** Sunburst Yellow

517305948 • Lava Red 517305952 • White 860200937 • Black

WINDSHIELD BASE REV-XM, XS - For medium and high windshields

860200944 · Black



- Colored plastic trim.
- Hardware not included.

REV-XP

ULTRA LOW FIXED WINDSHIELD

DEV VD

860200646 • Smoke with X graphic



• 6" (15 cm) in length.

LOW WINDSHIELD AND SIDE DEFLECTOR KIT

REV-XP

860200545 · Smoke



- 12" (30 cm) in length.
- Same complete kit as found on the 2011-2012 X package models.
- Retrofittable on earlier REV-XP snowmobile models.
- · Includes low windshield, side deflector and base kit.

MEDIUM WINDSHIELD KIT

REV-XP

860200478 • Smoke



 Includes medium injected windshield, dark smoke side deflector kit and base kit.

SPORT PERFORMANCE FLARED WINDSHIELD

REV-XP

860200547 • Smoke



- 17.5" (44.5 cm) in length.
- One piece with integrated side deflectors.
- Complete with base mounting kit.

ULTRA HIGH WINDSHIELD

REV-XP

860200225 • Clear with fading

Note: J-hooks need to be removed to install windshield.

• 23" (58 cm) in length.



WINDSHIELD SIDE DEFLECTOR KIT

REV-XP

860200084 • Dark Smoke



REV-XP

860200089 · Black



• For ultra low and low windshields.

For medium and high windshields.Increases wind deflection.

• Plastic trim for windshields.

WINDSHIELD BASE KIT

WINDSHIELD BASE KIT

REV-XP

860200091 • Black



- For medium, high and ultra high windshields.
- Plastic trim for windshields.

REV-XR & REV-XU

SPORT PERFORMANCE FLARED WINDSHIELD

REV-XR, XU

860200438 • Smoke



- 17.5" (44.5 cm) in length.
- \bullet One piece with integrated side deflectors.
- Top flare maximizes wind protection and redirects snow in deep powder conditions.
- Complete with base mounting kit.

SPORT PERFORMANCE FLARED WINDSHIELD

REV-XR, XU

860200453 • Smoke



- 14" (35.6 cm) in length.
- \bullet One piece with integrated side deflectors.
- Top flare maximizes wind protection and redirects snow in deep powder conditions.
- Complete with base mounting kit.

WINDSHIELD BASE KIT

REV-XR, XU

• Black plastic trim.

• For extra high and ultra high windshields.

REV-XR & REV-XU EXTRA HIGH ONE-PIECE WINDSHIELD REV-XR, XU 860201000 · Clear • 23" (58 cm) in length. • One piece with integrated deflectors. • Maximum wind protection, for extreme cold conditions. • Ready to receive Windshield-Mount Mirrors (517305787). · No windshield base required. **ULTRA HIGH WINDSHIELD** REV-XR, XU, except MXZ and Renegade with J-hooks 860200227 • Clear with fading • 27.5" (70 cm) in length. **860200234** • Smoke* WINDSHIELD SIDE DEFLECTOR KIT REV-XR, XU **860200235** • Smoke** · Increased wind deflection for windshields. *Fits medium and high windshields using base kit (860200229). **Fits extra high and ultra high windshields using base kit (860200230). WINDSHIELD BASE KIT REV-XR, XU 860200228 · Black • For low windshields REV-XR, XU. · Black plastic trim. WINDSHIELD BASE KIT REV-XR, XU 860200229 · Black • For medium and high windshields. • Black plastic trim.

860200230 · Black

HANDGUARDS & HANDLEBAR

HANDGUARDS

FLEXIBLE HANDGUARDS

REV Gen4, XS, XM, XP, XR, XU

860201561 · Black



- Designed to withstand roll-overs and tough boondocking conditions.
- Feature smaller size deflector made of flexible material.
- · Mounts feature a flexible base.
- Does not fit with medium to ultra high windshields.
- Fits with Pivoting Mirror Kit for Handguards (860200893).

TRANSPARENT HANDGUARDS

REV Gen4, XS, XM, XP, XR, XU

860200789 · Clear



- Design delivers better protection and great style.
- Comes with Black/Grey colored interchangeable caps.
- · Appropriate for trail riding.
- · Sold in pairs.
- Does not fit with medium to ultra high windshields.

NEW TRANSPARENT HANDGUARDS

REV Gen4, XS, XM, XP, XR, XU

860202474 • Dark Smoke



- Design delivers better protection and great style.
- Comes with Black/Grey colored interchangeable caps.
- · Appropriate for trail riding.
- · Sold in pairs.
- Does not fit with medium to ultra high windshields.

HANDGUARD EXTENSION KIT

Vehicles with Transparent Handguards

860200781



- Semi-rigid, won't collapse at high speed.
- Delivers additional hand protection from the elements.
- · Can be installed and removed in seconds.

HANDGUARD CAPS

Vehicles with Transparent Handguards or Flexible Handguards

860201344 • Sunburst Yellow / Black **860201345** • Race Orange / Black 860201346 • Black / Grey 860201347 • White / Black

860201648 • Lava Grey 860201457 • Orange Crush / Black 860201649 • Manta Green / Black 860202098 • Octane Blue / Black



- Colored caps let you customize your look.
- · Sold in pairs.

HANDLEBAR ACCESSORIES

DEEP SNOW LOW GRAB HANDLE

REV Gen

860201975



- Provides more freedom of movement in active riding.
- Standard on Summit X with Expert package 2020 and up. Standard on Summit and Freeride 2021 and up.
- Not compatible with Handlebar Bag (860201565).

GRAB HANDLE

REV Gen4

860202035



Molded rubber grab handle used for side-hilling maneuvers.

• Not compatible with Handlebar Bag (860201565).

PERFORMANCE SMALL DIAMETER HANDLEBAR

REV Gen4

860201974



- Narrow design used for more agile precise maneuvers found in mountain applications or in trail applications, ideal for smaller hand grip.
- Smaller diameter providers a lighter, easier grip.
- 20 mm (0.79 in) grip, 22 mm (0.87 in) clamper diameter at riser.
- Less hand fatigue.
- · Grips included.

HANDLEBAR PAD

REV Gen4 - Vehicles without grab handle

860201581



HANDLEBAR MUFFS

Does not fit vehicles with large handlebar pad Fits with all handguards 2015 and up

860201144



- \bullet Ultra warm handlebar muffs with fleece liner.
- Designed for extreme cold conditions.
- Easy to remove in warmer weather.
- Can be used on handlebars with or without handguards and mirrors.
- Inner skeleton allows muffs to keep their shape and gives more space for hand movement.
- Transparent section allows visibility and easy manipulation of control switches.

Note: Never use handlebar muffs with finger throttle lever.

BRAKE RESERVOIR GUARD

REV Gen4 Summit & Freeride

860201936



- Increases impact protection for the brake reservoir.
- Window to see fluid level.
- · Cast aluminum construction.
- Detailed technical finish.

DEEP SNOW PERFORMANCE GRIPS

Fits with Performance Small Diameter Handlebar

860202096



- Aggressive pattern for extra grip.
- 20 mm (0.79 in) inner diameter grip.

TRAIL PERFORMANCE GRIPS

REV Gen4, XM, XS, XU



- Aggressive pattern for extra grip.
- 22 mm (0.87 in) inner diameter grip.
- Doesn't fit on Performance Small Diameter Handlebar [860201974].

PIVOTING MIRROR KIT FOR HANDGUARDS

Vehicles with Transparent Handguards or Flexible Handguards

860200893



- Perfectly integrated design and style.
- Mirrors fold away when not in use for easy storage or when covering vehicle.
- Sold in pairs.

WINDSHIELD-MOUNT MIRRORS

REV Gen4 with medium and higher windshields

860201285



- Mirror shape creates well integrated look.
- Mounts on medium and higher windshield side deflectors and can be adjusted for 1-up or 2-up riding.
- Mirrors can fold away when not in use for easy storage or when covering vehicle.

WINDSHIELD-MOUNT MIRRORS

REV-XU, XR (with extra high one-piece windshield)

517305787



• 3" (7.6 cm) round reflector with adjustable angle.

MIRROR KIT

REV-XM, XS, XP, XR, XU (with medium and higher windshield side deflectors) $\,$

860200694



- Windshield extension mount design.
- Sold in pairs.

MIRROR KIT

REV-XM, XS (except 1200)

860200607



- $\bullet \ \mathsf{Side} \ \mathsf{panels} \ \mathsf{mount} \ \mathsf{design}.$
- Sold in pairs.
- Premarked side panels make installation easier.

MIRROR KIT

REV-XP, XR, XU Tundra



- Side panels body mount design.
- Sold in pairs.

ADJUSTABLE RISERS & EXTENSION KITS

// ADJUSTABLE RISERS

- Instantly modify your handlebar height to adapt to changing riding conditions.
- Utilize the lower position for trail/sit-down riding: extend to maximum height in seconds for stand-up riding.
- No tools required to make the adjustment, just flip the lever.
- Patent pending US20150360713A1.



• Handlebar extension kit to fit all riding styles.



ADJUSTABLE RISERS

		860201834	860201549	860201276	
REV GEN4 MODELS	Adjustment range (mm) >	(125-165)	(150-210)	(175-235)	
SUMMIT	(X, SP and Edge) with 165 mm riser (2018 and up)	YES**	YES		
	(X and SP) with 190 mm riser (2017)	YES**	YES	YES	
	(X package EXPERT) with 120 mm riser	YES			
FREERIDE	137-146" with 145 mm riser (2020 and prior)	YES**	YES		
	146-154-165" with 165 mm riser	YES**	YES		
EXPEDITION	(SE) with 120 mm Forward Adjustable riser	YES			
	(Sport, LE, Xtreme, SWT) with 145 mm riser	YES**	YES		
SKANDIC	(WT, SWT and Sport) with 145 mm riser	YES**	YES		
TUNDRA	(LT and Sport) with 145 mm riser	YES**	YES		
BACKCOUNTRY	(Backcountry, X, X-RS, Sport) 146" with 120 mm riser	YES*			
RENEGADE	(Adrenaline, Enduro and Sport) 137" with 120 mm riser	YES*			
	(X and X-RS) 137" with 120 mm Forward Adjustable riser	YES*			
MXZ	(TNT, Blizzard and Sport) with 120 mm riser	YES*			
	(X and X-RS) with 120 mm Forward Adjustable riser	YES*			
GRAND TOURING	(Sport) with 120 mm riser	YES			
	(LE) with 120 mm Forward Adjustable riser	YES			

ADJUSTABLE RISER FOR STRAIGHT HANDLEBAR (REV-XS, XM, XP)

MXZ and Renegade with 4.5" (115 mm) or 5.1" (130 mm) stock riser 2013 and up $^{\rm t}$

Backcountry [2011 and up] with 6.3" [160 mm] riser block**
Summit SP. REV-XU Skandic-vehicles with 8" [205 mm] riser block***

860201116 • Black / Aluminum

860200634 • Black / Aluminum 860200972 • Black / Aluminum



- 'Requires steering pad (506152541) for MXZ, Renegade X-RS and Grand Touring XS
- $^{\text{t}\dagger}\text{Adjustable}$ length: 5.1" to 8" (130 mm to 205 mm) high.
- †††Adjustable length: 7.3" to 9.8" (185 mm to 250 mm) high.



ADJUSTABLE RISER FOR TAPERED HANDLEBAR (REV-XS, XM, XP)

(Not illustrated)

Summit X, Freeride, Expedition XU—vehicles with 5.1" [130 mm]

860200973 • Black / Aluminum

- Works with all stock cables and wiring.
- For REV-XP platform; requires Steering Pad (506152717) (not included).
- Adjustable length: 4.5" to 6.9" (115 mm to 175 mm) high.
- Brake line (507032535) required for Freeride 2011 only. To be ordered separately.

^{*} Cable 860201880 required for 2017-2018 2-strokes vehicles. **Cable 860201880 required for 2-strokes vehicles ***Fit only with 860201320.







EXTENSION KITS

FORWARD ADJUSTABLE RISER

860201944	860201427	860201718	860201632	860201428	860201560	860201392	860201836	860201320
(95)	(120)	(145)	(165)	(190)	(210)	(235)	(45) (extension)	(120) (riser)
YES**	YES**	YES	STOCK	YES	YES			
YES**	YES**		YES	STOCK	YES	YES		
YES	STOCK	YES	YES					
YES**	YES**	STOCK	YES	YES	YES			
YES**	YES**	YES	STOCK	YES	YES			
YES	YES	YES	YES				YES	STOCK
YES**	YES**	STOCK	YES	YES	YES		YES***	YES
YES**	YES**	STOCK	YES	YES	YES		YES***	YES
YES**	YES**	STOCK	YES	YES	YES		YES***	YES
YES	STOCK	YES*	YES*				YES*/***	YES
YES	STOCK	YES*	YES*				YES*/***	YES
YES	YES	YES*	YES*				YES*	STOCK
YES	STOCK	YES*	YES*				YES*/***	YES
YES	YES	YES*	YES*				YES*	STOCK
YES	STOCK	YES	YES				YES***	YES
YES	YES	YES	YES				YES	STOCK

EXTENSION KIT FOR STRAIGHT HANDLEBAR

REV-XS (except Grand Touring and Expedition), XR, XP, XU Tundra REV-XS Renegade Backcountry (2011 and up) with 6.3" (160 mm) riser block REV-XM Summit SP, REV-XU Skandic and Tundra—vehicles with 8" [205 mm] riser block **860200820 •** 6.3" (160 mm)

860200821 • 8" [205 mm]

860200822 • 9.8" [250 mm]





• Works with all stock wiring and cables.

[•] Handlebar extension kit to fit all riding styles.

LED LIGHTS

AUXILIARY LED LIGHT

REV-XM, XS (except Expedition Sport)

860201235



- 10 LED lamps provide more than 2,100 additional lumens in an intense, super-wide foglight-type pattern.
- Three-position OFF-ON-HI switch gives you the option of riding with these lights off, always on or only when switching to your high beams.
- Say goodbye to sacrificing close range lighting when switching to high beams.
- Easily installs below stock headlight with a simple plug-and-play hook-up.

AUXILIARY LED LIGHT

REV Gen4 (Wide)
REV Gen4 (Narrow)

860201650* 860201818



- 8 LEDs provide more than 2,500 additional lumens for an intense super-wide foglight-type pattern.
- Say goodbye to sacrificing close range lighting when switching to high beams.
- Easily installs on hood with a simple plug-and-play hook-up.
- Dynamic scoop design integrates perfectly with REV Gen4 platform.
- Not compatible with One-Piece Lightweight Hood.

*Auxiliary light bracket kit (860202315) required for installation on 2-stroke models with air radiator.

HIGH BEAM AUXILIARY LED LIGHTS

REV Gen4

860201651



- · Increases considerably the stock high beam output.
- · Light covers more distance for great night visibility.
- Works with existing Auxillary LED Lights (860201818, 860201650).
- Not compatible with One-Piece Lightweight Hood.

SIGNATURE LED LIGHTS FOR HANDGUARDS

REV-XM, XS with Transparent or Flexible Handguards
REV Gen4 with Transparent or Flexible Handguards

860200981*

860201587



- Delivers a unique look at night.
- Replaces stock handguard cap with LED light.
- Includes wiring harness.
- Sold in pairs.

 *Can be installed on REV-XP, XR, XU with Adaptor for Signature LED Light for Handguards (860201114).

ADAPTOR FOR SIGNATURE LED LIGHT FOR HANDGUARDS

REV-XP, XR, XU (except fan-cooled engines)

860201114



FRONT BUMPER LED WORKING LIGHTS

REV Gen4 (Wide) except Tundra & Skandic

860201771



- Lev den4 (wide) except fullula & Skalit
- Adjustable work lights.Perfect for low light tasks.
- Point the light where you need it.
- Used with Full Wrap-Around Bumpers (860201676, 860201822, 860202027).
- Sold in pairs with toggle switch.

 Not compatible with Full Wrap-Around Front Bumpers (860201982, 860201983, 860201984).

Ling WORKING LIGHT

REV Gen4



- Convenient LinQ mount with swivel allows you to adjust as needed.
- Ultra bright 1,000 lumens output.
- · Works when at idle.
- Requires 12V outlet (860201888) for REV Gen4 (Wide) 20" & 24" and 12V outlet (860202069) for REV Gen4 (Narrow) 16".

BUMPERS, HITCHES & WINCHES

BUMPERS

ADVENTURE FRONT BUMPER

860201511 • Black / White 860201474 • White / Black 860201599 · Green / Black 860201681 · Black / Black

860201898 • Lava Red / Black 860201897 • Octane Blue / Black 860202135 · Yellow / Black



- · Made of stacked lightweight aluminum plates.
- Makes a visual impact and provides added protection.

FRONT BUMPER

REV Gen4 (Narrow)

REV Gen4 (Narrow)

860201445 · White 502007460 · Black



· Easy-install bumper changes the appearance of your sled in minutes.

XC CAST FRONT BUMPER

REV Gen4 (Narrow)

860201228



- Add extra protection and attitude with this bumper.
- Perfect integration with or without a skid plate.
- · Lightweight cast aluminum heat-treated construction.

FRONT BUMPER

860201174 • Race Orange **860201175** • Sunburst Yellow 860201168 • Orange Crush

860201167 · Black **860201172** • Fusion Red

860201173 • Manta Green

REV-XM, XS

• Easy-install bumper changes the appearance of your sled in minutes.



XC FRONT BUMPER

REV-XM, XS

860201318 · Black

860201099 · Aluminum

860201984

860201982*

860201983**



- The ultimate front protection for your sled, providing additional front and lateral protection.
- Large center grab area for additional leverage.
- · Heavy-duty performance with lightweight aluminum construction.

FULL WRAP-AROUND FRONT BUMPER



REV Gen4 (Wide) 20" Skandic • Modular full wrap-around front bumper system.

REV Gen4 (Wide) 24" Skandic

REV Gen4 (Wide) 16" Tundra

- Tubular steel construction for strength on mid section.
- Protects side panels while still allowing access to them.
- *Heavy-Duty Front Bumper (860202198) required for installation.
- **Requires Heavy-Duty Front Bumper (860202198) for Skandic Sport.

BUMPERS

NEW SIDE PANEL PROTECTORS

REV Gen4 (Wide) Tundra, 20" Skandic

860202199



• Use with Full Wrap-Around Front Bumper (860201982 or 860201983),

- Strong steel construction.
- Protects side panels and hood.

- Both swing out-of-the-way for easy access.
- · Clean, rugged look.

FULL WRAP-AROUND FRONT BUMPER

REV Gen4 (Wide) 24" Expedition REV Gen4 (Wide) 20" Expedition

REV Gen4 (Wide) 16"

860201822

860202027*

860201676**



• Modular full wrap-around front bumper system.

- Lightweight tubular steel construction for strength on mid section.
- Protects front and side panels while still allowing access to them.

• Requires Lightweight Y-Shaped Aluminum Bumper [860201881] and Heavy-Duty Front Bumper [860201819] for installation.

*Not compatible with Side Panel Protectors (860201677).

**Not compatible with Driver Footrest (860201932, 860201933, 860201934).

SIDE PANEL PROTECTORS

REV Gen4 (Wide) 16", REV Gen4 Expedition 20"

860201677



- Attaches to Full Wrap-Around Front Bumper (860201822 and 860201676)
- · Lightweight aluminum construction.
- Provides protection to side panels and hood.
- Swings out-of-the-way for easy access.
- · Rugged look.

LIGHTWEIGHT Y-SHAPED ALUMINUM BUMPER

REV Gen4 (Wide) (except Skandic and Tundra)

860201881



- Aluminum construction.
- Offers great protection from frontal impacts of rocks, trees and other debris.
- Required for the installation of Full Wrap-Around Front Bumpers (860201822, 860201676 and 860202027).

HEAVY-DUTY FRONT BUMPER

REV Gen4 (Wide) (except Skandic and Tundra)
REV Gen4 (Wide) Tundra and Skandic

860201819

860202198



- Reinforced lightweight aluminum construction.
- Required for the installation of Full Wrap-Around Front Bumpers (860201676, 860201822 & 860202027).
- Standard on REV Gen4 (Wide) Renegade Enduro, Expedition LE and Expedition SE.

11/4" TRAILMAKER FRONT BUMPER RECEIVER

REV Gen4 (Wide) 20" & 24" (except Skandic)

860201825



- Receiver for use with Full Wrap-Around Front Bumper [860201822 & 860202027].
- \bullet Allows use of $1 \, {}^{1}\!\!/\!\!{}_{\!\!4}{}^{"}$ draw bar on front of sled.

HEAVY-DUTY FRONT BUMPER WITH 2" RECEIVER

REV-XU Skandic

860200987



- Increases front protection.
- Integrated 2" Multi-Mount Receiver.
- Works with 2" Multi-Mount Drawbar (860201117) and Multi-Mount Winch (860200992).
- Note: Not compatible with Prefilter Grille Kit (860201152).

EXTRA FRONT BUMPER

REV-XU Expedition

860200350



• Heavy-duty front bumper.



- Full 1.25" (3.8 cm) diameter heavy-duty steel wrap-around model.
- Delivers added protection to front of sled and side panels.
- · Attaches to existing bumper and footrests.

EXTRA FRONT BUMPER

REV-XU Skandic

860200561



• Heavy-duty front bumper.

860201507 • White / Black*

860201598 • Green / Black*

860202352 • Black / Lava Red*

860202317 • Black / Black

ADVENTURE REAR BUMPER 16"

REV Gen4 - 129"

- Matches the Adventure front bumper.
- Stunning style and construction.
- Made of lightweight stacked aluminum plates.



ADVENTURE REAR BUMPER 16"

REV Gen4 137" (except Renegade Enduro and Renegade Sport)

860201478 • White / Black*

860201597 • Green / Black*



- · Matches the Adventure front bumper.
- · Stunning style and construction.
- · Made of lightweight stacked aluminum plates.
- Doesn't fit REV Gen4 146" short tunnel

ADVENTURE REAR BUMPER 16"

REV Gen4 137" regular tunnel & 146" short tunnel

860202149 • Black / Black **860202137 •** Yellow / Black*



- Matches the Adventure front bumper.
- Stunning style and construction.
- Made of lightweight stacked aluminum plates.

ADVENTURE REAR BUMPER 16"

REV Gen4 146" & 154" with short tunnel

860202150 · Black / Black

860202157 • Black / Lava Red* **860202156 •** Octane Blue / Black*

- Matches the Adventure front bumper.
- · Stunning style and construction.
- · Made of lightweight stacked aluminum plates.

ADVENTURE REAR BUMPER 16"

REV Gen4 154" & 165" with short tunnel

860202151 • Black / Black

860202159 · Black / Lava Red* **860202158 •** Octane Blue / Black*

- · Matches the Adventure front bumper.
- Stunning style and construction.
- Made of lightweight stacked aluminum plates.

ADVENTURE REAR BUMPER 16"

REV Gen4 165" & 175" with short tunnel

860202152 · Black / Black

860202161 • Black / Lava Red* 860202160 • Octane Blue / Black*

- Matches the Adventure front bumper.
- Stunning style and construction.
- Made of lightweight stacked aluminum plates.



BUMPERS

ADVENTURE REAR BUMPER 16"

REV Gen4 (Narrow) 175"

860202153 • Black / Black



- Matches the Adventure front bumper.
- Stunning style and construction.
- · Made of lightweight stacked aluminum plates.
- Does not fit with Summit X with Expert package and LinQ Snowboard/Ski Rack.

HEAVY-DUTY	REAR	BUMPER

REV Gen4 16"-146"	860201610 · Black
REV Gen4 16"-154"	860201726 • Black
REV Gen4 16"-165"	860201727 • Black
REV Gen4 16"-175"	860201467 • Black



- Premium finish heavy-duty aluminum bumper for REV Gen4 platform.
- Does not detract from deep snow performance.
- Cannot be used on vehicles with short tunnel.

REV Gen4 (Narrow) 129"	5
REV Gen4 (Narrow) 137"	5
REV Gen4 (Narrow) 146"	5
REV Gen4 (Narrow) 154"	5
REV Gen4 (Narrow) 165"	5
REV Gen4 (Narrow) 175"	5
REV Gen4 (Wide) – Tundra 137"	5

518328745 • Black 518328746 • Black 518329553 • Black 518328501 • Black 518328697 • Black 518328834 • Black 518330033 • Black

518329151 • White 518329479 • White 518329152 • White 518329153 • White

REAR BUMPER



- Easy-install bumper changes the appearance of your sled in minutes.
- Cannot be used on vehicles with short tunnel.

REAR BUMPER

REV-XP, XR, XS [120" & 137"]

518325481 • Black

518328678 • Sunburst Yellow



• Easy-install bumper changes the appearance of your sled in minutes.

XU HEAVY-DUTY REAR BUMPER

XU Skandic SWT, XU Expedition SWT

XU Skandic WT, Expedition SE, LE, Xtreme 2019 and prior

860201106 • Aluminum 860200991 • Aluminum



- Ready to accept 2" Receiver (860201062).
- Essential for modular towing options.
- Provides complete rear protection.
- Works hard during intense use.
- Features convenient hand-gripping area.

		t and the second
RE\	/ Gen4 16"-129"	860201433 • Black
RE	/ Gen4 16"-137"	860201471 • Black
REV	/ Gen4 16"-146"	860201612 • Black
RE	/ Gen4 16"-154"	860201250 • Black
RE	/ Gen4 16"-165"	860201424 • Black
RE	/ Gen4 16"-175"	860201472 • Black

HITCH REAR BUMPER



- Required for hitch use.
- Easy attachment with no cutting or drilling.
- Can be used with the LinQ Snowboard/Ski Rack [860202191].
- Does not fit with vehicles with short tunnel

REV Gen4 short tunnel Summit & Freeride 146"	860202213
REV Gen4 short tunnel Summit & Freeride 154"	860202214
REV Gen4 short tunnel Summit & Freeride 165"	860202215
REV Gen4 short tunnel Summit 175"	860202216



- Required for hitch use and towing.
- Easy mounting with no cutting.
- Also reinforces the tunnel.
- Can be used with the LinQ Snowboard/Ski Rack (860202191).

REV-XP, XM - 146"	860200953 • Black
REV-XP, XM – 154"	860200954 • Black
REV-XP, XM – 163"	860200955 • Black
REV-XP, XM – 174"	860201135 • Black

HITCH REAR BUMPER



- Heavy-duty aluminum bumper for hitch applications.
- · Easy attachment with no cutting or drilling.
- Doesn't fit Grand Touring SE, LE.

REV-XS, XR, XP - 120" & 137"	860200952 • Black
REV-XS MXZ – 129"	860201306 • Black
REV-XS Renegade X-RS, XM Freeride, XU Tundra – 137"	860201307 • Black
REV-XS, XP, XR, XU Tundra – 120" 8 137"	860200803 • Black*

HITCH REAR BUMPER



- Heavy-duty aluminum bumper for hitch applications.
- Easy attachment with no cutting or drilling.
- Doesn't fit Grand Touring SE, LE.

*Does not fit on 137" Freeride.

860201942

860201795

HEAVY-DUTY HITCH REAR BUMPER

- REV Gen4 (Wide) 20"
- REV Gen4 (Wide) 24" • Essential for modular towing options.
- Provides complete rear protection. • Features convenient hand-gripping area.
- · Adds towing capacity of 300 lb (136 kg), up to 1,500 lb (680 kg) total.
- $1\frac{1}{4}$ " hitch receiver included.

HITCHES

1 1/4" FRONT RECEIVER

REV Gen4 (Wide) Skandic and Tundra

860201991



- Receiver for use with wrap-around front bumpers for LTS suspension models.
- Allows use of 1 $\frac{1}{4}$ draw bar on front of sled.

C-TYPE HITCH	REV Gen4 16", XP, XR, XS, XM, XU Tundra	860201381



• Heavy-duty C-type hitch works in conjunction with hitch rear bumper.

TONGUE TYPE HITCH	REV Gen4 16", XP, XR, XS, XM, XU Tundra	860200902



• Heavy-duty tongue type hitch works in conjunction with hitch rear bumper.

HEAVY-DUTY TONGUE HITCH REV Gen4 20" & 24", XU 20" & 24" 860201023 · Grey • Cast stainless steel construction. • Mounting pattern for Heavy-Duty Hitch Rear Bumpers and Multi-Mount Drawbars. • Fits on Heavy-Duty Rear Bumper 20" & 24" (860201795, 860201942) • Fits on Multi-Mount Drawbar (860201804, 860201117) **HITCH TONGUE** 511000521 • Easily transforms the C-Type Hitch (860200829) into a tongue-type hitch. 11/4" TRAILER HITCH 860202062 REV Gen4 Expedition Xtreme & Skandic Sport • Allowing quick switching of towing hook-ups or winch use. • Stock on REV Gen4 Expedition LE, SE. Fits on 1 1/4" Trailer Hitch (860202062) and Front Receiver (860201991, 860201825) 11/4" MULTI-MOUNT DRAWBAR 860201804 · Allows quick installation and removal of different towing • Use with tongue or J-Hook style hitches as needed. Fits on XU with Rear 2" Receiver (860201062) or Heavy-Duty Front Bumper (860200987) 2" MULTI-MOUNT DRAWBAR 860201117 · Allows quick installation and removal of different towing platforms. • Compatible with J-Hitch (860201142) and Heavy-Duty Tongue Hitch (860201023). Fits on XU Rear 2" Receiver (860201062) or Heavy-Duty Front Bumper (860200987) FRONT & REAR HITCH DRAWBAR 715000972 · Fits 2" receiver hitch. · Hitch ball not included. J-HITCH REV Gen4 20" & 24", XU 20" & 24" 860201142 • Fits on Heavy-Duty Rear Bumper 20" & 24" (860201795, 860201942) • Fits on Multi-Mount Drawbar (860201804, 860201117)" • Spring-loaded latch system for quick, secure hook-up.

2" RECEIVER FOR HEAVY-DUTY REAR BUMPER

Fits on XU Heavy-Duty Rear Bumpers WT (860200991) or SWT (860201106)



- Easy installation.
- Standard 2" size for wide compatibility.
- Allows quick switching of towing hook-ups or winch use.
- \bullet Does not fit with stock tongue hitch 2016–2018.

HD 2500 WINCH

REV Gen4 (Wide) 20" & 24"

- Ergonomic clutch handle.
- Rugged all-steel gears and bushings, provides more torque 50 ft. of 3/16" (15.2 m of 4.8 mm) wire steel cable. and longer life.
- Automatic 100% load-holding brake.
- Sealed solenoid for all weather protection.
- · Weather sealed handlebar mounted switch.
- · Corded 10 ft. (3m) weather sealed hand-held remote.

860202331

- Pulling strength capability of 2,500 lb (1,134 kg).
- Heavy-duty 4-way roller fairlead.

860201143

- EC Compliant.
- \bullet Fits Heavy-Duty Hitch Rear Bumper [860201795] and 1 $1 \% ^{4}$ Trailer Hitch Receiver.

HAWSE GUIDE



- Replaces Roller Fairlead for longer cable life.
- · For use with synthetic cable only.
- Replaces Roller Fairlead when Synthetic Cable (715000539)

PROTECTION & REINFORCEMENT

REV GEN4

FULL BODY SKID PLATE

REV Gen4 (Narrow)

860201583 · Octane Blue 860201618 · Manta Green 860201227 · Black

860201441 • Sunburst Yellow

- 860201809 Lava Red • 4 mm thick, high impact resistance polypropylene for durability.
- Attachment kit included.
- Chassis is premarked for easy installation.

860201442 • Orange Crush

860201443 · White

FULL BODY SKID PLATE

REV Gen4 (Wide) 16" Tundra REV Gen4 (Wide) 20" Skandic WT and Sport

a perfect fit and easier installation.

• Smooth bottom surface to reduce drag.

REV Gen4 (Wide) 24" Skandic SWT

· 3-part kit includes main center section and easily removable extensions under running boards that protect brake and chaincase.

· Injection molded process provides better definition,

• For assertive riders who demand the utmost protection.

- Made of high molecular weight polyethylene.
- Provides maximum underbelly protection.

860202044 · Black

860202045 • Black

860202046 · Black

FULL BODY SKID PLATE



REV Gen4 (Wide) 16" & 20"

NEW 860202391 · Sunburst Yellow 860201847 • Lava Red

860201848 · Manta Green

860201810 · White

860201653 · Black

- · Injection molded process provides smooth surface, better definition, a perfect fit and easier installation.
- · For assertive riders who demand the utmost protection.
- · Smooth bottom surface to reduce drag.
- 4 mm thick, high impact resistance polypropylene for durability.
- Extra wide, covers vital primary clutch, chaincase and front heat exchanger components to provide maximum underbelly protection.
- Attachment kit included.
- Chassis is premarked for easy installation.
- · Except Expedition SWT, Skandic and Tundra

FULL BODY SKID PLATE

REV Gen4 (Wide) 24" Expedition SWT

860202043 · Black



- · 3-part kit includes main center section and easily removable extensions under running boards that protect hrake and chaincase
- Made of high molecular weight polyethylene.
- Provides maximum underbelly protection.

REV GEN4

EXTREME SKID PLATE

REV Gen4 (Narrow)

NEW 860202392 Orange Crush

860202178 · Lava Red

860201738 · Black

860202177 • Octane Blue



- · Injection molded process provides smooth surface, better definition, a perfect fit and easier installation.
- · For assertive riders who demand the utmost protection.
- Smooth bottom surface to reduce drag.
- 4 mm thick, high impact resistance polypropylene for durability.
- · Attachment kit included.
- · Chassis is premarked for easy installation.

RACING SKID PLATE

REV Gen4 (Narrow)

860201579 · Black



- · Injection molded process provides smooth surface, better definition, a perfect fit and easier installation.
- · For assertive riders who demand the utmost protection.
- · Smooth bottom surface to reduce drag.
- 4 mm thick, high impact resistance polypropylene for durability.
- Attachment kit included.
- · Chassis is premarked for easy installation.

TUNNEL RADIATOR PROTECTOR

REV Gen4 16"-137" (except short tunnel) REV Gen4 16"-146" (except short tunnel) REV Gen4 16"-154" (except short tunnel) REV Gen4 16"-165" (except short tunnel) 860201830 860201831 860201832 860201833

- · Great protection for the tunnel.
- · Keeps your tunnel free of scratches to maintain tunnel
- Does not fit with LinQ Snowboard/Ski Rack.
- Stock on REV Gen4 (Wide) 16" platform.

REV-XM & REV-XS

EXTREME SKID PLATE

REV-XM, XS

860201145 • Manta Green 860201146 • Sunburst

860200606 · Black

· Injection molded process provides better definition, a perfect fit and easier installation.

- For assertive riders who demand the utmost protection.
- Smooth bottom surface to reduce drag.
- · 4 mm thick, high impact resistance polypropylene for durability.
- · Attachment kit included.
- \bullet Chassis is premarked for easy installation.
- Includes marking for 4-stroke oil change cut-out.

860200741 · Yellow

860200742 • Orange Crush

860201032 · Lava Red

860201033 · White

FULL BODY SKID PLATE



REV-XM, XS

860200605 • Black 860200739 · Yellow

860200740 • Orange Crush

860201147 • Manta Green 860201148 • Sunburst Yellow

- · Wide shape for full protection and maximum flotation.
- · Injection molded process provides better definition, a perfect fit and easier installation.
- · For assertive riders who demand the utmost protection.
- · Smooth bottom surface to reduce drag.
- · 4 mm thick, high impact resistance polypropylene for durability.
- · Extra wide, covers vital primary clutch, chaincase and front heat exchanger components to provide maximum underbelly protection.

860201034 · Lava Red

860201035 · White

- Attachment kit included.
- Chassis is premarked for easy installation.
- Includes marking for 4-stroke oil change cut-out.

EXTREME & FULL BODY SKID PLATES

FULL BODY SKID PLATE

REV-XU Expedition SE, Xtreme, LE (2009-2019)



- Provides additional underbelly protection in off-trail
- Made of high molecular weight polyethylene. · Helps glide on snow and prevents snow from sticking to the frame.
- · Works with A-arm protectors.
- Standard on REV-XU Expedition SE (2009-2019).

REV-XU Expedition

860201361



- Protects components such as brakes and gearbox from
- impacts.
- Can be combined with Full Body Skid Plate (860200563) for maximum protection.
- · High molecular weight polyethylene.

• Extra underbelly protection.

• REV-XU Expedition SWT not compatible with Rear Rack Extension (860200700).

FULL BODY SKID PLATE

REV-XP

860200287



- · High molecular weight polyethylene embossed with Ski-Doo logo.
- For assertive riders who demand the utmost protection.
- · Attachment kit included.
- Chassis is premarked for easy installation.

REV-XU WT 2016 and up	860201342
REV-XU SWT 2016 and up	860201343

FULL BODY SKID PLATE

860200702

860200601

REV-XU Tundra

REV-XU WT 2015 and prior

- · High molecular weight polyethylene.
- Provides maximum underbelly protection in off-trail conditions.
- Helps glide on snow and prevents snow from sticking to the frame.

FRAME UNDERBELLY BRACE KIT / S-MODULE REINFORCEMENT KIT

REV-XM, XS, XP, XR, XU Expedition

860200905



- S module reinforcement, standard on 600 RS racing sled.
- Compatible with Ski-Doo skid plates.

SKID PLATE FASTENER KIT

(Not illustrated)

REV-XP, XR, XS, XM

860200808

· Made to fit and hold your skid plate securely in place.

REINFORCEMENT

TUNNEL REINFORCEMENT

REV Gen4 Summit X with Expert package, Summit X & Freeride 154"-165" with tMotion Adjustable Limiter Strap (860201861)

860201995



- Additional strength and traction along the running board.
- Machined aluminum extrusions.
- · Colors to add some style.
- Provides more support and boot traction for aggressive
- Compatible with tMotion Adjustable Limiter (860201861).
- Does not fit with Remote Limiter Strap Adjuster (860201855 and 860201496).

TUNNEL REINFORCEMENT

REV Gen4 MXZ & Renegade (except Renegade Backcountry, Backcountry X & X-RS and MXZ X-RS)

860201584 · White 860201465 · Black 860201585 • Manta Green





- Additional strength and traction along the running board.
- Machined aluminum extrusions.
- · Colors to add some style.
- Provides more support and boot traction for aggressive riders.

TUNNEL REINFORCEMENT


REV Gen4 Summit SP, Backcountry, Backcountry X


860201636 · Black **860201730** • Octane Blue

• Additional strength and traction along the running board.

• Machined aluminum extrusions.

- · Colors to add some style.
- Provides more support and boot traction for aggressive riders.





REINFORCEMENT

TUNNEL REINFORCEMENT

REV Gen4 Summit X (except with Expert package), Freeride 154"-165"

860201638 • Black 860201783 • Lava Red 860201734 • Octane Blue



- Additional strength and traction along the running board.
- Machined aluminum extrusions.
- · Colors to add some style.
- Provides more support and boot traction for aggressive riders.

 Not compatible with tMotion Adjustable Limiter (860201861).

860200521 · Viper Red

860200813 • Aluminum

860200814 • Black

860200815 • Yellow

860200816 • White

860201030 • Lava Red 860201031 • Orange Crush

860201150 • Fusion Red **860201151 •** Sunburst Yellow

CHASSIS REINFORCEMENT KIT

REV-XS

• Provides additional reinforcement to your tunnel along with improved grip.

along • Except Renegade Backcountry & Backcountry X

· Easy installation.



REV Gen4 146" to 165" with tMotion and cMotion rear suspensions

860201005



Increases rail strength and longevity.

RAIL REINFORCEMENT

REV Gen4, XM, XP 146" and up with tMotion and cMotion rear suspensions

860201464



- Lightweight cast aluminum construction.
- · Increases rail strength and longevity.
- Can replace stock stiffner on Freeride.

TOE-HOLDS, FOOTRESTS & KNEE PADS

TOE-HOLDS

REWIND COVER

REV Gen4 (Narrow) Summit, Backcountry, Freeride

860201463



- Covers rewind handle to let your knees slide smoothly.
- Allows installation of Knee Pads (860201917).

ADJUSTABLE TOE-HOLDS

REV Gen4 16" Summit, Freeride, Backcountry and Expedition 16"

860201765



- Die-cast aluminum part.
- Allows user to adjust toe-hold position for different riding styles and control.
- Foldable to ease floorboard access.
- Adjustable 3" (7.6 cm) rearward and 1.5" (3.8 cm) upward.
 Forward/backward and top/down adjustments.

ADJUSTABLE TOE-HOLDS

REV Gen4 MXZ, Renegade and Grand Touring



- Adjustable solid toe-holds (non-folding).
- \bullet Provides 0.6" [1.5 cm] vertical and 1.6" [4 cm] horizontal adjustment range.
- Work with both size rubber shims and Lateral Footrests [860201402].

REV Gen4 Summit, Freeride and Backcountry

860201510



• Fixed toe-holds for control and leverage when boondocking.

SHIM KIT FOR TOE-HOLDS

REV Gen4 (Narrow) MXZ and Renegade

860201408



• Spacers in two heights (10 mm, 20 mm) let you determine how tight your boots fit the toe-holds.

ADJUSTABLE TOE-HOLDS KIT

REV-XP, XR, XS, XU Tundra, XM (except 600 ACE & 900 ACE)

860200743 • Aluminum



• Kit provides easy adjustment to the toe-holds to match your riding style.

TUNNEL GRIP PLATES

Fit all models

860200164



- Lightweight plastic grip plates for extra side boot grip in rough riding conditions.
- Developed for the 600 Race sled.
- · Sold in pairs with complete hardware.

FOOTRESTS

DRIVER FOOTREST

REV Gen4 MXZ, Renegade, Backcountry and Grand Touring

860201932 • Black 860201613 • White 860201614 • Manta Green



- Customize the fit and function of your sled.
- \bullet Offers a natural angled platform for riders that push with their feet.
- Machined aluminum extrusions in different colors, add traction and style.
- Fits with Lateral Footplates (860201402).

FRONT FOOTREST

REV-XS, XM

860200906



- \bullet A must for aggressive riders.
- Sloped plate provides a relaxed ankle position during long rides.

LATERAL FOOTPLATES

REV Gen4 (except Renegade Enduro, Grand Touring Limited and Expedition SE)

860201402



- Cast aluminum outer support for riders that use their feet to push in corners, or desire a more locked feel.
- \bullet Does not fit with air suspension.

REAR FOOTREST

REV Gen4 Summit SP



- Additional boot grip on rear tunnel.
- Integrated design, looks and functions great.

FOOTRESTS

PASSENGER FOOTREST KIT

REV-XS 137", XR and XP 137"-154"

860200810 • Aluminum



· Does not fit with rMotion adjusters.

REAR FOOTREST KIT

REV-XM

860200889



 Provides additional boot grip at the rear of the tunnel when climbing.

KNEE PADS

KNEE PADS

REV Gen4 without manual reverse

860201917



- Designed for a perfect fit on REV Gen4 (Narrow).
- Provide comfort, impact absorption and extra knee grip.
- Injected molded soft material.
- · Easy install with peel-off adhesive.
- REV Gen4 (Narrow): Rewind Cover (860201463) required if pull start.

SECOND STEP KNEE PADS

REV Gen4 (Wide) 16"

860202063



- Designed to add extra knee grip and absorbing impacts when leaning forward in aggressive cornering situations.
- Injected molded soft material.
- Easy install with peel-off adhesive.

MANUAL REVERSE KNEE PADS

REV Gen4 (Wide) 16" with manual reverse

860201916



- Provides comfort, impact protection and extra grip.
- · Injection molded soft material.
- Easy install with peel-off adhesive.

SUSPENSION & FOX' SHOCK KITS

SUSPENSION

REMOTE COUPLER BLOCK ADJUSTER

REV Gen4 129" & 137" with rMotion rear suspension

860201902



- Allows rider to attune ski-loading to current trail conditions.
- Quickly change coupler block position with a twist of the wrist.
- Go from uncoupled to your preferred coupled setting instantly.
- Coupled = less transfer, more weight on skis under acceleration.
- Uncoupled = more transfer, easier to lift skis under acceleration.
- Patent pending.

TMOTION ADJUSTABLE LIMITER STRAP

REV Gen4 (Narrow) with tMotion and cMotion rear suspensions (except Freeride 146" 2020 and prior & Backcountry X-RS)



- Quickly change limiter strap length by flipping a lever, to attune ride and handling to snow conditions and terrain.
- Shortening keeps the front end lower and improves track approach angle.
- Lengthening increases transfer and lifts the front end higher.
- Adjustment is equivalent to 2 holes on a conventional strap (1.3"/34 mm).
- Slim, non-intrusive design.
- 2 initial settings to choose from: holes 3 to 5 or 2 to 4 (compared to conventional strap hole positions).
- US patent 9022156.

(Not illustrated)

REV-XM

860201426

CURVED A-ARMS

REV Gen4 (with 36" ski stance)

860201679



- Redesigned to be more effective.
- Provides more clearance for less drag in deep snow.
- Reduces damage from objects hidden below the snow.
- Quick-disconnect sway bar kit, double ball joint link and anti-roll bar link included.

FRONT SUSPENSION WIDENING KIT

REV Gen4 Summit & Freeride with 36" RAS 3 front suspension

860201588



- Adjustable width 38.4"-40.1" (975-1,019 mm).
- Includes X package shock absorbers and springs.

RAS X FRONT SUSPENSION **UPGRADE KIT (WITHOUT SHOCKS)**

REV Gen4 MXZ, Renegade and Grand Touring with RAS 3 front suspension

860202187



- Update your sled RAS 3 to the new RAS X configuration.
- Provides wider ski stance offering sure-footed cornering with improved bump performance.
- · Kit includes new spindles and A-Arms and all necessary hardware.
- · Compatible with Pilot X Skis.

FRONT SUSPENSION KIT (36")

REV-XM, XS, XP

860201153



- To update your sled to the REV-XM Summit X with T3
- Delivers the agility of the original S-36 handling package, plus the benefits of the RAS 2.

• To update your sled to the RAS 2 X package configuration.

- · Better straightline tracking on big bumps.
- · Lighter weight.
- · Great styling.
- HPG shocks.
- Ski stance adjustable from 35.7" (90 cm) to 37.4" (95 cm).

FRONT SUSPENSION KIT (42" WITH SHOCKS)

REV-XM, XS, XP without 42" front suspension

860201353

- 42" (107 cm) RAS 2 front suspension kit.
- Updates sleds to lastest REV-XS trail front end.
- Better straightline tracking on big bumps.
- · Lighter weight.
- Great styling.
- HPG Plus R shocks with rebound adjustment.
- Includes spindle compatible with Pilot TS ski.

FRONT SUSPENSION KIT (42" WITHOUT SHOCKS)

REV-XS, XP, XR with 42" front suspension

860201241



- To update your sled to the RAS 2 configuration.
- Ideal for converting older vehicle to new adjustable TS ski.
- For vehicles with 42" (107 cm) front suspension, reuse your stock shocks.
- Updates sleds to latest REV-XS trail front end.
- · Better straightline tracking on big bumps.

- · Lighter weight. • Great styling.
- Includes spindle compatible with Pilot TS ski.

SWAY BAR QUICK-DISCONNECT LINK KIT

REV Gen4 Summit & Freeride, XM & XP Summit 2013 to 2020

860200811

860200667



- Kit allows you to utilize the benefits of a sway bar on rough trails and quickly disconnect it for sidehilling.
- · Sold individually.

REV-XP Summit 2012 and prior

KYB SHOCKS

NEW KYB PERFORMANCE SHOCKS KIT

REV Gen4 with RAS X suspension (except SAS)

860202466



- · Race Edition KYB shock absorbers.
- · Piggy Back 46 mm bodies with 16 mm shaft.
- · Feature separate adjustments for high and low speed compression plus rebound damping.
- Kashima coated for friction-free performance and long life.
- Fits RAS X front suspension.



FOX SHOCK KITS

NEW FRONT SHOCKS -LIGHTWEIGHT FLOAT 3 EVOL QS

REV Gen4 Summit & Freeride

860202277



- Two separate air chambers replace coil springs and offer multiple tuning options. The QS3 adjustments offer 3 positions for easy and quick compression and rebound adjustments.
- FEATURES:
- Optimized lightweight shock design.
- One piece, aluminum mounting hardware.
- High-flow velocity-sensitive damping.
- Internal groove position sensitive technology.
- Fully rebuildable and re-tuneable.
- Ski stance: 34" and 36".

NEW REAR TRACK SHOCKS -LIGHTWEIGHT FLOAT 3 QS3 (CENTER) / 1.5 ZERO OSR WITH LOCK-OUT (REAR)

REV Gen4 Summit & Freeride 146", 154", 165" with tMotion • This FOX kit features the Lightweight Float 3 center

and 1.5 Zero with lock-out rear shocks to help your


sled get skinny. The center shock features QS3 three

position adjustment for quick, easy compression and

rebound adjustments, the rear features QS3 compression

860202278

- FEATURES:
- Optimized lightweight shock design - One piece, aluminum mounting hardware
- High-flow velocity-sensitive damping
- Internal groove position sensitive technology
- Fully rebuildable and re-tuneable
- Fits 146"-165" track lengths



LIGHTWEIGHT 1.5 ZERO QS3-R

REV Gen4 Summit & Freeride

adjustment plus a lockout feature.

860202275

\$1,509.99



· The newest version of FOX's renowned lightweight shocks and springs to fit deep snow sleds. They feature QS3 three position adjustment for quick, easy compression and rebound adjustments and fit S-36 front suspensions.

· FEATURES:

- Optimized lightweight spring & shock design.
- FOX ice scraper technology (FIST).
- One piece, aluminum mounting hardware.
- High-flow velocity-sensitive damping.
- Internal groove position sensitive technology.
- Fully rebuildable and re-tuneable.
- Ski stance: 34" and 36".

NEW REAR TRACK SHOCKS -LIGHTWEIGHT 1.5 ZERO QS3-R (CENTER) / LIGHTWEIGHT 1.5 ZERO **OSR WITH LOCKOUT (REAR)**

REV Gen4 Summit & Freeride 146", 154", 165" with tMotion

860202276

- Optimized lightweight spring & shock design.
- FOX ice scraper technology (FIST).
- One piece, aluminum mounting hardware.
- High-flow velocity-sensitive damping.
- Internal groove position sensitive technology.
- Fully rebuildable and re-tuneable.
- Fits 146"-165" track lengths.



• The newest version of FOX's renowned lightweight shocks to fit deep snow rear suspensions. The center shock features QS3 three position adjustment for quick, easy compression and rebound adjustments, the rear features QS3 compression adjustment plus a lockout feature.

VENT KITS & PREFILTERS

PREFILTER GRILLE KIT

REV Gen4 (Narrow)

860201224



- Reduces water and snow intrusion with a clean, integrated look.
- Easily removable bottom grille.
- Snap-in top grille.
- Airbox pop-off valve filter.

UPPER PREFILTER AND POP-OFF VALVE FILTER KIT

REV Gen4 (Narrow)

860201756



AIRBOX POP-OFF VALVE FILTER KIT

REV Gen4 850 E-TEC, 600R E-TEC, 600 EFI

860201755



HEAVY-DUTY AIR INTAKE FILTERS

REV Gen4

860201399



- Filters prevent water intrusion and snow buildup.
- Reinforced intake filters, preventing damage in
- Replacement for stock filters.
- Not compatible with One-Piece Lightweight Hood

PREFILTER GRILLE KIT

REV-XM, XS

860200610



- Fully integrated overmolded prefilter snap-in grilles.
- Repels and prevents snow from entering bottom pan and hood openings.
- Kit includes easily removable bottom pan grille, lower pan cover plugs, hood grille, and air-box pop-off valve prefilter.

REPLACEMENT FRONT PREFILTER

REV-XM, XS

517305029



PREFILTER GRILLE KIT

REV-XU Expedition, Skandic



- Keeps snow and moisture out, lets air in.
- Plastic frame molded over mesh for strength.
- Installs easily.
- Totally integrated design.
- Kit includes filters for bottom pan and hood openings.
- Not compatible with Heavy-Duty Front Bumper with 2" Receiver (860200987).

VENT KIT FOR SIDE PANELS

VENT KIT

REV-XM

860200609

• Kit includes vents for both side panels (24x).



- · Fast air-evacuating overmolded prefilter vents.
- Easy do-it-yourself installation onto premarked production Foam with foil included. side panels.

- 1¾" holesaw required.
- · Use in conjunction with your stock vehicle panels.
- For racing applications only.

860200684



- · Assortment of replacement or additional vents (7x) with hardware.
- · Can be installed on most body panels with relatively flat surface and 2.5 to 3.2 mm thickness.

COOLING & LUBRICATION

NEW LinQ LIGHTWEIGHT SNOWFLAP EXTENSION

REV Gen4 with short tunnel

860202393



- Removable snowflap extension that helps engine cooling in hardpack, low & icy snow conditions when installed.
- Stows on the tunnel when not in use.
- Installs on the stock lightweight snowflap of Summit & Freeride models with short tunnel.
- Compatible with stock and hitch bumpers.

Lino REMOVABLE SNOW FLAP

REV Gen4 Freeride & Summit 154" and longer

REV Gen4 146" Backcountry, Summit, Freeride: specific installation required, see instruction sheet for details

860201914

- Lets you play in the deep powder with no restriction.
 - Retains cooling properties when installed.
 - · Stows on tunnel when not in use.
 - · Installs with stock snowflap.

- Does not fit with Hitch Rear Bumper
- · Does not fit short tunnel

SNOWFLAP

REV-XP, XR except GTX, Grand Touring, XU Expedition 2009 to 2019

860200106 • Black / Yellow 860200467 · Black / Grey





- · Customize your sled.
- · Hardware included.

NEW TUNNEL ICE SCRATCHERS WITH REPLACEABLE TIPS

REV Gen 4 16" (129") and Grand Touring LTD

REV Gen4 16" (137" and up) and Summit XM

REV Gen4 20" & 24"

860202267* 860202387 860202388



- Thoughtful design features replaceable carbide tips.
- Provides additional cooling in hard or icy snow conditions.
- · Coil design allows reverse operation without damage.
- Easily stored below running board when not in use.
- Not compatible with models equipped with SAS (Smart-Shock Semi-Active Suspension).
- *Not compatible with MXZ 129" with guick-adjusters.
- *Not compatible with 129" & 137" Sport models with SC-5M suspension.
- *Bracket (860201503) required for MXZ 129" with quick-adjusters.

ICE SCRATCHERS TIPS

Fits with Tunnel Ice Scratchers with replaceable tips

860201446 • Delta shape



• Ice scratcher replaceable carbide tips.

RAIL ICE SCRATCHERS

REV Gen4, XM, XP Summit & Freeride

860201728



- Provide additional lubrication in hard and icy conditions.
- Rail mounted, small, light.
- Design expands on coil concept to allow reversing without damage.
- Easily stored when not in use.

REV-XS & XR with 600 & 900 ACE [2014 and prior and 2016 and up, 2015 models require kit 860201341]	860201350
REV-XS 1200 4-TEC (2016 and up)	860201401
REV Gen4 (Wide) with 600 ACE, 900 ACE and 900 ACE Turbo	860202038
REV Gen4 (Wide) Expedition, Skandic and Tundra with 600 EFI	860202144

AIR RADIATOR KIT



- Provides additional cooling in extreme conditions.
- Not compatible with Auxiliary LED Light (860201235).

ELECTRICAL & ELECTRONICS

ELECTRICAL

ENGINE HEATER KIT

600 ACE, 900 ACE (2018 and prior)

860201315



 \bullet Improves starting in extreme cold temperatures.

BLOCK HEATER KIT

REV Gen4 (Wide) with 900 ACE Turbo and 900 ACE (2019 and up)

860201671



- Allow easy starts in the coldest of conditions.
- Easy installation.

REV-XU Tundra

860200416



• Provides hassle-free starting in extreme cold temperatures.

ELECTRICAL

ELECTRIC STARTER KIT

REV-XP, XM, XS 600 E-TEC (2009 and up), 800R, 800R E-TEC REV-XP with 500 SS, 600 Sport (2009 and up), XP Fan, XU Tundra

860200627 860201085 860201282

REV Gen4 (Narrow)



 \bullet Start your sled with the simple push of a button.

Kit components may vary per model.

600 H0 E-TEC, 800R E-TEC engines (except REV-XU Expedition, WT, SWT)

REV Gen4 16" 600R E-TEC, 850 E-TEC and 600 EFI

REV Gen4 20" (Wide) 850 E-TEC, 600R E-TEC, 600 EFI

860201053 860201410 860202123



- · Complete rewind kit.
- Rewind handle locates behind panel; instant handle access requires different side panel.

USB POWER OUTLET KIT

REV Gen4

860201261



- Provides clean, stable power to recharge your electronics while riding.
- Dual USB ports.
- Plug-and-play installation.
- Includes wiring harness.

12-VOLT POWER OUTLET KITS

(Not illustrated)

REV-XP, XR, XU Tundra (except standard 2011–2012)
REV-XM, XS

REV Gen4

860200196 860200632

860201423

- \bullet Power up all your electronics with these easy-to-mount 12V plugs.
- Install inside storage compartment.
- · Wiring harness included.

12-VOLT POWER OUTLET REPLACEMENT KIT

861507200



• Wiring harness is not included.

12-VOLT PLUG FOR LinQ MULTI-MOUNT PLATE

REV Gen4 (Wide) 20" & 24"

REV Gen4 16"

860201888

860202069



- Standard 12V outlet for the rear of the vehicle.
- Multi LinQ Plate Retrofit Kit (860202133) required for installation on Skandic Sport.

REAR 12-VOLT POWER OUTLET

(Not illustrated)

REV-XU Skandic & Expedition without E-TEC engine

860200979

• Mounts inside rear seat storage compartment.

· Wiring harness included.

HEATED VISOR KIT

(Not illustrated)

REV Gen4

REV-XM, XS, XP, XR, XU Tundra

860201283 860201234

• Easy install plug-in for visor kit or heated bags.

• Wiring harness included.



- Enjoy fog-free riding with this visor kit option for your 1 + 1 Seat.
- To be used in conjunction with Heated 1 + 1 Grips with Guards (860200584).

1+1 SEAT ELECTRICAL VISOR/ HEATED BOOTS WIRE HARNESS

REV Gen4

860201981



- Works in conjonction with the LinQ 1+1 Seat Heated Grips [860201840].
- Provides 2 extra connections: one connection for electric visor and one connection for heated boots.

RCA ADAPTOR PLUG KIT

515176794



• Y plug power splitter lets you connect 2 heating components or 1 heater and 1 electrical visor.

ELECTRIC ACCESSORIES Y-ADAPTOR

(Not illustrated)

REV-XP, XR, XU

860201141

- Harness enables use of more than one plug-and-play accessory.
- Required when using more than one of either of these accessories: Signature LED Light for Handguards, GPS, Ambient Air & Engine Temperature Module.

ELECTRIC ACCESSORIES WIRING HARNESS

(Not illustrated)

REV-XS, XM, XP, XR, XU Tundra (except Tundra Standard 2011–2012)

860200817

Electrical kit required when combining multiple accessories.

ELECTRONICS

E LinQ

REV Gen4 (except Summit, Freeride & 600 EFI)

860201719



- Combines both DESS™ cord and heated visor cord into one. Increases freedom of movement, no longer requiring you to
- Same type of magnetic connector as used on OXYGEN helmet.
- Easily converts standard DESS cord into a powered cord.
- Eliminates chance of a broken connector.
- Increases freedom of movement, no longer requiring you to manage an additional cord.
- Easy and quick connection that self-locates..
- Works with any electric helmet and 12V heated visor.
- Maintains power connection 100% of the time.

E LinQ RF DESS KEY

REV Gen4

515178582



• Sold as replacement part for the E LinQ vehicle connector.

DESS CORD HOLDER

REV Gen4



- Hook currently sold with the E LinQ vehicle connector (860201719).
- Sold both as a replacement part for the E LinQ and as an add-on for any DESS cord from the last 10 years.
- Allows rider to attach DESS cap to the jacket and provides out-of-the-way convenience when not in use.

ELECTRONICS

PROGRAMMABLE RF D.E.S.S.™ KEY

2015 and up vehicles with 600, 900 ACE, 900 ACE Turbo or 1200 engine

860201162 · Green

515178286 · Black



• Digitally Encoded Security System (D.E.S.S) key's ball-and-socket design provides riders with easy and quick starts every time.

- · Anti-theft technology, the key communicates with the vehicle wirelessly so the vehicle starts only when the key code matches the vehicle, for ultimate peace of mind.
- · Color options facilitate the differentiation between the programmed keys.

• Programmable RF D.E.S.S.™ Key can also be programmed to limit the speed of the snowmobile and the engine torque. Enabling first-time users and less experienced operators to learn how to operate while gaining the necessary confidence and control.

Speed limitation is available on: 2015 and up 600, 900 ACE, 900 ACE Turbo models and on 2017 and up 1200 engine models.

PROGRAMMABLE D.E.S.S.™ KEY



- Anti-theft technology, Digitally Encoded Security System (D.E.S.S) key easily snaps onto the vehicle and provides riders with easy and quick starts every time.
- The key communicates with the vehicle wirelessly so the vehicle starts only when the key code matches the vehicle, for ultimate peace of mind.

515178284 · Black **860200907** • Green

• The Programmable D.E.S.S. Key can also be programmed to limit the speed of the snowmobile and the engine torque. Enabling first-time users and less experienced operators to learn how to operate while gaining the necessary confidence and control.

Speed limitation is available on-

GARMIN ZUMO† 590 GPS

REV Gen4

860201412* • Canada Only 860201263* • US only



- 5" (12.7 cm) sunlight readable, glove-friendly screen.
- Bluetooth† technology can pair with cell phones.
- Canadian topo maps included, trail maps can be downloaded.
- Cradle and harness included.
- Glovebox Extension/GPS Support (860201249) required for mounting.

GARMIN ZUMO† 590 GPS MOUNT SUPPORT KIT

REV Gen4

860201262



- Mount for Garmin Zumo 590 GPS allows use on more than one vehicle
- Plug-and-play wire harness.
- Included in Garmin Zumo 590 GPS (860201263 for US and 860201412 for CA).

MONTANA† GPS AND SUPPORT KIT

REV-XM, XS, XU, XR

860201417



- One of the best GPS systems available, designed to fit your sled perfectly with plug-and-play hook-up.
- Glovebox Extension required (860200707) for REV-XS, XM.
- Universal GPS Support Kit (860201018) required for REV-XII XR

MONTANA GPS SUPPORT KIT

(Not illustrated)

REV-XS, XM

860201029

· Mounting kit and hardware for Garmin Montana GPS.

• To be able to use GPS on more than one vehicle.

UNIVERSAL GPS SUPPORT KIT

REV-XR, XU



- · Kit includes mount, wiring harness and all hardware.
- · GPS sold separately.
- Requires Montana GPS and Support Kit (860201417).

860201966 • US only

- Dual band (VHF/UHF) frequency operation.
- 5 watts of power.
- High capacity lithium-ion battery.
- FM radio.
- Emergency alarm function.

- Dual watch/dual reception.
- Backlit display illumination.
- Battery "save" function.
- Selectable scan mode.
- Includes waterproof speaker hand microphone.

AMBIENT AIR & ENGINE TEMPERATURE MODULE

2015 and up for all platforms

REV Gen4

860201021* 860201362

- \bullet Get both outside air and engine temps on your cluster.
- Fits both analog and digital multifunction gauge.
- Plug-and-play in vehicle harness.

*Except fan-cooled engines and 2015 P-TEK.



TRAILERING & COVERS

SUPERGLIDE II PRO

• No more ripping up the plywood on your trailer.

- · Allows skis to glide with ease.
- Traction knobs incorporated for better traction.
- Exclusive venting, protects the deck of your trailer from moisture damage.

860201216

- Total length of 20' (6 m).
- Each box contains 8 pieces 8.5" x 29.5" (21.5 cm x 74.9 cm).
- Comes with 48 specially coated screws with grommets.

SUPERGLIDE II WIDE

- Allows sled skis to glide with ease.
- Specifically designed traction knobs provide improved traction for your feet.
- Oval mounting channels and custom shoulder screws prevent warping by allowing for expansion and contraction that results from varying temperature.

860201592

- Exclusive venting, protects the deck of your trailer from moisture damage.
- Each box contains 8 pieces 13.5" x 29.5" (34.3 cm x 74.9 cm).
- \bullet Comes with 72 specially coated screws with grommets.
- Total length of 20' (6 m).

SUPERGLIDE EDGE RAIL TRIM





• To secure Superglides on ramps or decks leaving an encapsulated finished edge.

SUPER TRACTION GRID



- Super Traction Grids' strategic grid pattern provides incredible grip and accommodates all snowmobile tracks, even with paddles or studs.
- \bullet Each box contains 4 pieces 8.25" x 30" [20.9 cm x 76.2 cm] and hardware.

SUPERCLAMP II



- Innovative trailer tie-down system.
- Silicone rubber pads to protect your skis.
- Front and middle handles allow easy maneuverability.
- Pad lock compatible, becomes a theft deterrent.

860201593

- $\bullet \, {\sf Tension} \, {\sf adjustment} \, {\sf knob-fits} \, {\sf all} \, {\sf snowmobiles}.$
- Comes with screw style deck hook.

REAR SUPERCLAMP WITH SUPERTRAC



- Snowmobile tie-down system for rail.
- Silicone rubber pads to protect snowmobile suspension skid.
- Tension adjustment knob—fits all snowmobiles.
- 12" (30 cm) Supertrac kit included.
- Padlock compatible, becomes a theft deterrent.

RAMP CROSSBAR PROTECTORS



2 pieces with 6 screws

10 pieces with 30 screws

24 pieces with 72 screws

860201672

860201425

860201673 860201674

- Enhance and protect your ramp investment
- Designed to mount over 1" ramp crossbars on solid, double and tri-fold loading ramps.
- · 2 pieces together helps prevent stud damage to loading ramps from snowmobile studded tracks while adding traction

860201413 · 12"

860201414 · 24"

860201415 · 48"

SUPERTRAC KIT



• Includes: 1 piece Supertrac, 1 Supertrac deck hook, 2 end caps and all mounting hardware.

T-STYLE DECK HOOK



• For trailers with a channel in the floor.

SUPERTRAC DECK HOOK



860201416

860200995



· For Supertrac. Adjustable and removable hook.

SCREW STYLE DECK HOOK



- · Most common.
- · Comes standard with front Superclamps.
- · Screws into the existing hole where you would screw the old style bar and crank into or make your own holes.

LIGHTWEIGHT PACKABLE COVER

REV Gen4

860202172

860200994



- Compact, lightweight and packable.
- · Covers front lights, handlebar, cluster, glovebox and seat area.
- Fits all REV Gen4 from 16" to 24".

TUNNEL COVER

REV Gen4 (Narrow) & (Wide) 16" up to 146" length sleds



- Protects tunnel accessories (single stacked). • Compatible with all covers (except Grand Touring Limited).
- Easy to install.
- Not compatible with LinQ Saddlebags (860200624).

WHICH COVER **BEST FITS** YOUR SLED?

_			EQI	JIV	ALI	ENT	C	ONF	-IG	UR/	٩TI	ON	AN	D P	08	SIB	LE	0P	TIC	NS	<u> </u>		
1-UP SEAT	SHORT 2-UP SEAT (TUNDRA)	1 + 1 SEAT	2-UP SEAT	BACKREST	PASSENGER HANDGRIPS	PASSENGER WIND DEFLECTORS	NO WINDSHIELD	ULTRA LOW WINDSHIELD	LOW WINDSHIELD	MEDIUM WINDSHIELD	HIGH WINDSHIELD	EXTRA HIGH WINDSHIELD	ULTRA HIGH WINDSHIELD	MIRRORS ON WINDSHIELD SIDE DEFLECTORS	HANDLEBAR AIR DEFLECTORS	MIRRORS ON HANDLEBAR AIR DEFLECTORS	MIRRORS ON SIDE PANEL	MXZ HI-RISER KIT	SUMMIT HI-RISER KIT	EXTRA FRONT BUMPER	LUGGAGE BOX	WRAP-AROUND BUMPER	CARGO BOX

	FORMS & STOCK MODELS	1-UP SEAT	SHORT 2-UP SEAT	1 + 1 SEAT	2-UP SEAT	BACKREST	PASSENGER HAND	PASSENGER WIND	NO WINDSHIELD	ULTRA LOW WIND	LOW WINDSHIELD	MEDIUM WINDSHIE	HIGH WINDSHIELD	EXTRA HIGH WIND	ULTRA HIGH WINDS	MIRRORS ON WIND	HANDLEBAR AIR D	MIRRORS ON HAND	MIRRORS ON SIDE	MXZ HI-RISER KIT	SUMMIT HI-RISER	EXTRA FRONT BUN	LUGGAGE BOX	WRAP-AROUND BL	CARGO BOX	SKU
RIE	E-ON-COVER SYSTEM WITH RAP-C	LII	P																							
	Summit, Freeride	•							•	•	•						•	•			•	•				860201884
	Summit or Freeride with Medium or High Windshield	•										•	•			•					•	•				860201885
REV GEN4 16"	MXZ, Renegade Sport, Renegade Adrenaline, Renegade X, Renegade X-RS, Backcountry, Mach Z	•							•	•	•						•	•		•		•				860201842
/ GE	Renegade Enduro	•										•				•				•		•				860201886
REI	MXZ, Renegade, Backcountry with High or Ultra High Windshield	•											•		•	•				•		•				860201841
	MXZ, Renegade, Backcountry, Grand Touring Sport, Expedition Sport			•	•	•	٠	•				٠	•		•	•				•		•				860201843
4	Grand Touring LTD			•	•	•	٠	•				•	•		•	•				•		•	•			860201887
GEN E) 1	G4 Wide 1-Up with Wrap-Around Bumper	•										•	•		•	•				•		•		•		860201908
REV GEN4 (WIDE) 16"	G4 Wide 2-Up with Wrap-Around Bumper			•	•	•	•	•				•	•		•	•				•		•		•		860201909
_	Tundra	_	٠	٠							٠	٠	•		٠	•					•	L		٠		860202173
14 8 24"	Expedition LE, Expedition SE				•	•	•	•				•	•		•	•					•	•		•	•	860201972
REV GEN4 (WIDE) 20" & 2	Expedition Xtreme								•	•	•										•	•		•	•	860201973
(WID	Skandic & Expedition SWT				•	•		•					•		•	•					•			•	•	860202200
INT	ENSE RAP-CLIP COVER																									
W	Summit SP	•								•	•		•		•	•					•	•				860201375
REV-XM	Renegade Backcountry	•										•	•			•				•		•				860201374
~	REV-XM with Medium-High Windshield	•										٠	٠			٠					٠	•				860201376
	MXZ X, Renegade X	•								•	٠						•	٠		•		•				860201373
	MXZ Sport, MXZ TNT, MXZ Blizzard, Renegade Sport, Renegade Adrenaline, Renegade Enduro	•										•	•			•				•		•				860201374
S	REV-XS 1-Up with Ultra High Windshield	•												•	•	•				•		٠				280000627
REV-XS	REV-XS with 1+1 and Backrest			•		•	•	•				٠	•			•				•		•				280000626
RE	REV-XS with Side Panel Mirrors	•									•	•	•				•	٠	•	•						280000609*
	Grand Touring LE				•	•	٠	•					•	•	•											860201371
	Grand Touring SE				•	•	٠	•					•	•	٠								•			860201372
	Expedition Sport, Grand Touring Sport	\vdash			•	•	٠	•					•	٠	٠	٠				٠		•	Ш			280000630
	Tundra Sport, Tundra LT, Tundra Xtreme	•			•						•	٠	•			•					•	•				280000650
ux	Tundra with Extra High Windshield	•			•									•		•						•				280000673
REV-XI	Expedition LE, Expedition SE, Expedition SWT, Skandic WT, Skandic SWT				•	•	٠	•						٠	•	•						•				280000649
	Expedition Extreme	•									٠	٠								٠		•				860201377
NO	RAP-CLIP, NO RIDE-ON-COVER SYS	STE	М																							
٩	Summit Sport	•								•	•						•	•	•	•	•					860201387
REV-XP	MXZ Sport, Renegade Sport	•										•	•			•	•	•	•	•	•					860201388
R	Expedition Sport				•	•	•	•					•	•		•			•							860201389

GARAGE & TRUCK SLED DECKS

DELUXE TOOL KIT 860202029



- Casing fits perfectly in Seat Storage Box with or without battery (860202532).
- Features high-quality tools.

- · Includes:
- Stainless steel open end / ring end wrenches; 8-10mm, 10-13mm, 12-14mm, 15-17mm, 16-19mm.
- $-\ ^{1}\!\!\!/_4$ drive ratchet with 4" extension, hexagonal 8 $-\ 10$ $-\ 13$ $-\ 16$, Torx 25 $-\ 30$ $-\ 40$, Allen 4 $-\ 6$ $-\ 8$ and Philips #2.
- Long nose vise-grip.
- Spring hook tool.

SLED SHOP WHEELS 860201805



- Non-slip rubber grips allow this steel 4-dolly system to move your sled easily throughout the garage.
- Works with both dual and single runner skis.
- 4-wheel dolly kit (kit includes 3 dollies with 4 wheels each).

RATCHET TIE-DOWNS 860200447 • Black / Grey



- 400 lb (181 kg) safe working load.
- 1" x 10' (2.5 cm x 3 m) strap with Sea-Doo, Ski-Doo and Can-Am logos.
- Deluxe ratchet with rubber handle.

- 660200447 Black / Gre
- Coated S hooks.
 Pack of 2.

HEAVY-DUTY RATCHET TIE-DOWNS

- 1,000 lb (454 kg) safe working load.1.5" x 6' (38 mm x 1,8 m) strap with BRP brands.
- Deluxe ratchet with rubber handle.
- Black-coated clip hooks.

715006227

- 18" (460 mm) webbing included.
- Pack of 2.

LOCKABLE VEHICLE FUEL CAP






- Lockable to protect your fuel.
- Meets latest EPA requirements.

SKI-DOO 2" (5 CM) RUBBER HITCH CAP





// PARTS

137 TRACTION & CONTROL

148 PROPULSION150 ELECTRICAL

SKI-DOO LIMITED WARRANTY*

// 1-YEAR ON GENUINE BRP PARTS

With Ski-Doo parts, you get the peace of mind of a FULL ONE-YEAR WARRANTY. And if they're installed by your authorized BRP dealer, labor is covered too. BRP-rebuilt components are a cost-effective solution.

Ski-Doo-rebuilt parts carry the same one-year warranty for major assemblies like short blocks, cylinders and crankshafts.

TRACTION & CONTROL

SKIS Fits all Pilot 7.4 and Pilot X skis NEW 860202334 **RAPID ADJUST SKI STANCE** Fits all DS-1, DS-2, DS-3 860201619 \bullet Quick tool-less design adjusts ski stance in seconds. · Sold in pairs. • Go from on-trail stability to off-trail agility. • Needs Rubber Stopper Pads (505074748) to install on DS-1 and DS-2 skis (sold individually). • Allows for 2" of ski stance adjustment. Wide ski stance Narrow ski stance **DEEP SNOW LIGHTWEIGHT SKI** SPINDLE KIT 860201976 REV Gen4 with 36" ski stance · Improves front dynamics when sidehilling. • 400 g lighter than stock spindle. • Standard on Summit X with Expert package and Freeride 154"-165" 2020 and up. PILOT X CONVERSION KIT 860202310 REV Gen4 MXZ, Renegade & Grand Touring • Upgrades earlier models to the latest Pilot X skis. • Completes kit including 2 Pilot X ski assemblies with pre-installed handles, 2 carbides and all required hardware PILOT TS CONVERSION KIT REV Gen4 MXZ, Renegade, Grand Touring 860201484 • REV-XS 2016 and up with RAS 2, REV-XP, XR, XS with 42" RAS • Upgrade to the revolutionary adjustable Pilot TS skis. 2 and 2016 spindle (860201241 or 860201353). • For 2016 and up REV-XS models with RAS 2 or previous vehicles with 42" RAS 2 upgrade kit and 2016 spindle (860201241). **PILOT 7.4 UPGRADE KIT** 860202119 · Black • Upgrade earlier models to the latest Pilot 7.4 skis. • Complete kit including 2 Pilot 7.4 ski assemblies with pre-installed handles, 2 carbides and all required hardware • Does not fit with LTS suspension. PILOT 5.7 SKI UPGRADE KIT 860200524 · Black · Complete kit for upgrading earlier snowmobile models. • Includes 2 skis, 2 handles with rivet kit, 2 Expedition carbides and all required hardware. PILOT DS-2 SKI KIT 860201487 · Black • Complete kit includes 2 ski assemblies with pre-installed handles, 2 Expedition carbides and all required hardware.

PILOT 7.4 SKI LINER

Pilot 7.4 skis

860202115 • Black



- Provides additional flotation and reduces ski wear.
- 260 mm (10.25") wide.
- Same durable material as 7.4 skis.
- Sold in pairs.

Skis make all the difference in getting your sled to handle just how you like. We offer eight different styles of skis for you to choose from. Which one is right for you? Here are some tips on choosing the right one:

	TOURING			PILOT 5.7 SL 2 carbides/ski	 Lightweight single or dual runner skis provide effortless steering at low speeds and constant grip without compromise at higher speeds. Standard use is one carbide runner—add a second to reduce darting. Great all-around trail performance.
	UTILITY	-	┸╨┰	PILOT 7.4 1 carbide/ski	 Specifically designed for utility purposes. Deeper keels allow more control while towing. Increased tip-up rear end for better reverse capability. 1 inch wider than Pilot DS-2 for improved flotation in deep snow. More aggressive cornering while keeping a light steering feeling.
EV			₩	PILOT 5.7 1 or 2 carbides/ski****	 Lightweight single or dual runner skis provide effortless steering at low speeds and constant grip without compromise at higher speeds. Standard use is one carbide runner—add a second to reduce darting. Great all-around trail performance.
XS / XM / RI	SPORT	all the same of th	Т ,Д	PILOT TS ADJUSTABLE 1 carbide/ski	 The industry's first and only adjustable ski. The Pilot TS skis allow riders to change ski bite for changing snow conditions or riding styles easily and quickly. With the Pilot TS skis you dial in the perfect setting by turning a knob on the ski leg. The ski runner has ½" (12.5 mm) of travel up and down. The thin runner and square keel design work together to eliminate darting.
XR / XU /	TRAIL SPORT		نسن	PILOT X 1 carbide/ski	Completely redesigned from Pilot 5.7 with a new structural topside for 10% more rigidity. In mm longer keel with a new shape reduces darting. Adds 10% more lateral surface area and blends more smoothly with a new carbide. 11° degree reduction in approach angle.
GEN4 / XP /		•	غريغ	PILOT TX 1 carbide/ski	 Improved to better match the REV Gen4 features. Redesigned top side for increased rigidity. 20 mm shorter overall length and more dramatic tip-up at the rear. 63 mm longer runner plate increases lateral surface for more effective cornering. Smoother front approach angle to reduce darting even further.
PLATFORMS: REV GE	TRAIL PERFORMANCE	A. Carlo	┸╥┸	PILOT R 1 carbide/ski	 Straight from the MXZ X 600RS race sled. Very aggressive profile for sharp handling. Lightweight with high rigidity. Proven on the ISOC race circuit.
PLATE			1 w L	PILOT DS** 1 carbide/ski	 Designed specifically for deep snow riding. Works well in many off-trail applications from utility sleds to mountain sleds. Thin edge is effective for grabbing side hills.
	NONS a		1	PILOT DS-2 1 carbide/ski	 Evolution of the DS with a deeper and shorter keel. Increased agility and less effort than the original. Great all-around ski for deep snow use. Standard on mountain sleds with 2.5" lug tracks and utility sleds.
	DEEP		1,1	PILOT DS-3** 1 carbide/ski	• Deep snow ski designed to match the latest 3" lug and longer tracks • 0.47" (12 mm) deeper keel than DS-2.
			W	PILOT DS-3 REV Gen4*** 1 carbide/ski	Works well for aggressive riders using the biggest tracks.

									COL	NRS								
	nck Right	Yel Left	low Right		st Yellow Right		Yellow Right	Black/ Left	White	Viper Left	Red Right	Lava Red Left Right		e Crush Right	Race 0		Manta Left	
505072447	3030/2443	V/ W	V/N	۷, ۷	N/A	V/ W	N/A	V/ N	Z/N	A/N		N/A		N/A	V/N	C.	V/ N	۲./W
377770303	3030/4/30	W / W	N/N	V / W	N/A	W / W	N/A	V/ W	N/A	N/A		N/A		N/A	V/N		V/N	۲ /N
505072854	505072855	505073028	505073029	505073575	505073576	505073030	505073031	505073032	505073033	505073026	505073027	N/A	505074071	505074072	505073645	505073646	505074239	505074240
505074829	505074830	V) N	A/A	505073851	505073852		N/A	×, ×	¥.N	A/N		N/A	505074067	505074068	V/N		505074235	505074236
505074926	505074927	ν,	A/N	505075024	505075025	ζ,	N/A	V, N	¥/N	A/N		N/A	:	V/A	V N		V, N	۲ / N
505074776	505074777	V/ W	N/A	505075026	505075027	V/ W	N/A	V/N	¥ /2	N/A		N/A		N/A	V/N		V/N	ت /N
013710303	0,001,000	V/ W	N/A	00000	50.507.46.90	V/ W	N/A	×,	¥/N	A/N		N/A	:	A/A	Š	<i>'</i>	×,	N/N
00122100	0016/0606	۷/ ۷	A/A	×,	N/A	۷/ ۷	N/A	V/ N	Y/N	A/N		N/A	:	N/A	V/ N		V/ N	ה/או
100273337	2020/255/		5050/32//	0.00	8696/0606	V/ W	N/A		6 7 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6	A/N		505073510		505073511	505073654		7322603	L
97.7.0503	9000 / 0000	V/ N	A/A	7	3030/4/36° 3030/362/	V/ N	N/A	V/ N	Z N	A/N		N/A		505074757 505074023	0/2		505074755 505077000	2000
97770303	3030/4/40	V N	N/N	, C	5050 /4/56	V N	N/N	V/ N	Ĭ.	505074747	:	N/A		505074757	ď, N		505076755	20000

SKIS

PILOT DS SKI LINER

Pilot DS-2 skis

Pilot DS skis

860201040 · Black 860200636 • Black



- Provides additional flotation and reduces ski wear.
- Same durable material as DS Ski.
- · Sold in pairs.

SKI SKIN

Pilot 6.9 skis

860200422 • Black



- Provides additional flotation and reduces ski wear.
- Made of durable polyethylene.
- · Sold in pairs.

DS-3 SKI TIP KIT

Fits vehicles with DS-3 skis

860201214 · Black

860201501 • Sunburst Yellow



- Easy-install custom color tips change the appearance of your sled in minutes.
- Adds flotation on the front of the DS-3 ski.
- · Sold in pairs with mounting hardware.

SKI HANDLE RIVET KIT

860200525



• Includes 2 long and 2 short aluminum rivets for repairing the handle on Pilot skis.

SKI HANDLE

Pilot 5.7, 6.9, Pilot SL and Pilot TS, Pilot X and TX

505070917 • Yellow **505070963** • Black

505071038 • Scarlet Red

505071048 • Orange Saturn

505071059 • Viper Red

505071556 • Full Moon

505072102 • White 505073649 • Race Orange 505073642 • Sunburst Yellow 505074226 • Manta Green

505074223 • Tactical Grey



• High-density colored polyethylene loops.

SKI HANDLE

SKI HANDLE

505072976 · Black **505073107** • Yellow **505073108** • White

505073388 · Lava Red

505073513 • Orange Crush **505073651** • Race Orange **505073665** • Sunburst Yellow

• High-density colored polyethylene loops.



Pilot R **505071674** • Yellow 505073138 · Black



• ISR compliant race ski loop.

Pilot 7.4, DS-1, DS-2, DS-3

• High-density colored polyethylene loops.

SKI HANDLE

Pilot X, Pilot TX, 5.7, 6.9, SL and TS

505075029 • Lava Red **505075028** • Sunburst Yellow

505074778 · Black



• High-density colored polyethylene loops.

SKI-DOO PILOT* SKIS AND CARBIDES TO SUIT ALL RIDING STYLES

PILOT X CARBIDES RUNNER

Pilot X and Pilot 5.7 Skis

• 4" 90° carbides

860202180



PILOT TX CARBIDES RUNNER

Pilot TX Skis – 4" 90° carbides

860202192

Pilot TX Skis – 7" 60° carbides

860202243



- 12.5 mm longer runner: Increased front-end grip and steering stability.
- Smoother runner attack angle (10°) for increased predictability.

PILOT TS CARBIDE RUNNER

Pilot TS - [7" 60° tall]

860201364



- Increases front end bite with an extra ¼" (6 mm) of runner depth, plus 7" of 60° carbide.
- For Pilot TS adjustable skis.
- · Sold in pairs.
- Patent pending US20150314800A1.

PILOT TS CARBIDE RUNNER

Pilot TS - (7" 60° carbides - Pilot TS)

Pilot TS (stock replacement) - (5" 90° carbides)

860201240

860201178



- For Pilot TS adjustable skis.
- Sold in pairs.
- Patent pending US20150314800A1.

PILOT EXPEDITION CARBIDES

Pilot X, Pilot 5.7 SL, Pilot 5.7, Pilot 7.4, Pilot DS, Pilot DS-2, Pilot DS-3 Skis

860201044 • Square - Pack of 2 **860201220** • Round 7/16" - Pack of 2



 Protected under patent numbers US 7,413,198, US 7,389,995 and CA2535565.

PILOT EXTREME CARBIDES

Pilot X, Pilot 5.7 SL, Pilot 5.7, Pilot 7.4, Pilot DS, Pilot DS-2, Pilot DS-3 Skis
Pilot X, Pilot 5.7 SL, Pilot 5.7, Pilot DS, Pilot DS-2, Pilot DS-3 Skis

860201045 • Round ½" - Pack of 4 860201043 • Round ½" - Pack of 2



 Protected under patent numbers US 7,413,198, US 7,389,995 and CA2535565.

SKI-DOO PILOT* SKIS AND CARBIDES TO SUIT ALL RIDING STYLES

PILOT R CARBIDES

Pilot R skis

860201697



- Round, ⁷/₁₆" runners with 4 fixation points and 6" of 60° carbides.
- · Pack of 2.

SKI-DOO BY woody's CARBIDES

Pilot skis, except DS and DS-2

Pilot X, Pilot 5.7 SL, Pilot 5.7, Pilot DS, Pilot DS-2, Pilot DS-3 skis Pilot X, Pilot 5.7 SL, Pilot 5.7, Pilot DS, Pilot DS-2, Pilot DS-3 skis 860200443 • Preformed 4" 60° 860200513 • Preformed 6" 60°

860200514 · Preformed 8" 60°



- The Dooly† by Woodys has two 7/16" Flat-Top† runners mounted on a plate for each ski.
- Four contact lines on snow surface help decrease darting of sled as it makes own groove in a trail.
- When in a turn, only one of the Dooly bars is in contact with the snow or ice.
- A Dooly with 4", 6" or 8" of carbide on both runners provides the same turning power as a single runner with 4", 6" or 8" of turning carbide.
- · Sold individually.

ACE SKI RUNNER

CARBIDE RUNNER

Pilot X, Pilot 5.7 SL, Pilot 5.7, Pilot 7.4, Pilot DS, Pilot DS-2, Pilot DS-3 skis
Pilot X, Pilot 5.7 SL, Pilot 5.7, Pilot 7.4, Pilot DS, Pilot DS-2, Pilot DS-3 skis

860201969 • Preformed 6" 60°

860201970 • Preformed 8" 60°



- Woodys ACE single runner line uses a 3/8" x 1/2" preformed steel square bar.
- Taller profile and more aggressive, providing excellent control in all conditions.
- · Works great in deep snow.

- Carries innovative features like 60° carbide inserts that are guaranteed not to come out under any conditions, Flat-Top design, rounded wear pads, full-length hardweld and bevel-cut host bar that doesn't snag trailer edge.
- · Pack of 2.

EXECUTIVE[†] CARBIDES

Pilot X, Pilot 5.7 SL, Pilot 5.7, Pilot 7.4, Pilot DS, Pilot DS-2, Pilot DS-3 skis

860200580



- ½" round preformed material swedged at each end to best fit ski contour fitted with 8" of 60° turning carbide.
- Performance trail riders are known to use this runner.
- Provides proper balance with a studded track.
- Pack of 2.

EXTENDER TRAIL III† CARBIDES

Pilot X, Pilot 5.7 SL, Pilot 5.7, Pilot 7.4, Pilot DS, Pilot DS-2, Pilot DS-3 skis

860200578



- 4" of 60° turning carbide provides positive cornering control.
- Pack of 2.

TRAIL BLAZER IVT CARBIDES

Pilot X, Pilot 5.7 SL, Pilot 5.7, Pilot 7.4, Pilot DS, Pilot DS-2, Pilot DS-3 skis

860200579



- With 6" of 60° turning carbide, this runner is designed for trail riders looking for performance in cornering power and control.
- Pack of 2.

WHEELS & SLIDER SHOES

SLIDER WITH VESPEL* INSERTS

All models with 163" and longer tunnels
All models with 154" and shorter tunnels

503194816 503194815



- Uses DuPont Vespel inserts for less friction.
- Can be cut to desired length.
- Better fuel efficiency, more power and increased vehicle speed due to reduced friction between the track clips and clides
- Reduced need for maintenance and associated costs.
- Extended life due to enhanced wear characteristics of Vespel polyamide over incumbent UHMW PE.
- Allows riders to operate sleds in less than acceptable snow and trail conditions since water from snow is not needed for lubricity as with incumbent UHMW PE slide rails.

Note: The use of aggressive skis, ski carbide runners or studs will alter the handling of your snowmobile, particularly in terms of maneuverability, acceleration and braking. Please refer to your Operators Guide for more details.

SLIDER SHOES



- · Custom color-matched slider shoes with built-in wear marker.
- · Long-lasting, impact-resistant.
- · For all slide rail lengths.
- · Easy-cut to desired length.

MODELS

146" SC-5 – Mountain & tMotion	503191499 · Black 503191695 · Yellow 503191947 · White
154" SC-5 – Mountain & tMotion	503191198 • Black 503191696 • Yellow 503191948 • White

- **503191501** Black 503191697 · Yellow **503191949** • White 163" SC-5 - Mountain & tMotion
- REV Gen4 154" 503194251 · Black
- **503194520** Orange REV Gen4 165" 503194254 · Black
- 503194413 · Black 503194906 • Manta Green REV Gen4 175" **503194908** • Sunburst Yellow
- 503191301 · Black **503191693** • Yellow 503191945 · White 120" SC-5 & rMotion
- 503192562 · Red rMotion and rMotion X 120"
- **503191306** Black **503191694** • Yellow 503191946 • White rMotion and rMotion X 137" 503192563 · Red
- 137" rMotion Grand Touring 900 ACE 503193449 · Black
- 503194506 Sunburst Yellow
- **503194505** White **REV-XS 174**"

LIGHTWEIGHT WHEEL



· Color-matched lightweight snowmobile wheels.

MODELS

174" tMotion

- 141 mm REV Gen4, XM, XS, XP, XR
- 152 mm REV Gen4, XM, XS, XP, XR
- 180 mm REV Gen4, XM, XS, XP, XR
- 141 mm rMotion
- 147 mm rMotion
- 180 mm rMotion

REV Gen4 Summit, Freeride and Backcountry, XM, XM Summit X with

503192794 · Black 503191621 · Yellow

503193819 · Black

- **503191622** Full Moon 503191942 · White
- 503191755 · Black
- **503191626** Yellow 503191627 • Full Moon 503191742 · Black
- 503191943 · White
- 503193477 · Black 503193376 · Black
- 503192766 · Black
 - 860201230 · 141 mm 860201183 · 152 mm

EXTRA IDLER WHEEL KIT



• Reduces drag and rolling resistance.

REV-XP, XR (except rMotion)

• Includes 2 wheels, brackets and hardware.

4TH REAR WHEEL KIT* - 180 MM

(Not illustrated)

REV-XS, XP, XR 120" and 137"

- 4th rear idler design reduces drag and rolling resistance.
- 860200358 · 180 mm

· Works in conjunction with stock 3 wheel setup.

503191778 • 6006 503190396 • 6004 \$9.19 NSK[†] 503193548 • 6005 \$11.99 293350115 • 6205





- High performance grease developed for extreme temperatures, water resistance and high speeds with low start torque.
- · Advanced Winter Grade DUL1 double-contact seal design for optimum protection from moisture and contamination.
- Polyamide resin ball-guide cage facilitates smooth rolling contact and lubricant distribution.
- Ultra-clean steel for extended bearing life—high-grade balls for quiet and smooth operation even at high speed.
- Super finished raceways to minimize noise and improve lubricant distribution and life.

TRACTION

// TRACKS, YOUR CONNECTION TO THE SNOW

POWDER MAX LIGHT

- 3.5" (8.89 cm) pitch reduces weight and keeps snow between lugs for added performance.
- Exclusive 16" (41 cm) wide design adds flotation and traction without sacrificing maneuverability.
- Edges flex to reduce the effort to initiate roll-up.
- Available in either 2.5" or 3.0" (6.3 or 7.62 cm) lug heights.

POWDER MAX 3 / FLEXEDGE

- The track edges bend, making roll-up easy and predictable.
- Exclusive FlexEdge technology available in Powder Max, Powder Max 2 & 3 and Cobra 1.6 profiles.
- From 137" to 174".

154" 16" 2.50" Powder Max Light 1 clip every 2 profiles	SKU	CLIP	PROFILE	LUG HEIGHT	WIDTH	LENGTH	PITCH
3.5" 165" 16" 2.50" Powder Max Light 1 clip every 2 profiles	504153791	1 clip every 2 profiles	Powder Max Light	2.50"	16"	154"	
165' 16' 3.00' Powder Max Light 1 clip every 2 profiles	504153785	1 clip every 2 profiles	Powder Max Light	3.00"	16"	154"	
175" 16" 3.00" Powder Max Light 1 clip every 2 profiles	504153792	1 clip every 2 profiles	Powder Max Light	2.50"	16"	165"	3.5"
154" 16" 3.00" Powder Max 3 / FlexEdge 1 clip every 2 profiles	504153786	1 clip every 2 profiles	Powder Max Light	3.00"	16"	165"	
163" 16" 3.00" Powder Max 3 / FlexEdge 1 clip every 2 profiles	504153787	1 clip every 2 profiles	Powder Max Light	3.00"	16"	175"	
174" 16" 3.00" Powder Max 3 / FlexEdge 1 clip every 2 profiles	504153349	1 clip every 2 profiles	Powder Max 3 / FlexEdge	3.00"	16"	154"	
120" 15" 1.25" ICE Ripper XT Full clip	504153224	1 clip every 2 profiles	Powder Max 3 / FlexEdge	3.00"	16"	163"	3.00"
120° 15° 1.00° RipSaw Full clip 120° 15° 1.25° RipSaw Full clip 129° 15° 1.25° ICE Ripper XT Full clip 129° 15° 1.25° RipSaw Full clip 129° 15° 1.25° RipSaw Full clip 129° 15° 1.25° RipSaw 2 PLY Full clip 129° 15° 1.50° RipSaw 2 PLY Full clip 129° 15° 1.50° ICE Ripper XT Full clip 129° 15° 1.60° Cobra Full clip 137° 15° 1.25° RipSaw (Silent Drive 2 System) Full clip 137° 15° 1.25° Ice Ripper XT (Silent Drive 2 System) Full clip 137° 15° 1.25° ICE Ripper XT Full clip 137° 15° 1.25° ICE Ripper XT Full clip 137° 15° 1.25° RipSaw Full clip 137° 15° 1.50° RipSaw Full clip 137° 15° 1.50° RipSaw Full clip 137° 15° 1.50° ICE Ripper XT Full clip	504153234	1 clip every 2 profiles	Powder Max 3 / FlexEdge	3.00"	16"	174"	
120" 15" 1.25" RipSaw Full clip 129" 15" 1.25" RipSaw 2 PLY Full clip 129" 15" 1.50" RipSaw 2 PLY Full clip 129" 15" 1.50" ICE Ripper XT Full clip 129" 15" 1.60" Cobra Full clip 137" 15" 1.25" RipSaw (Silent Drive 2 System) Full clip 137" 15" 1.25" Ice Ripper XT (Silent Drive 2 System) Full clip 137" 15" 1.25" Cobra 1 clip every 2 profiles 137" 15" 1.25" ICE Ripper XT Full clip 137" 15" 1.25" RipSaw Full clip 137" 15" 1.25" RipSaw 2 PLY Full clip 137" 15" 1.50" RipSaw 2 PLY Full clip 137" 15" 1.50" RipSaw Full clip 137" 15" 1.50" ICE Ripper XT Full clip	504153100	Full clip	ICE Ripper XT	1.25"	15"	120"	
129" 15" 1.25" ICE Ripper XT Full clip 129" 15" 1.25" RipSaw Full clip 129" 15" 1.25" RipSaw 2 PLY Full clip 129" 15" 1.50" RipSaw 2 PLY Full clip 129" 15" 1.50" ICE Ripper XT Full clip 129" 15" 1.60" Cobra Full clip 129" 15" 1.60" Cobra Full clip 137" 15" 1.25" RipSaw (Silent Drive 2 System) Full clip 137" 15" 1.25" Cobra 1 clip every 2 profiles 137" 15" 1.25" ICE Ripper XT Full clip 137" 15" 1.25" RipSaw Full clip 137" 15" 1.25" RipSaw Full clip 137" 15" 1.25" RipSaw 2 PLY Full clip 137" 15" 1.50" RipSaw 2 PLY Full clip 137" 15" 1.50" RipSaw Full clip 137" 15" 1.50" ICE Ripper XT Full clip	504152760	Full clip	RipSaw	1.00"	15"	120"	
129" 15" 1.25" RipSaw Full clip	504152606	Full clip	RipSaw	1.25"	15"	120"	
129" 15" 1.25" RipSaw 2 PLY Full clip 129" 15" 1.50" RipSaw 2 PLY Full clip 129" 15" 1.50" ICE Ripper XT Full clip 129" 15" 1.60" Cobra Full clip 137" 15" 1.25" RipSaw (Silent Drive 2 System) Full clip 137" 15" 1.25" Ice Ripper XT (Silent Drive 2 System) Full clip 137" 15" 1.25" Cobra 1 clip every 2 profiles 137" 15" 1.25" ICE Ripper XT Full clip 137" 15" 1.25" RipSaw Full clip 137" 15" 1.25" RipSaw Full clip 137" 15" 1.25" RipSaw Full clip 137" 15" 1.50" RipSaw Full clip 137" 15" 1.50" RipSaw Full clip 137" 15" 1.50" ICE Ripper XT Full clip 137" 15" 1.60" ICE Cobra 1.6 (REV Gen4 compatible) Full clip	504153345	Full clip	ICE Ripper XT	1.25"	15"	129"	
129" 15" 1.50" RipSaw 2 PLY Full clip 129" 15" 1.50" ICE Ripper XT Full clip 129" 15" 1.60" Cobra Full clip 137" 15" 1.25" RipSaw [Silent Drive 2 System] Full clip 137" 15" 1.25" Ice Ripper XT [Silent Drive 2 System] Full clip 137" 15" 1.25" Cobra 1 clip every 2 profiles 137" 15" 1.25" ICE Ripper XT 137" 15" 1.25" RipSaw Full clip 137" 15" 1.25" RipSaw Full clip 137" 15" 1.25" RipSaw 2 PLY Full clip 137" 15" 1.50" RipSaw 2 PLY Full clip 137" 15" 1.50" RipSaw Full clip 137" 15" 1.50" ICE Ripper XT Full clip 137" 15" 1.60" ICE Cobra 1.6 (REV Gen4 compatible) Full clip	504153344	Full clip	RipSaw	1.25"	15"	129"	
129" 15" 1.50" ICE Ripper XT Full clip	504153346	Full clip	RipSaw 2 PLY	1.25"	15"	129"	
129" 15" 1.60" Cobra Full clip	504153347	Full clip	RipSaw 2 PLY	1.50"	15"	129"	
2.86" 137" 15" 1,25" RipSaw (Silent Drive 2 System) Full clip 137" 15" 1,25" Cobra 1 clip every 2 profiles 137" 15" 1,25" ICE Ripper XT Full clip 137" 15" 1,25" RipSaw Full clip 137" 15" 1,25" RipSaw 2 PLY Full clip 137" 15" 1,50" RipSaw Full clip 137" 15" 1,50" ICE Ripper XT Full clip 137" 15" 1,60" ICE Cobra 1.6 (REV Gen4 compatible) Full clip	504154056	Full clip	ICE Ripper XT	1.50"	15"	129"	
2.86" 137" 15" 1.25" Cobra 1 clip every 2 profiles 137" 15" 1.25" ICE Ripper XT Full clip 137" 15" 1.25" RipSaw Full clip 137" 15" 1.25" RipSaw 2 PLY Full clip 137" 15" 1.50" RipSaw Full clip 137" 15" 1.50" ICE Ripper XT Full clip 137" 15" 1.50" ICE Ripper XT Full clip 137" 15" 1.60" ICE Cobra 1.6 (REV Gen4 compatible) Full clip	504153420	Full clip	Cobra	1.60"	15"	129"	
137" 15" 1.25" Cobra 1 clip every 2 profiles 137" 15" 1.25" ICE Ripper XT Full clip 137" 15" 1.25" RipSaw Full clip 137" 15" 1.50" RipSaw 2 PLY Full clip 137" 15" 1.50" RipSaw Full clip 137" 15" 1.50" ICE Ripper XT Full clip 137" 15" 1.60" ICE Cobra 1.6 (REV Gen4 compatible) Full clip	504153789	Full clip	RipSaw (Silent Drive 2 System)	1,.25"	15"	137"	
137" 15" 1.25" ICE Ripper XT Full clip 137" 15" 1.25" RipSaw Full clip 137" 15" 1.25" RipSaw 2 PLY Full clip 137" 15" 1.50" RipSaw Full clip 137" 15" 1.50" ICE Ripper XT Full clip 137" 15" 1.60" ICE Cobra 1.6 (REV Gen4 compatible) Full clip	504154005	Full clip	Ice Ripper XT (Silent Drive 2 System)	1.25"	15"	137"	2.86"
137" 15" 1.25" RipSaw Full clip 137" 15" 1.25" RipSaw 2 PLY Full clip 137" 15" 1.50" RipSaw Full clip 137" 15" 1.50" ICE Ripper XT Full clip 137" 15" 1.60" ICE Cobra 1.6 (REV Gen4 compatible) Full clip	504152838	1 clip every 2 profiles	Cobra	1.25"	15"	137"	
137" 15" 1.25" RipSaw 2 PLY Full clip 137" 15" 1.50" RipSaw Full clip 137" 15" 1.50" ICE Ripper XT Full clip 137" 15" 1.60" ICE Cobra 1.6 (REV Gen4 compatible) Full clip	504153101	Full clip	ICE Ripper XT	1.25"	15"	137"	
137" 15" 1.50" RipSaw Full clip 137" 15" 1.50" ICE Ripper XT Full clip 137" 15" 1.60" ICE Cobra 1.6 (REV Gen4 compatible) Full clip	504152905	Full clip	RipSaw	1.25"	15"	137"	
137" 15" 1.50" ICE Ripper XT Full clip 137" 15" 1.60" ICE Cobra 1.6 (REV Gen4 compatible) Full clip	504154284	Full clip	RipSaw 2 PLY	1.25"	15"	137"	
137" 15" 1.60" ICE Cobra 1.6 (REV Gen4 compatible) Full clip	504153237	Full clip	RipSaw	1.50"	15"	137"	
	504154057	Full clip	ICE Ripper XT	1.50"	15"	137"	
	504153706	Full clip	ICE Cobra 1.6 (REV Gen4 compatible)	1.60"	15"	137"	
129" 15" 1.60" ICE Cobra 1.6 (REV Gen4 compatible) Full clip	504153705	Full clip	ICE Cobra 1.6 (REV Gen4 compatible)	1.60"	15"	129"	
146" 15" 1.60" ICE Cobra 1.6 (REV Gen4 compatible) Full clip	504153717	Full clip	ICE Cobra 1.6 (REV Gen4 compatible)	1.60"	15"	146"	
146" 15" 1.60" Cobra Full clip	504153669	Full clip	Cobra	1.60"	15"	146"	









POWDER MAX 3 / FLEXEDGE

POWDER MAX 3

ICE COBRA 1.6

ICE RIPPER XT

PITCH	LENGTH	WIDTH	LUG HEIGHT	PROFILE	CLIP	SKU
	137"	16"	1.25"	Cobra	1 clip every 2 profiles	504152907
	137"	16"	1.75"	Powder Max	1 clip every 2 profiles	504152803
	137"	16"	1.75"	Powder Max / FlexEdge	Full clip	504153294
	137"	16"	2.25"	Powder Max	Full clip	504153103
	137"	16"	2.25"	Powder Max / FlexEdge	Full clip	504153293
	137"	16"	1.25"	RipSaw	1 clip every 2 profiles	504152734
	146"	16"	2.00"	Powder Max / FlexEdge	1 clip every 2 profiles	504153348
	146"	16"	2.00"	Powder Max	1 clip every 2 profiles	504153670
	146"	16"	2.25"	Powder Max / FlexEdge	1 clip every 2 profiles	504153222
	146"	16"	2.50"	Powder Max 2 / FlexEdge	1 clip every 2 profiles	504153198
	154"	16"	1.50"	Charger	1 clip every 2 profiles	504152761
	154"	16"	2.00"	Powder Max	Full clip	504153173
	154"	16"	2.25"	Powder Max	1 clip every 2 profiles	504153015
2.86"	154"	16"	2.25"	Powder Max / FlexEdge	1 clip every 2 profiles	504153223
	154"	16"	2.50"	Powder Max 2	1 clip every 2 profiles	504153009
	154"	16"	2.50"	Powder Max 2 / FlexEdge	1 clip every 2 profiles	504153199
	154"	16"	2.50"	ProLite	1 clip every 2 profiles	504153396
	154"	20"	1.25"	Utility	1 clip every 3 profiles	504152817
	154"	20"	1.50"	Extreme Utility	1 clip every 3 profiles	605613004
	154"	20"	1.50"	Silent Cobra WT	Full clip	504153973
	154"	20"	1.50"	Silent ICE Cobra WT	Full clip	504153974
	154"	20"	1.80"	Cobra WT	Full clip	504154041
	154"	20"	1.25"	ICE Ripper	Full clip	504153036
	154"	20"	1.50"	ICE Ripper	Full clip	504153037
	154"	20"	1.75"	Powder Max	1 clip every 3 profiles	504153133
	163"	16"	2.25"	Powder Max	1 clip every 2 profiles	504153016
-	163"	16"	2.50"	Powder Max 2 / FlexEdge	1 clip every 2 profiles	504153200
2.52"	156"	24"	1.25"	ICE Ripper for SWT	Full clip	504153927

TRACTION



COBRA WT	ICE ATTAK XT	RIPSAW II 1.5	BACKCOUNTRY X	CONQUER 280

PITCH	LENGTH	WIDTH	LUG HEIGHT	PROFILE	CLIP	SKU
3.5"	165"	15"	2.8"	Conquer 280	1 clip every 2 profiles	C9340M
3.3	154"	15"	2.8"	Conquer 280	1 clip every 2 profiles	C9341M
3.00"	174"	15"	3.2"	Challenger X3.2	1 clip every 2 profiles	C9311M
	146"	16"	2.25"	Powder Max	1 clip every 2 profiles	C9064M
	137"	16"	1.6"	ICE Cobra 1.6*	Full clip	C9249C
	137"	15"	1.75"	Backcountry X	Full clip	C9289C
2.05"	137"	15"	1.5"	RipSaw II 1.5	Full clip	C9306C
2.86"	120"	15"	1.75"	Hurricane 175	Full clip	C9400C
	129"	15"	1.75"	Hurricane 175	Full clip	C9401C
	137"	15"	1.75"	Hurricane 175	Full clip	C9402C
	146"	15"	1.75"	Hurricane 175	Full clip	C9403C
2.52"	121"	15"	1.22"	ICE Attak XT	Full clip	C9200H
2.52"	156"	24"	1.75"	Cobra SWT	Full clip	C9260U



TRACTION ACCESSORIES

PHANTOM SHARP STUDS & SUPPORT PLATES BY WOODY'S 5/16 - 1.325"



- All the benefits of 286 Phantom Series studs.
- Unique track design makes it the only traction product available to maintain track warranty and track life.
- · Kit complete with stud, nut and support plate.
- The only traction product approved by BRP.

MODELS

REV Gen4, XS, XP, XR - 120" tracks

REV Gen4, XS, XP, XR - 129" & 137"

REV Gen4, XS, XP, XR - [5/16 - 1.325"]

860200729 • Pack of 84

860200730 • Pack of 96

860200731 • Pack of 500

860200718 • Pack of 84

860200719 · Pack of 96

860200720 · Pack of 500

860200721 • Pack of 84

860201281 • Pack of 90

860200722 · Pack of 96

860200723 • Pack of 500

286 PHANTOM SERIES STUDS & SUPPORT PLATES BY WOODY'S



- · A complete line of traction products developed specifically for Ski-Doo's REV Gen4, XS, XP, XR tracks.
- Due to the unique track design, this is the only traction product available to maintain track warranty and track life.
- · Kit complete with stud, nut and support plate.
- · The only traction product approved by BRP.

MODELS

REV Gen4, XS, XP, XR - 120" tracks • 5/16 - 1.075"

REV Gen4, XS, XP, XR - 129" & 137" tracks • $\frac{5}{16}$ - 1.075"

REV Gen4, XS, XP, XR • 5/16 - 1.075"

REV Gen4, XS, XP, XR - 120" tracks • 5/16 - 1.325"

REV Gen4, XS, XP, XR - 129" tracks • 5/16 - 1.325"

REV Gen4, XS, XP, XR - 137" tracks • 5/16 - 1.325"

REV Gen4, XS, XP, XR • 5/16 - 1.325"

2 ply tracks • 5/16 - 1.325"

REV Gen4 Mach Z (2021) & all 1 1/4" 137' 415128957 • Pack of 96

GOLD DIGGER[†] STUDS AND SUPPORT PLATES BY WOODY'S



- Through-hardened carbon steel with 60° carbide insert
- 1" head with patented track trapping design.
- Due to the unique track design, this is the only traction product available to maintain track warranty and track life.
- · Kit complete with stud, nut and support plate.
- The only traction product approved by BRP

TUNNEL PROTECTOR KIT



- Protects your bulkhead and heat exchangers in all conditions.
- Provides proper protection for stud installation on pre-studded track.
- So unique—patent pending US20160152304.

MODELS

REV-XP fan-cooled 120" & 137", REV-XU Tundra 137"

REV-XU Expedition (2011 & up) and

Skandic SWT, WT

REV-XP (except fan-cooled), REV-XR, REV-XS 120", 129" & 137

REV Gen4 16", 129" and 137" tracks with Ice Ripper track or Woody's studs, REV Gen4 (Wide) 20" with Ice Ripper and Silent Ice Cobra WT.

REV Gen4 with 129" Ice Cobra, Ice Attak XT track or Ice Ripper XT (Silent Drive 2 System)

REV Gen4 with 137" Ice Cobra, Ice Attak XT track or Ice Ripper XT

(Silent Drive 2 System)

REV Gen4 with 146" Ice Cobra, Ice Attak XT track or Ice Ripper XT [Silent Drive 2 System]

860200381

860200757

860200802

860201280

860201688

860201692

860201693

415128884

DRILL BIT





PROPULSION



PERFORMANCE DRIVE BELTS

- High performance drive belts calibrated to maximize your sled's performance.
- Aramid tensile cords used in construction for extra long life and dependability, also delivers a consistent length with minimal belt shrinkage and minimal length adjustments.
- High tensile reinforced fiber elastomer undercords provide minimal dusting and long term flex life.
- Flexweave overcord for superior adhesion and crack resistance.
- Consistent performance during life of belt.
- Quality you can count on for optimum performance.
- Built with distinctive durability features for mountain, trail or fast tracks.

SKU	DESCRIPTION			
REV Gen4, XM, XS, XP,				
417300571	850 E-TEC, 900 ACE Turbo R, 900 ACE Turbo – 150			
417300531	800R E-TEC (all model years), 800R P-TEK (all model years)			
417300558	900 ACE Turbo GT 2019, 900 ACE Turbo – 130			
417300551	600R E-TEC, 600 E-TEC, 1200 4-TEC, 900 ACE			
417300586	600 EFI			
417300367	550 Fan (2010-2011)			
415060600	Fan (2009 and prior)			
414860700	550 Fan (2012, 2014)			
417300585	600 ACE, 550 Fan			
RT				
417300189	1000			
ZX				
414860700	500, 600 LC			
417300585	700, 800 LC			
417300067	700 (1999, 2000)			
415060600	Fan			
417300586	V-1000, 600 SDI (2004), V-800			
417300383	800 SDI (2004)			
UTILITY (EXCEPT REV G	en4 (WIDE) 20" & REV-XU)			
605348425	All 2008 models, 2007 TUV and SWT V-800			
414633800	All Fan Skandic except Tundra			
417300326	Tundra RF 300			
415060600	Tundra RF 500			
417300586	Tundra RF V-800			
414827600	Old Tundra 280 Fan			
S-CHASSIS				
417300067	Semi-cogged Semi-cogged			
414860700	Not cogged			
	1	L		
PISTON KIT	593 H0 including SDI Ski 552	415129406		
	1 SVI 552	1 615124562		



[•] Kit includes: piston, rings, piston pin, needle bearing and circlips.

DRIVE PULLEY CAM FOR QRS **ROLLER SECONDARY CAM**

REV-XP

417126962 • 38° 417127372 · 42° **417127367** • 44° 417127325 · 44°-42° \$124.99 \$124.99 \$124.99 \$124.99

417126975 • 44°-33° 417127426 · 46°-42° **417127326** • 40° 417127529 · 44°-40°



- Specially designed for the QRS driven pulley.
- · For optimal smooth performance and durability.

MAINTENANCE KIT FOR TRA DRIVE PULLEY



· Includes: 1 spring cover assembly, 3 rollers assembly, 1 bushing (siding flange), 6 slider shoes, 6 O-rings, 1 circlip, 3 cotter pins and 3 lever axles.

MODELS

REV-XP, XR, XS, XM, XU - 2011 [550F], 2011 to 2018 [600 & 600 E-TEC sea-level] **415129624**

REV-XM, XU - 2012 (1200), 2012 to 2018 (600 E-TEC high altitude), 2013 to 2019

415129625

REV-XP, XS, XM, XU - 2011 to 2018 (800R P-TEK & 800R E-TEC)

415129626

REV-XP, XS, XM, XU - 2008 to 2010 [800R P-TEK & 800R E-TEC]

415129627

REV-XP, XS, XM, XU - 2011 and prior (1200), 2011 and prior (600 E-TEC high altitude)

415129708

MAINTENANCE KIT FOR DRIVE PULLEY

(Not illustrated)

All 2016 and up eDrive 2 Clutch with heptagonal roller.

415130055

• Includes: 6 rollers assembly, 12 slider shoes, 3 O-rings.

FLOATING ORS SHORT SHAFT **CONVERSION KIT**

Fits 600 CARB, 600 E-TEC, 800 P-TEK and 800 E-TEC engines

860200832



- Conversion kit allows installation of a removable floating secondary pulley.
- · Also provides ability to remove driven pulley without removing countershaft.
- Includes gun-drilled lightweight shaft and all necessary parts and hardware for conversion.

EDRIVE 2 CLUTCH

4-TEC 1200 only 2010 and up

415130054



· With double the number of rollers and arms compared to TRA designs, this clutch is designed for low maintenance and long life with 4-stroke powertrains.

NGK† SPARK PLUGS



- · You'll see a difference with genuine NGK spark plugs.
- · Solid steel terminal reduces the chance of arcing in the plug cap, which may interfere with the electric component.
- · A necessity in today's ignition systems.

м	n	n	_	c

BR9-ES	219703120
600 CARB, 800 P-TEK - BR9-ECS (Gap 0.8 mm)	415128524
600 H.O. E-TEC - PZFR6F	415129375
1200 4-TEC - CR8EKB	415129429
800R E-TEC - PFR7AB	415129484
600 ACE - MR7B18	415129670
900 ACE - MR8DI8	415129944
850 E-TEC, 600R E-TEC - ILKR8Q	415130154
550F, 600RS - BR9ECS	512059552
900 ACE Turbo - LMAR9AI-8	715900492
600 CARB, 800R P-TEK - BR8ECS (Gap 0.8 mm)	512060029
600 EFI - BPR8ES	415130429

YUASA† BATTERIES



- · No need to add water but periodic charging required when not in use.
- Absorbed Glass Mat (AGM) Separators—an advanced battery technology that eliminates the need to ever add water.
- Advanced lead-calcium technology holds its specific gravity more than 3 times longer than conventional lead antimony batteries.

MODELS

14 Amps Dry (12N14-3A)	42215
20 Amps Dry (Y50N18L-A)	410301201
3 Amps Wet (YTX4L-BS)	410301204
18 Amps Wet (YTX20L-BS)	410301203
18 Amps Wet (YTX20HL-PW)	415129898
21 Amps Wet [YTX24HL-BS]	410922962
30 Amps. Wet (YIX30L)	515176151

BATTERY CHARGER/MAINTAINER



- Fully automatic 3 amp battery charger/maintainer.
- · Keeps stored lead-acid batteries charged.
- · Charges and maintains small batteries.
- · Microprocessor controlled multi-stage charging for added precision, safety and battery life.
- Automatically detects 6 or 12 volt batteries.
- Float mode monitoring automatically maintains optimum battery charge.
- Reverse hook-up protection helps protect battery and charger from damage.

715005061

- Hook attachment hangs outside the work area for safety and convenience.
- · Display/on button.
- Press the display button to show the charge progress.
- Energy efficient/eco-friendly meets the highest industry standards for energy efficiency.
- Content: 3 amp battery charger, clamp adapter, DC adapter, 24" fused ring leads harness with weather cap and user manual.

JUMP STARTER




- IPX3 water-resistant-ABS + PC plastic and enclosed output
- LED battery indicator—4 LED battery indicators for easy read on battery charge level.
- Compact design/travel bag—this durable case is compact and
- Fits conveniently in the travel bag, your backpack or glovebox.
- Quickly starts vehicles in emergencies.
- Great for water and power sports, motorcycles and 4 and 6 cylinder vehicles.

715005062

- 2.4A + 1A/5V USP ports-fast charging.
- Charges all USB devices, including smartphones, mp3 players
- Smart cable—provides protection against reverse polarity, short circuit, low voltage, high temperature and reverse
- Built-in LED light (3 modes).
- Content: 300CA jump starter, SA858 smart cable clamp, MC-USB to USB charging cable, travel bag and user manual.

YUASA† SMART SHOT **AUTOMATIC BATTERY CHARGER**



529036481



• The Yuasa Smart Shot Automatic Battery Charger is available in 1 amp charge capacity and ensures that optimum power is available from your battery when you need it.

• Charger is supplied with a fused-ring connector, in addition to the alligator clips that can be attached permanently to your battery, making charging and maintaining your battery a snap.

// MAINTENANCE

153 OILS & MAINTENANCE PRODUCTS

156 CARE PRODUCTS

OILS & MAINTENANCE PRODUCTS

779126 • 1 qt / 946 ml

ENGINE OILS

XPS 2T E-TEC SYNTHETIC OIL

779127 • 1 US gal / 3.785 L 779129 • 5 US gal / 18.92 L 779128 • 2.5 US gal / 9.46 L 779130 • 55 US gal / 205 L · Specifically engineered to meet the unique needs of Rotax engines, it provides maximum protection against

engine wear in E-TEC engines. • Uses a highly effective package to keep engine parts lubricated, clean and free of wear.

• This low smoke, low odor formula also allows for maximum engine performance.

779131 • 265 US gal / 1,003 L

779132 · 330 US gal / 1,249 L

· Can be used in direct, semi-direct fuel injection system and high performance carburated 2-stroke engines.

XPS 2T RACING SYNTHETIC OIL

779180 • 1 qt / 946 ml

779181 • 1 US gal / 3.785 L



- · Specially designed for high performance or racing engines
- Top-performing synthetic oil is formulated with a highly evolved additive package that includes performance enhancing esters.
- Withstands extreme operating temperatures, high RPM and heavy loads to deliver competition-level engine protection.
- Use in high performance 2-stroke snowmobiles and off-road motorcycle engines

XPS 2T SNOWMOBILE SYNTHETIC BLEND OIL

779447 • 1 qt / 946 ml 779448 • 1 US gal / 3.785 L

779449 • 2.5 US gal / 9.46 L



- · Designed for all oil injection or pre-mix 2-stroke snowmobiles with electronic fuel injection or carbureted
- Recommended engine oil for Rotax 600 EFI engine.
- · Facilitates cold starting with low smoke emissions.

· Ensures maximum protection against wear by keeping the engine parts lubricated and clean.

XPS 2T SNOWMOBILE PREMIUM MINERAL OIL

779119 • 1 qt / 946 ml 779120 • 1 US gal / 3.785 L 779121 • 2.5 US gal / 9.46 L

779122 • 5 US gal / 18.92 L **779123 ·** 55 US gal / 205 L • Additional corrosion protection for wet environments and



- · Powersport formula with premium anti-wear and anti-corrosion additives.
- The carefully balanced additives optimize detergency and lubrication through a broad range of operating temperatures.
- during storage. Safe for winter/snowmobile use.

XPS 4T 0W-20 EXTREME COLD SYNTHETIC OIL

779145 • 1 qt / 946 ml 779146 • 1 US gal / 3.785 L 779147 • 5 US gal / 18.92 L **779148** • 55 US gal / 205 L

+25° C -60 ° C -76 ° F



- EXTREME COLD engine oil is state-of-the-art, developed for easier cold starts in the most frigid, harshest winter
- The custom formula promotes fast oil flow from the sump to critical engine components to ease starting
- Protects 4-stroke snowmobiles, ATVs and power equipment from cold start engine wear.

XPS 4T OW-40 SYNTHETIC OIL

779139 · 1 qt / 946 ml 779140 • 1 US gal / 3.785 L **779141 •** 5 US gal / 18.92 L 779142 • 55 US gal / 205 L

779143 · 265 US gal / 1,003 L 779144 · 330 US gal / 1,249 L

45° C



- · Powersport formula with premium anti-wear and anti-corrosion additives.
- The best choice for high-performance snowmobile, ATV and SXS 4-stroke engines used in cold weather.
- Provides superior engine and transmission protection against heat, rust and corrosion.
- · Delivers optimal performance in high and low temperature.

XPS 4T OW-40 SYNTHETIC OIL CHANGE KIT

779253 • 600 ACE 779254 • 900 ACE

779255 • 1200 4-TEC



- Ultra-convenient "all-in-one" oil change kit saves time
- Includes XPS Synthetic Oil, oil filter, O-rings and washer.

^{*} Pricing not availbale due to pricing fluctuation of oil based products.

MAINTENANCE PRODUCTS

OIL FILTER 420956124



• 900 ACE, 900 ACE Turbo, 600 ACE and 1203 engines.

UNIVERSAL PRE-MIXED COOLANT

779149 • 1 qt / 946 ml



- Antifreeze/coolant contains the correct dilution and the necessary additives to prevent corrosion and inhibit cavitation in powersport cooling systems.
- For vehicles that normally use a 2-year antifreeze/coolant (green).

EXTENDED LIFE PRE-MIXED COOLANT

779150 • 1 qt / 946 ml



- Antifreeze/coolant contains the correct dilution and the necessary additives to prevent corrosion and inhibit cavitation in BRP cooling systems.
- Long-life, 5-year formula specially formulated for BRP vehicles.
- Superior heat transfer.
- Ideal replacement for vehicles that normally use a 2-year antifreeze/coolant (green).
- 5 years (orange).

DOT 4 BRAKE FLUID

779151 • 12 fl. oz. / 355 ml



- Meets or exceeds all DOT3 and DOT4 brake fluid requirements.
- High-temperature formula resists fade, and also conditions seals and 0-rings in braking system.

RACING BRAKE FLUID RS600

779152 • 12 fl. oz. / 355 ml



- Exceeds DOT4 brake fluid requirements for extreme conditions and competition use.
- Extreme, 579-degree boiling point temperature is ideal for high-demand competition conditions to combat brake fade.
- Will not harm seals or braking system components.
- Should be added only to a clean/unfilled system to avoid dilution and diminished performance.
- Low-moisture formula slows water vapor absorption through multiple heat cycles.
- Recommended for use in Ski-Doo and Can-Am racing applications.

HIGH PERFORMANCE SUSPENSION FLUID (FOR FOX† SHOCKS)

779153 • 1 qt / 946 ml



- A synthetic, fade-free formula for servicing FOX® shocks.
- Specially formulated for high-demand or racing application.
- Ultra high VI shock oil.
- Engineered viscosity for optimized performance with FOX® shocks valving.

WINTER HIGH PERFORMANCE SUSPENSION FLUID (FOR KYB† SHOCKS)

779154 • 1 qt / 946 ml



- A synthetic, fade-free formula for servicing Kayaba Shocks[†].
- Ultra high VI shock oil.
- Engineered viscosity for optimized performance in cold weather conditions.

PREMIUM MINERAL CHAINCASE OIL

779155 • 8.45 fl. oz. / 250 ml



- Made with high-quality mineral oil stock and contains additives to help lubricate and protect chaincases from wear and corrosion.
- Offers excellent lubrication and complete protection for all Ski-Doo snowmobiles with a conventional chaincase.

^{*} Pricing not availbale due to pricing fluctuation of oil based products.

SYNTHETIC CHAINCASE OIL



- Specially developed for high-performance Ski-Doo models, Made with additives that protect internal components it represents the best in state-of-the-art chaincase lubrication
- · This multigrade full-synthetic formula flows well at cold temperatures and won't break down at high temperatures.
- 779156 12 fl. oz. / 355 ml
- from wear and corrosion, and also conditions seals.
- Not for use in 2-speed snowmobile transmissions on Expedition, Skandic utility models.

SYNTHETIC GREASE SUSPENSION

779163 • 14 oz./ 400 g



SYNCHROMESH TRANSMISSION SYNTHETIC OIL

- Designed to work specifically with the components found in Can-Am and Ski-Doo vehicles suspensions
- It is highly stable and offers optimal lubrication at both extreme cold and high temperatures while protecting suspension components from dirt and moisture, as well as corrosion under extreme washout conditions.

779170 • 24 fl. oz. / 710 ml




- Uses a unique combination of synthetic base stocks and additives that allow higher loads, superior shear stability and reduced oxidation compared to other synthetics and conventional API GL-5 gear oils.
- Its tremendous thermal stability and constant viscosity give exceptional wear protection and superior performance for excellent low-temperature characteristics and improved gear protection at higher temperatures
- Recommended for use in all Ski-Doo and Lynx synchromesh transmissions requiring 75W-140 API GL-5
- Offers added assurance during extended drain intervals.
- Exceeds API GL-5 specifications.


ANTI-CORROSIVE LUBRICANT



- Multipurpose lubricant that can also be used to prevent rust, corrosion and moisture intrusion.
- It contains extreme pressure additives that work as an all-around lubricant for just about anywhere lubrication is

779166 • US only • 12 oz./ 340 g **779167** • Canada only • 12 oz./ 340 g







- Combination of a fuel treatment and a fuel system cleaner that can be used periodically to restore lost starting or throttle performance, as well as maintain fuel system integrity and keep internal engine parts clean.
- It treats fuel for storage and addresses the moisture problems inherent in today's ethanol-blended fuels, keeping ferrous and soft metal parts clean and free of corrosion
- · Uses patented, state-of-the-art additives.
- Cleans valves, sticky rings and combustion chamber.

FUEL STABILIZER





- Ethanol-compatible and will stabilize fuel in your tank to keep it from breaking down and causing hard starting, throttle hesitation and poor run quality.
- · Ethanol attracts moisture, and this product contains powerful anti-corrosion additives to protect fuel system components.
- Prevents problems associated with E10 fuels.

FUEL TREATMENT CARBURETOR CLEANER

779172 • 12 fl. oz. / 355 ml



- · Complete fuel treatment specially formulated to prevent small engine problems caused by ethanol-blended fuels.
- It removes fuel system gum and varnish that may have accumulated during storage, stabilizes fuel against breakdown for 12 months or more, and adds corrosion protection from moisture for short- and long-term storage.
- It also helps restore throttle response and easy starting.
- It can be used periodically to maintain fuel system integrity, keep carburetor jets clean, and also combat moisture problems caused by ethanol-blended fuels to keep ferrous and soft metal parts clean and free of corrosion.

STORAGE OIL

779173 • 12 oz./ 350 g



- High-performance fogging oil designed to protect internal engine parts from rust and corrosion.
- It coats engine internals throughout the whole storage period and is burned away through combustion when engine is started.
- · Protects engines during non-use or storage.
- · Burns complete upon start up

^{*} Pricing not availbale due to pricing fluctuation of oil based products.

CARE PRODUCTS

ALL-PURPOSE CLEANER AND DEGREASER

779328 • 22 fl. oz. / 650 ml

779329 • 2 qt / 1.89 L



• Ready-to-use formula.

- Cleans toughest dirt and grime.
- Phosphate-free eco-friendly formula.
- · Low foam easy-rinse formula.

MATTE FINISH WATERLESS CLEANER

779330 • 22 fl. oz. / 650 ml



· Easy waterless use.

- Perfect for matte, flat and denim surfaces.
- · Contains no wax or silicone.
- · Leaves no unwanted streaks or marks.

MULTI-SURFACE & GLASS CLEANER

779331 • 22 fl. oz. / 650 ml



• Easy waterless spray and wipe use.

- Polymer formula cleans and protects.
- · Contains no wax or silicone.
- · Leaves no unwanted streaks or marks.

BLACK PLASTIC & RUBBER RESTORER

779335 • 7.6 fl. oz. / 225 ml



- Restores plastic, rubber and vinyl.
- · Long-lasting formula.
- Protects against UV rays.

QUICK DETAILER GLOSS ENHANCING

779332 • 4 fl. oz. / 118 ml

779333 • 16 fl. oz. / 473 ml



- Quick detail spray wax.
- Leaves a high-gloss finish at every wipe.
- Nanotechnology polymer formula.
- Repels dirt.
- No water needed.

OFF-ROAD FOAMING WASH

779337 • 16 fl. oz. / 473 ml

779338 • 2 qt / 1.89 L



- Concentrated formula for off-road vehicles, it produces a thick foam to lift dirt and prevent scratching.
- The pH neutral formula is safe for wax and paint sealants.
- Works in pressure washers or by hand.

MUD & DUST OFF-ROAD WASH

779340 • 33 fl. oz. / 946 ml

779341 • 2 qt / 1.89 L



- Specially formulated for off-road vehicles, it breaks the bond holding grime and dirt to your vehicle's finish.
- The formula is biodegradable, eco-friendly with no phosphates or corrosive chemicals and is low foam for easy, quick rinsing.
- Effective on oil, grease and other stubborn grime.
- Safe for use on all surfaces.



// APPAREL

159 TECHNOLOGY GUIDE

164 HELMETS

167 GOGGLES

168 RIDING GEAR

174 MITTS & GLOVES

176 BOOTS & SOCKS

177 HEADWEAR & BALACLAVAS

179 BASE LAYERS

181 MID LAYERS

182 MEN'S SPORTSWEAR

185 LADIES' SPORTSWEAR

187 KIDS' & TEEN WEAR

190 TEKVEST

190 BAGS

191 PLAY & LICENSING PRODUCTS

192 SIZING CHART

// SPECIAL EDITION OXYGEN HELMET

> See complete details on page 164.



HEATED CHAMBER TO KEEP THE SUN VISOR FOG FREE

UNOBSTRUCTED PANORAMIC FIELD OF VISION FOR INCREDIBLE MASK-LESS RIDING EXPERIENCE

AMBER SUN VISOR

NCS SYSTEM: REDUCES OUTSIDE NOISE

HEATED VISOR WITH REMOTE CONTROL OPERATION AND HEAT LEVEL INDICATOR LIGHTS

NFW

ADDED PREMIUM COMFORT EXCLUSIVE MATERIAL LINING



CHIN CURTAIN WITH VENTILATION FOR VERSATILE PROTECTION

BATTERY-LESS REAR LED LIGHT

E LinQ REAR MAGNET CONNECTOR

NEW

REMOVABLE BACK CURTAIN FOR REDUCED AIR INTRUSION

LIGHTWEIGHT M-FORGE® COMPOSITE SHELL BETTER IMPACT PROTECTION IN COLD CONDITIONS THAN CARBON FIBER

 $1,800 \text{ g} \pm 50 \text{ g}$ for smaller shell (XS-L) $1,900 \text{ g} \pm 50 \text{ g}$ for larger shell (XL-3XL)

// THE ABSOLUTE O JACKET TECHNOLOGIES

DESIGNED FOR THE HARSHEST COLDEST RIDING CONDITIONS

The new and improved Absolute O jacket is the warmest jacket in our lineup, meant for the harshest of conditions.

- This weatherproof jacket, will ensure absolute comfort and warmth no matter the weather at hand.
- > See complete details on pages 174.

REMOVABLE AND ADJUSTABLE COLLAR

To seal air entry.

PRIMALOFT°

The highest performance insulation, ultimate warmth to weight.

SYMPATEX® MEMBRANE

100% waterproof windproof, and highly breathable.

RADIANT CORE

Thermal reflective technology, for added heat conversion.

> 100% SEAMS AND LOGOS SEALED

WATER-RESISTANT YKK ZIPPERS AT POCKETS

CENTER FRONT QUADRUPLE INSULATED FLAPS

For heat retention and wind protection

E Ling CONNECTOR SYSTEM

To connect to your heated visor shield and tucks in nicely when disconnected.



AVAILABLE COLORS



Black with graphics Black



Heather Grey

// THE HELIUM JACKET TECHNOLOGIES

DESIGNED TO ADAPT TO NATURE'S TOUGHEST CHALLENGES SO YOU CAN HAVE THE MOST COMFORTABLE RIDE

The Helium jacket is specially designed for our rider's toughest challenges. The helium jacket and layering system is conceptualized to adapt to the rider and weathers toughest challenges.

> See complete details on pages 169-170.

ADJUSTABLE NON REMOVABLE HOOD

SYMPATEX® MEMBRANE

Two layer membrane; for ultimate comfort, performance and better mobility. 100% waterproof windproof, and highly breathable.

OFFSET FRONT ZIPPER

For optimal comfort at chin.

TWO SIDE POCKETS PLACED HIGH

For avalanche backpack strap.

100% SEAMS AND LOGOS SEALED

LIGHTWEIGHT,

while still providing protection to the elements.

WATER-RESISTANT YKK ZIPPERS

AVAILABLE COLORS



Army Green

Blue Teal




Orange









SYMPATEX® MEMBRANE

Discover the performance of Sympatex membrane.

LIFETIME WARRANTY

PTFE-FREE 100% RECYCLABLE AND PFC-FREE MEMBRANE & RECYCLABLE **MEMBRANES** AND RECYCLED LAMINATES AND LAMINATES 100% WINDPROOF DYNAMIC BREATHABILITY AND WATERPROOF PROTECTION


In addition to being windproof and having superior waterproof performance, Sympatex adjusts to your body's temperature by letting more moisture pass through as needed—dynamic breathability—something a porous PTFE membrane cannot do. Sympatex also doesn't clog, or stretch out like PTFE. It's time to move it up a level with Sympatex.

COMPACT SYMPATEX MEMBRANE MICROPOROUS MEMBRANE (PTFE) FUNCTION DURING INCREASING PHYSICAL ACTIVITY / SWEATING PHYSICAL PRINCIPAL OUTSIDE OUTSIDE INSIDE INSIDE → Hydrophilic polyether Pore Including PTFE ■ Water droplets Water vapour molecules Hydrophobic polyester



M-FORGE® COMPOSITE TECHNOLOGY

Delivers helmets with superior performance and lightweight.



OXYGEN HELMETS

NEW OXYGEN SE HELMET





929027 • XS S M I XI 2XI 3XI

Army Green [77], Lava Red [17]



- · 4-year limited warranty.
- · Special Edition.
- Lightweight M-FORGE® Composite for better impact resistance in extreme conditions – 20% lighter than the BV2S helmet and 16% lighter than the Modular helmet.
- Sun visor heated chamber.
- Amplified heated visor with pivot contact system.
- · Offered with retractable amber sun visor for best vision in snow conditions.
- Prescription eyeglasses friendly.
- Adjustable humidity extractor vents.
- $\bullet \ \, \text{Unobstructed panoramic field of vision for an incredible} \quad \bullet \ \, \text{New chin curtain with ventilation for versatile protection}. \\$ mask-less riding experience.
- Durable anti-fog and anti-scratch coatings.
- NCS System: Reduces noise up to 2 times more than the $\,$ 1850 g \pm for large shell. BV2S helmet and up to 3 times more than the Modular helmet.

- Robust detents allow precise opening adjustments for airflow.
- Optional front LED utility light.
- Lightweight battery-less rear LED light for added rider safety.
- E LinQ rear magnet connector.
- Unique remote control with visor heat indicators.
- · Ready to receive communication system.
- Operate all features with gloved hands.
- 2 shell sizes for better fit and comfort.
- Ratcheting quick-release chin strap.
- Recyclable helmet shell for minimal environmental impact.
- · Aerodynamic shape to reduce neck fatigue.
- New removable back curtain for reduced air intrusion.
- · Added premium comfort exclusive material lining.
- D.O.T. approved.

OXYGEN HELMET



929019 •XS, S, M, L, XL, 2XL, 3XL

White (01), Black (90), Matte Black (93)



- · 4-year limited warranty.
- Now available in XS and Matte Black color.
- · Lightweight M-FORGE® Composite shell for better impact resistance in extreme conditions - 20% lighter than the BV2S helmet and 16% lighter than the Modular helmet.
- Sun visor heated chamber.
- Amplified heated visor with pivot contact system.
- Offered with retractable amber sun visor for best vision in snow conditions.
- Prescription eyeglasses friendly.
- · Adjustable humidity extractor vents.
- Unobstructed panoramic field of vision for an incredible Recyclable helmet shell for minimal environmental impact. mask-less riding experience.
- Durable anti-fog and anti-scratch coatings.

- NCS System: Reduces noise up to 2 times more than the BV2S helmet and up to 3 times more than the Modular helmet.
- Robust detents allow precise opening adjustments for airflow.
- Optional front LED utility light.
- Lightweight battery-less rear LED light for added rider safety.
- E LinQ rear magnet connector.
- Unique remote control with visor heat indicators.
- · Ready to receive communication system.
- Operate all features with gloved hands.
- 2 shell sizes for better fit and comfort.
- Ratcheting quick-release chin strap.
- Aerodynamic shape to reduce neck fatigue.
- 1850 g ± for large shell.
- D.O.T. approved.

LED UTILITY LIGHT (Not illustrated)	929006 • One size	Black (90)
• Optional part.	02.0000 * OHE 3126	Diddin (90)
OXYGEN NCS REMOVAL PADS [Not illustrated]	929023 • One size	Black (90)
• OXYGEN helmet r	noise cancelling system (NCS) replacement pads	
OXYGEN HEAD LINER (MY21+) (Not illustrated)	929024 • XS	Black (90)
OXYGEN CHEEK PADS SET (MY21+) (Not illustrated)	929025 • XS	Black (90)
OXYGEN CHEEK PADS EPS (Not illustrated)	929026 · S (Fits XS/S)	Black (90)
NEW HEI MET SERVICE PAN	448695 • One size	Black (90)



• 100% Plastic.

NEW OXYGEN SE HEADLINER

929032 · XS, S, M, L, XL, 2XL, 3XL

Charcoal Grey [07]



- 50% Foam, 40% Fabric, 10% Plastic.
- Replacement Headliner for OXYGEN SE helmet.

NEW OXYGEN SE CHIN CURTAIN

929029 · L (Fits XS/S/M/L), 2XL (Fits XL/2XL/3XL)

Black (90)



- 75% Foam, 25% Plastic.
- Replacement chin curtain for OXYGEN SE helmet.

NEW OXYGEN SE CHEEK PADS SET

929031 • XS, S, M, L, XL, 2XL, 3XL

Charcoal Grey (07)



- 50% Foam, 40% Fabric, 10% Plastic.
- Replacement Cheek Pad set for OXYGEN SE helmet.

NEW OXYGEN SE CUSTOMIZATION KIT

DEALERS ONLY (Not illustrated)

929033 · One size

Charcoal Grey (07)

- 50% Foam, 40% Fabric, 10% Plastic
- Dealer Customization kit for OXYGEN SE helmet.
- Kit includes: 4 set of NCS removal pads, 3 sets of cheek pads, 2 x XS (44mm), 2 x L (38mm) 2 x 3XL (32mm).

NEW OXYGEN INTERNAL CHIN COVER

929034 · One size

Black (90)



- 99% Plastic, 1% Metal
- Replacement Chin curtain for OXYGEN helmet

NEW OXYGEN DEALER CUSTOMIZATION KIT

DEALERS ONLY (Not illustrated)

929030 • One size

Clear (00)

- 50% Foam, 40% Fabric, 10% Plastic.
- Dealer Customization kit for OXYGEN helmet.
- Kit includes: 4 set of NCS removal pads, 3 sets of cheek pads, 2 x XS (44mm), 2 x L (38mm) 2 x 3XL (32mm).

MODULAR 3 HELMETS

MODULAR 3 SKI-DOO HELMET

DOT

448628 • S, M, L, XL, 2XL, 3XL



- · 4-year limited warranty.
- Built-in Clear Vision Technology with optically-correct dual lens visor.
- · Ready to receive communication system.
- · Adjustable sunshield lowers or raises at the touch of a button.
- Front push-button release integrated into jaw section.
- Breath Evac fog-resistant mask system.
- Quick-release chin strap.
- Spacious design allows room for eyeglasses.

White (01), Black (90)

Black with graphics (94)

• D.O.T. approved.

MODULAR 3 HELMET

DOT

447963 • S, M, L, XL, 2XL, 3XL



- 4-year limited warranty.
- Built-in Clear Vision Technology with optically-correct dual lens visor.
- Ready to receive communication system.
- · Adjustable sunshield lowers or raises at the touch of a hutton
- Front push-button release integrated into jaw section.
- Breath Evac fog-resistant mask system.
- Quick-release chin strap.
- Spacious design allows room for eyeglasses.
- D.O.T. approved.

MODULAR 3 ELECTRIC SE HELMET

DOT

447964 • S, M, L, XL, 2XL, 3XL

Black (90)



- 4-year limited warranty.
- Built-in Clear Vision Technology with optically-correct dual lens visor.
- · Ready to receive communication system.
- · Adjustable sunshield lowers or raises at the touch of a button.
- Front push-button release integrated into jaw section.
- Breath Evac fog-resistant mask system.
- Quick-release chin strap.
- · Spacious design allows room for eyeglasses.
- · D.O.T. approved.



BV2S HELMET

BV2S HELMET



Black (90)

- 4-year limited warranty.
- Dual lens visor featuring Clear Vision Technology with 180° peripheral vision.

DOT

- Lever-activated sunshield.
- BV2S fog-resistant mask system with soft surgical rubber seal and easy adjust knob.
- Front push-button release for jaw piece.
- Removable and washable inner liner.
- Integrated backlight (batteries included).
- Quick-release chin strap.
- Shell: Polycarbonate Composite.
- D.O.T. approved

EX-2 MOTION, XC-4, XP-X AND CROSS HELMETS

SKI-DOO EX-2 MOTION ELECTRIC HELMET

Ø DOT

448629 · XS, S, M, L, XL, 2XL

447404 • S, M, L, XL, 2XL, 3XL

Red [30]



- · 4-year limited warranty.
- · Removable aerodynamic peak.
- · Lockable, multi-position and fog-free heated shield.
- Interchangeable retractable sun visor.
- · Ultra-comfortable and washable lining.
- · Advanced plastic composite shell.
- Oversized chin deflector for cold weather protection.
- Adjustable air vents and exhausts.
- D.O.T. approved.

NEW SKI-DOO XC-4 ELEVATION HELMET RPM PEAK

448691 • One size

Charcoal Grey (07), Hi-Vis Yellow (26), Light Blue (81),



100% Plastic.

Replacement Visor for XC-4 helmet (2022).

NEW XP-X HELMET RPM PEAK

448692 • One size

Army Green (77), Charcoal Grey (07), Lava Red (17)





• 100% Plastic

Replacement Peak for XP-X Helmet.

NEW XP-X PEAK HELMET



DOT ECE22.05

448767 • XS, S, M, L, XL, 2XL

Army Green (77),

Charcoal Grey (07), Lava Red (17)



· 4-year limited warranty.

- M-Forge Composite.
- AEGIS† antimicrobial treatment prevents odor and bacteria.
- · Aerodynamic visor.
- · Removable and washable premium high comfort liner.
- · 8 vents provide improved airflow.

- Micrometric chin strap attachment Easy one-hand opening, even with gloves (not approved for racing applications).
- D.O.T. and E.C.E. certified.
- 1210 g ± 50 g for small shell (Sizes: XS, S & M).
- 1265 g \pm 50 g for large shell (Sizes: L, XL & 2XL).

NEW SKI-DOO XC-4 ELEVATION HELMET

DOT ECE22.05

448632 • XS, S, M, L, XL, 2XL

Charcoal Grey (07), Hi-Vis Yellow (26), Light Blue (81)



• 80% Polycarbonate, 20% ABS.

- 4-year limited warranty.
- Weight: ±1420 g for size Large.
- · Shell construction is super light polycarbonate with impact absorbing liner.
- Fully adjustable visor system.

- Front and rear hi-max air vent system to maximize cooling effect.
- Removable, washable and replaceable moisture-wicking liner.
- Winter breath deflector.
- · Might weight double-D chin strap.
- D.O.T. and E.C.E. certified.

NEW MAGNETIC FACE SHIELD

447819 • One size

Black (90), Hi-Vis Yellow (26)





- 95% Nylon, 5% TPU.
- · Works with XP-X or XC4.



GOGGLES

TRENCH GOGGLES

NEW SKI-DOO TRENCH GOGGLES

448689 • One size

Black (**90**), Charcoal Grey (**07**), Coral (**13**), Red (**30**)



- The Ski-Doo Trench goggle features a distortion free double lens that's anti-scratch and anti-fog.
- 60% Plastic, 25% Fabric, 15% Foam .
- Thermo-formed 3 layer face foam for great comfort and fit.
- No-slip silicone strap keeps goggles in place.
- Injection-molded cylindrical lens provides distortion free vision and enhanced impact resistance.
- Vibrant lens tint with light silver mirror that increases visual acuity in extremely flat and low light conditions.
- Removable nose guard for protection against cold and debris.

NEW TRENCH GOGGLES RPM SINGLE LENS (UV)

(Not illustrated)

448697 • One size

Clear (00)

- 100% Plastic.
- Clear single pane replacement lens for Ski-Doo Trench Goggles.

NEW TRENCH GOGGLES RPM DUAL LENS (UV)

(Not illustrated)

448702 • One size

Pink (36)

- 100% Plastic.
- Pink tinted dual pane replacement lens for Ski-Doo Trench Goggles.

NEW TRENCH GOGGLES RPM NOSE GUARD

448708 • One size

Black (90)



- 100% Plastic.
- Replacement Nose Guard for Ski-Doo Trench Goggles.

EDGE GOGGLES

NEW SKI-DOO EDGE GOGGLES

448699 • One size

Charcoal Grey (07), Hi-Vis Yellow (26), Lava Red (17)



- 60% Plastic, 25% Fabric, 15% Foam.
- The Ski-Doo Edge goggle features Injection-molded PC cylindrical lens.
- Anti-scratch, anti-fog performance while provides distortion free vision and enhanced impact resistance.
- Thermo-formed 3 layers face foam offers best fitting.
- No-slip silicone strap keeps goggles in place.
- Removable nose guard for extra deflection against roost and debris.
- Bonus lens included: A vibrant lens tint with light silver mirror that increase visual acuity in extremely flat and low light conditions.
- Hi-Vis Yellow and Charcoal Grey: Grey based lens tint with mirror coating designed to reduce overall brightness while preserving 100 percent normal colour recognition.
- Lava Red: Amber based lens tint with mirror coating designed to filters out blue light for enhanced shadow contrast in moderately flat light conditions.

NEW SKI-DOO EDGE GOGGLES RPM NOSE GUARD

448703 • One size

Black (**90**)



- 100% Plastic
- Replacement Nose Guard for Ski-Doo 2022 Edge Goggles.

NEW SKI-DOO EDGE GOGGLES CHROMED RPM LENS (UV)

(Not illustrated)

448672 • One size

Blue (**80**), Chrome (**99**), Gold (**11**), Hi-Vis Yellow (**26**), Lava Red (**17**), Red (**30**)

- 100% Plastic.
- Replacement lens for Ski-Doo Edge Goggles.
- Chrome finish.

- \bullet Dual pane anti-fog lens also treated to repel water.
- Storage pouch that doubles as a cleaning cloth.

NEW SKI-DOO EDGE GOGGLES RPM LENS (UV)

(Not illustrated)

448688 • One size

Pink (**36**)

- 90% Plastic, 5% Super Tacky Foam, 5% Magnet
- Replacement lens for Ski-Doo Edge Goggles.
- Tinted finish.

- Dual pane anti-fog lens also treated to repel water.
- Storage pouch that doubles as a cleaning cloth.

DEEP SNOW

NEW HELIUM JACKET

SympaTex⁶

440919 • XS, S, M, L, XL, 2XL, 3XL 442448 • MT, LT, XLT, 2XLT

Army Green (77), Blue Teal (19), Orange (12)



Outershell: 100% Sympatex 2-Ply Powder skirt.

- laminated Polyester.
- · Lifetime warranty with the Sympatex membrane.
- 100% sealed seams and logos.
- 100% windproof, waterproof and highly breathable Sympatex membrane.
- Water-resistant YKK zippers.
- Adjustable hood.
- Offset front zipper for optimal comfort at chin.
- · Backpack friendly underarm venting.
- Reflective details for optimized visibility.
- Two side pockets placed high for avalanche backpack strap.
- Inner wrist gaiters with thumb hole.

WARMTH •0000

WATERPROOFNESS/WINDPROOFNESS



BREATHABILITY

NEW HELIUM HIGHPANTS

SympaTex°

441667 • S, M, L, XL, 2XL, 3XL

442449 • LT, XLT, 2XLT

- Outershell: 100% Sympatex 2-Ply Mesh at back bib panel.
 - · Fleece at seat.
 - · Shaped, reinforced and padded knees and shins.
 - Extra long removable knee pads.
 - Storm gaiters with boot to lace snap connector.
 - abrasion resistance.
 - · 2-way full-length waterresistant side zippers.

Black (90), Charcoal Grey (07)

Black (90)

WARMTH

•0000


WATERPROOFNESS/WINDPROOFNESS



BREATHABILITY



Cordura.



- · Lifetime warranty with the
- Sympatex membrane. • 100% seams and logos sealed.
- 100% windproof, waterproof and Reinforcement at inner legs for highly breathable Sympatex membrane.
- Stretch fabric at waist.
- 2 thigh pockets and 1 bib pocket. Reflective details.

• Outershell: 100% Coated Nylon

• 100% waterproof, breathable

440913 • XS, S, M, L, XL, 2XL, 3XL

• 1 deep chest pocket, 1 cargo

- and windproof. • 100% seams and logos sealed.
- 360° reflective details for maximum visibility.
- legs and back seat.
- Adjustable collar, wrists, waist and inner suspender system.
- · Detachable hood.

- size pocket at thigh and 2 hand pockets.
- Underarm venting.
- Water-resistant YKK zippers
- · Side leg opening.
- Reinforced fabric at knees, inner Inner wrist gaiters with thumb
 - Leg storm gaiter.
 - · Expandable collar.

Army Green (77), Blue Teal (19)

WARMTH


•0000

WATERPROOFNESS/WINDPROOFNESS

BREATHABILITY







NEW HELIUM JACKET



• Outershell: 100% Sympatex 2-Ply • Powder skirt.

SympaTex[®]

laminated Polyester. · Lifetime warranty with the

- Sympatex membrane. • 100% sealed seams and logos.
- 100% windproof, waterproof and highly breathable Sympatex membrane.
- Water-resistant YKK zippers.

440892 • XS, S, M, L, XL, 2XL, 3XL

- · 'Adjustable hood.
- Offset front zipper for optimal comfort at chin.
- Backpack friendly underarm venting.
- Reflective details for optimized visibility.
- Two side pockets placed high for avalanche backpack strap.
- Inner wrist gaiters with thumb hole

Coral (13)

WARMTH •0000

WATERPROOFNESS/WINDPROOFNESS

BREATHABILITY

NEW HELIUM HIGHPANTS



- Outershell 100% Sympatex 2-Ply laminated Polyester.
- Reinforcement 100% Nylon Cordura. • Lifetime warranty with the
- Sympatex membrane.
- 100% seams and logos sealed.
- 100% windproof, waterproof and highly breathable Sympatex membrane.
- Stretch fabric at waist.
- 2 thigh pockets.

SympaTex® 441668 · XS, S, M, L, XL, 2XL

- Mesh at back bib panel.
- · Fleece at seat. • Shaped, reinforced and padded knees and shins.
- Extra long removable knee pads.
- Storm gaiters with boot to lace snap connector.
- · Reinforcement at inner legs for abrasion resistance.
- · 2-way full-length waterresistant side zippers.
- Reflective details.
- · Drop seat design.

Black (90)



WATERPROOFNESS/WINDPROOFNESS



BREATHABILITY ----

CROSSOVER

NEW MCODE JACKET WITH INSULATION



· 3-in-1 construction that combines a shell and a zipped-in puffy jacket.

- · Removable puffy jacket: 200g Thermal Loft insulation.
- 100% waterproof, breathable and windproof.
- 100% seams and logos sealed.
- · 360° reflective details for maximum visibility.

440897 • S, M, L, XL, 2XL, 3XL

- 2-way zipper to improve comfort in sitting position.
- E LinQ connect: Inner wiring and D-ring attach for helmet cable.
- Zipper puller on Army Green version: Red.
- Zipper puller on Blue Teal version: Orange.
- Zipper puller on Black version:

Army Green (**77**), Black (**90**), Blue Teal (**19**)

WARMTH



WATERPROOFNESS/WINDPROOFNESS



BREATHABILITY

NEW REVY INSULATED ONE PIECE SUIT



• Outershell: 90% Nylon, 10% Polyester.

- 100% waterproof, breathable and windproof.
- 100g of Thermal Loft insulation all over.
- · Expandable collar.
- 100% seams and logos sealed.
- 360° reflective details for maximum visibility.
- Reinforced fabric at knees and inner legs.
- Removable and adjustable suspenders.

440914 · XS, S, M, L, XL, 2XL, 3XL

- · Polar fleece at back seat.
- 1 deep chest pocket, 1 cargo size pocket at thigh and 2 hand pockets.
- Inner wrist gaiters with thumb hole.
- · Adjustable waistband.
- · Leg storm gaiter.
- · Underarm venting.
- Drop seat design.
- · Zipper puller: Yellow.

Heather Grey (27)

WARMTH



WATERPROOFNESS/WINDPROOFNESS

BREATHABILITY





- 3-in-1 construction that combines a shell and a zipped-in puffy jacket.
- · Removable puffy jacket: 200g Thermal Loft insulation.
- 100% waterproof, breathable and windproof.
- 100% seams and logos sealed.
- 360° reflective details for maximum visibility.

440915 · XS, S, M, L, XL, 2XL

- 2-way zipper to improve comfort in sitting position.
- E LinQ connect: Inner wiring and D-ring attach for helmet cable.
- Zipper puller on Blue Teal version: Coral.
- Zipper puller on Army Green version: Dark plum.

Army Green (77), Blue Teal (19)

WARMTH

 $\mathbf{0}$

WATERPROOFNESS/WINDPROOFNESS

BREATHABILITY ••••

NEW REVY INSULATED ONE PIECE SUIT



LADIES

• Outershell: 90% Nylon, 10% Polyester.

- 100% waterproof, breathable and windproof.
- 100g of Thermal Loft insulation
- · Expandable collar.
- 100% seams and logos sealed.
- 360° reflective details for maximum visibility.
- · Reinforced fabric at knees and inner legs.

440912 · XS, S, M, L, XL

- Removable and adjustable suspenders.
- Polar fleece at back seat.
- 1 deep chest pocket, 1 cargo size pocket at thigh and 2 hand
- · Inner wrist gaiters with thumb
- Adjustable waistband.
- $\bullet \ \text{Leg storm gaiter}.$
- · Underarm venting.
- Drop seat design.

Light Blue (81)

WARMTH



WATERPROOFNESS/WINDPROOFNESS

BREATHABILITY

TRAIL PERFORMANCE

NEW X-TEAM JACKET





- Outershell: 100% coated Nylon.
- · 100% waterproof, breathable and windproof.
- Insulation: 200g PrimaLoft Black.
- Radiant Core technology to keep you warm.
- 100% seams and logos sealed.
- · Double center front flap insulated for heat retention and wind protection.
- · Polar fleece at front body and top arms for additionnal warmth
- E LinQ connect: Inner wiring and D-ring attach for helmet cable.

440894 • XS, S, M, MT, L, LT, XL, XLT, 2XL

440900 • 2XLT, 3XL, 3XLT,

- Additional removable collar to seal air entry.
- Customizable zipper puller: choices of two options by jacket.
- Powder skirt.
- · Shaped sleeves.
- · Reflective details on sleeves, at back and Ski-Doo logos for maximum visibility.
- Inner wrist gaiter with thumb hole.
- Water-resistant YKK zippers.

Black (90), Heather Grey (27), Hi-Vis Yellow (26), Red (30)

Black (90), Heather Grey (27), Hi-Vis Yellow (26)

WARMTH



WATERPROOFNESS/WINDPROOFNESS



BREATHABILITY

NEW X-TEAM HIGHPANTS



- Outershell: 100% Nylon.
- Insulation: 200g PrimaLoft Black.
- · Highly windproof, waterproof and breathable.
- 100% seams and logos sealed.
- Articulated, padded and shaped knees.
- · Adjustable waist.

441660 · XS, SS, S, MS, M, LS, L, XLS, XL, 2XL

441661 • MT, LT, XLT, 2XLT, 3XL, 3XLT, 4XL, 4XLT, 5XL

- Full-length side zippers.
- Reinforced seat, knees and inner
- · Water-resistant YKK zippers at pockets.
- · Storm gaiters.
- · Polar fleece-lined seat for added warmth.

Black (90) Heather Grey (27)

Black (90)

 $\bullet \bullet \bullet \bullet \circ$

WATERPROOFNESS/WINDPROOFNESS

BREATHABILITY

WARM-UP COAT



- Outershell: 83% Nylon, 17% Polyester.
- Insulated pre-race overcoat.
- Insulation: 200g Thermal Loft.
- · 100% windproof and waterproof.

440880 • One size

- Hood fits over a Ski-Doo snocross helmet.
- · Large handwarmer pockets with fleece lining.

Black (90)

WARMTH

••••

WATERPROOFNESS/WINDPROOFNESS



 $\bullet \bullet \bullet \bullet \circ$

TRAIL PERFORMANCE

NEW SKI-DOO RACING JACKET



• Outershell: 95% Polyester, 5% TPU.

• Softshell-like fabric with windproof, water repellent and breathability properties.

- 2 large pockets at front.
- Watertight YKK zippers throughout.

440898 • XS, S, M, L, XL, 2XL, 3XL

- Two front and one rear zippered vent.
- · Room at upper back for identification
- · Longer back hem.
- · Adjustable hem and sleeve hem.

Orange (12)

WARMTH 0000

WATERPROOFNESS/WINDPROOFNESS

 $lackbox{0}$ **BREATHABILITY**

••000

NEW SKI-DOO RACING PANTS

MEN'S



• Outershell: 82% coated Polyester, 16% Nylon, 2% Kevlar.

- · Water-repellent, windproof, flexible and optimally breathable • Extra grip stripes added to fabric.
- Reinforcement fabric at inseam and high wear areas.

441655 • XS, S, M, L, XL, 2XL, 3XL

- · Higher back and lower front shape for optimal comfort. · Pre-shaped knees.
- seating area.
- Key loop at crotch and at waist.

Autumn Red (14)



WATERPROOFNESS/WINDPROOFNESS

 $\bullet \bullet \circ \circ \circ$

BREATHABILITY ••000

NEW X-TEAM JACKET







• Outershell: 100% coated Nylon.

- 100% waterproof, breathable and windproof.
- Insulation: 200g PrimaLoft Black.
- Radiant Core technology to keep you warm.
- 100% seams and logos sealed.
- Double center front flap insulated for heat retention and wind protection.
- · Polar fleece at front body and top arms for additionnal warmth
- E LinQ connect: Inner wiring and D-ring attach for helmet cable.

440895 • XS, S, M, L, XL, 2XL, 3XL

- · Additional removable collar to seal air entry.
- Customizable zipper puller: choices of two options by jacket.
- · Powder skirt.
- · Shaped sleeves.
- Reflective details on sleeves, at back and Ski-Doo logos for maximum visibility.
- · Inner wrist gaiter with thumb hole.
- · Water-resistant YKK zippers.

Black (90), Coral (13), Heather Grey (27), Light Blue (81)

WARMTH



WATERPROOFNESS/WINDPROOFNESS





NEW X-TEAM HIGHPANTS





- Outershell: 100% Nylon.
- Insulation: 200g PrimaLoft Black.
- · Highly windproof, waterproof and breathable.
- 100% seams and logos sealed.
- Articulated, padded and shaped knees.
- · Adjustable waist.

441659 · XS, SS, S, MS, M, LS, L, XLS, XL, 2XL, 3XL

- Full-length side zippers.
- Reinforced seat, knees and inner legs.
- Water-resistant YKK zippers at pockets.
- · Storm gaiters.
- Polar fleece-lined seat for added warmth.
- · Drop seat design.

Black (90)



WATERPROOFNESS/WINDPROOFNESS

••••

BREATHABILITY

TRAIL

NEW LEGACY JACKET



- Outershell: 99% Coated Nylon, 1% Coated Polyester.
- 100% waterproof, breathable and windproof.
- Insulation: 200g Primaloft Black + 100g PrimaLoft Silver in removable liner.
- 100% seams and logos sealed.
- Triple center front insulated flaps for heat retention and wind protection.
- 360° reflective details for maximum visibility.

440896 • S, M, L, XL, 2XL, 3XL

- · Radiant core technology to keep you warm.
- · Additional removable collar to seal air entry.
- · 2-way front zipper.
- E LinQ connect: Inner wiring and
- D-ring attach for helmet cable.
- Powder skirt.
- Water-resistant YKK zippers.
- · Shaped sleeves.
- · Fleece at collar.

Army Green (77), Black (90)

WARMTH



WATERPROOFNESS/WINDPROOFNESS

BREATHABILITY





2XL, 3XL

- · Outershell: 68% Polyester, 32% Nylon.
- 100% windproof, waterproof and breathable
- Insulation: 200g Thermal Loft. Radiant core technology to keep you warm.
- · Polar fleece at front body and top arms.
- · Critical seams and logos sealed.
- · Reflective details on back and sleeves for optimized visibility.

- 440899 S, M, MT, L, LT, XL, XLT,
- E LinQ connect: Inner wiring and D-ring attach for helmet cable.
- Durable YKK zippers.
- Micro fleece inner cuffs.
- · Zipper puller on Black with graphics version: Red.
- Zipper puller on Black version:
- · Zipper puller on Heather grey version: Yellow.
- Replacement zipper puller: Black.

Black (90), Black with graphics (94), Heather Grey (27)

WARMTH

WATERPROOFNESS/WINDPROOFNESS

 $\bullet \bullet \bullet \bullet \circ$

BREATHABILITY

••••

VOYAGER HIGHPANTS

MEN'S



• Outershell: 100% Nylon.

- Insulation: 200g Primaloft Silver.
- · Highly windproof, waterproof and · Storm gaiter. breathable.
- 100% seams and logos sealed.
- · Preshaped and padded knees.
- Polar fleece at seat and crotch for extra warmth.

441666 • S, M, L, XL, 2XL, 3XL

- · Side zipper with double flaps.
- · Elastic at back.
- · Reinforcement at inner legs, seat and knees for abrasion resistance.
- · Reflective details.

Black (90)

WARMTH

WATERPROOFNESS/WINDPROOFNESS

BREATHABILITY

NEW TRAIL PANTS



• Outershell: 100% Nylon.

- 100% waterproof, breathable and windproof.
- Insulation: 200g Thermal Loft.
- · Critical seams and logos sealed.
- Reinforcement at seat and inner leg.
- Pre-shaped knees and seat.

441670 • XS, S, M, MT, L, LT, XL, XLT, 2XL, 3XL

- Storm gaiters with boot to lace snap connector.
- 2-way ³/4 length side zippers with flap.
- 2 zippered hip pockets.
- · Elastic waist at back.
- · Adjustable suspenders.

Black (90), Black with graphics (94)

WARMTH

 $\bullet \bullet \bullet \circ \circ$

WATERPROOFNESS/WINDPROOFNESS

BREATHABILITY

NEW HOLESHOT JACKET



- Outershell: 68% Polyester, 32% Nvlon.
- 100% windproof, waterproof and breathable
- Insulation: 200g Thermal Loft.
- Radiant core technology to keep you warm
- · Polar fleece at front body and top arms.
- · Critical seams and logos sealed.
- · Reflective details on back and sleeves for optimized visibility.

• 100% seams and logos sealed.

· Preshaped and padded knees.

• Polar fleece at seat and crotch

· Outershell: 100% Nylon.

breathable.

440893 • XS, S, M, L, XL, 2XL, 3XL

- E LinQ connect: Inner wiring and D-ring attach for helmet cable.
- · Durable YKK zippers.
- · Micro fleece inner cuffs.
- · Zipper puller on Black version: Black.
- · Zipper puller on Coral version: Coral.
- Zipper puller on Light Blue version: Blue.

Black (90), Coral (13), Light Blue (81)

WATERPROOFNESS/WINDPROOFNESS

BREATHABILITY

441665 • XS, S, M, L, XL, 2XL, 3XL

- · Side zipper with double flaps.
- Insulation: 200g Primaloft Silver. · Elastic at back.
- Highly windproof, waterproof and Storm gaiter.
 - Reinforcement at inner legs, seat and knees for ahrasion resistance.
 - · Reflective details.
 - · Drop seat design.

Black (90)



WATERPROOFNESS/WINDPROOFNESS

BREATHABILITY

NEW TRAIL PANTS

VOYAGER HIGHPANTS

LADIES



• Outershell: 100% Nylon.

for extra warmth.

- 100% waterproof, breathable and windproof.
- Insulation: 200g Thermal Loft.
- · Critical seams and logos sealed. · Reinforcement at seat
- and inner leg. Pre-shaped knees and seat.

441669 · XS, S, M, L, XL, 2XL, 3XL

- Storm gaiters with boot to lace snap connector.
- 2-way ¾ length side zippers with flap.
- 2 zippered hip pockets.
- Elastic waist at back.
- Adjustable suspenders.

Black (90), Heather Grey (27),

WARMTH



WATERPROOFNESS/WINDPROOFNESS

BREATHABILITY



SympaTex[®]

440901 • S, M, L, XL, 2XL, 3XL

Black with graphics (94)



• Outershell: 100% Sympatex 2-Ply • Powder skirt. laminated polyester.

- Primaloft Gold insulation: Body 200g + removable liner 100g.
- · Lifetime warranty with the Sympatex membrane.
- · 100% windproof, waterproof and highly breathable membrane.
- 100% seams and logos sealed.
- · Center front quadruple insulated · Removable hood. flaps for heat retention and wind protection.
- Removable and adjustable collar to seal air entry.

• Outershell: 100% Sympatex 2-Ply

Primaloft Gold insulation: Body

• 100% windproof, waterproof and

flaps for heat retention and wind

• Removable and adjustable collar

highly breathable membrane.

· 100% seams and logos sealed.

200g + removable liner 100g.

- Underarm venting.
- · Shaped sleeves.

laminated polyester.

· Lifetime warranty with

protection.

to seal air entry.

Underarm venting

· Shaped sleeves.

the Sympatex membrane.

- · Water-resistant YKK zippers at pockets.
- · Reflective details on arms and back.
- E LinQ connect: Inner wiring and D-ring attach for helmet cable.
- · Collar, hem and wrists adjustment.
- Customizable zipper puller: Choice of red or black.
- · Radiant Core technology to keep you warm.
- · Inner wrist gaiters with thumb hole.





WATERPROOFNESS/WINDPROOFNESS

BREATHABILITY



NEW ABSOLUTE O JACKET

SympaTex[®]

440890 • S, M, L, XL, 2XL, 3XL

· Powder skirt.

- · Water-resistant YKK zippers at pockets.
- · Reflective details on arms and back.
- E LinQ connect: Inner wiring and D-ring attach for helmet cable.
- Collar, hem and wrists adjustment.
- Center front quadruple insulated Removable hood.
 - Customizable zipper puller: Choice of red or black.
 - Radiant Core technology to keep vou warm.
 - · Inner wrist gaiters with thumb hole.

Black (90), Heather Grey (27)

WARMTH



WATERPROOFNESS/WINDPROOFNESS

BREATHABILITY

SympaTex⁶

441664 • SS, S, MS, M, LS, L, XLS,

- 2-way full-length side zippers with double flaps.
- · Polar fleece-lined seat for added warmth.
- · Adjustable waist.
- Preshaped and padded knees.
- · Reinforced crotch and seat.
- · Storm gaiters.

Black (90), Heather Grey (27)

WARMTH



WATERPROOFNESS/WINDPROOFNESS





NEW ABSOLUTE O HIGHPANTS

• Outershell: 100% Sympatex 2-Ply $\,$ • 100% seams and logos sealed.

- laminated polyester. • Primaloft Gold insulation: 200g.
- · Lifetime warranty with the Sympatex membrane.
- 100% windproof, waterproof and highly breathable Sympatex membrane.

NEW ABSOLUTE O TEAM EDITION JACKET

SympaTex[®]

440923 · XS, S, M, L, XL, 2XL, 3XL

• Outershell: 100% Sympatex 2-Ply • Powder skirt.

- laminated polyester. · Primaloft Gold insulation: Body 200g + removable liner 100g.
- · Lifetime warranty with
- the Sympatex membrane.
- · 100% windproof, waterproof and highly breathable membrane.
- 100% seams and logos sealed.
- Center front quadruple insulated Removable hood. flaps for heat retention and wind protection.
- Removable and adjustable collar to seal air entry.
- · Underarm venting.
- · Shaped sleeves.

- · Water-resistant YKK zippers at pockets.
- · Reflective details on arms and
- E LinQ connect: Inner wiring and
- D-ring attach for helmet cable. Collar, hem and wrists
- adjustment.
- Customizable zipper puller: Choice of red or black.
- Radiant Core technology to keep you warm.
- · Inner wrist gaiters with thumb hole.

Black with graphics (94)

WARMTH



WATERPROOFNESS/WINDPROOFNESS



SympaTex®

440902 • XS, S, M, L, XL, 2XL, 3XL

Black [90], Heather Grey [27]

- Outershell: 100% Sympatex 2-Ply laminated polyester.
- Primaloft Gold insulation: Body 200g + removable liner 100g.
- Lifetime warranty with the Sympatex membrane.
- 100% windproof, waterproof and highly breathable membrane.
- 100% seams and logos sealed.
- Center front quadruple insulated flaps for heat retention and wind
- Removable and adjustable collar to seal air entry.
- · Underarm venting.

laminated polyester.

- · Shaped sleeves.
- · Powder skirt.
- Water-resistant YKK zippers at pockets.

• Primaloft Gold insulation: 200g.

• 100% windproof, waterproof and

highly breathable Sympatex

· Lifetime warranty with the

Sympatex membrane.

membrane.

- Reflective details on arms and back.
- E LinQ connect: Inner wiring and D-ring attach for helmet cable.
- · Collar, hem and wrists adjustment.
- · Removable hood.
- Customizable zipper puller: Choice of red or black.
- Radiant Core technology to keep
- Inner wrist gaiters with thumb hole.
- Customizable zipper pullers: Choice of black or blue on the black colorway and coral or black on the heather grey version.

WARMTH

WATERPROOFNESS/WINDPROOFNESS

BREATHABILITY

NEW ABSOLUTE O HIGHPANTS

SympaTex

• Outershell: 100% Sympatex 2-Ply • 100% seams and logos sealed.

441663 · XS, SS, S, MS, M, LS, L,

Black (90)

- XLS, XL, 2XL, 3XL
- 2-way full-length side zippers with double flaps.
- Polar fleece-lined seat for added warmth.
- · Adjustable waist.
- Preshaped and padded knees.
- Reinforced crotch and seat.
- · Storm gaiters.

WARMTH

WATERPROOFNESS/WINDPROOFNESS

••••

BREATHABILITY

MITTS & GLOVES

NEW ABSOLUTE O GLOVES



- Outershell: 94.3% Nylon, 1.9% Genuine Leather, 3.1% Polyurethane, 0.6% Polyester, 0.1% Spandex.
- Insulation: Top hand: 200g PrimaLoft Gold, Palm: 133g PrimaLoft grip control and 30g of 60% goose down, 40% waterfowl feathers.
- Waterproof, windproof and breathable glove insert.

- 446317 XS, S, M, L, XL, 2XL, 3XL
- Naturally moisture-wicking and antimicrobial wool blend lining.
- Box fingertips to avoid air infiltration.
- · Leather palm and fingers with grip reinforcement.
- Touch screen index finger.
- Built-in wipe on thumb.
- · Long gauntlet.
- · Reflective details.

Black (90)

WARMTH

DEXTERITY

NEW ABSOLUTE 0 MITTS



- · Outershell: 94.3% Nylon, 1.9% Genuine Leather, 3.1% Polyurethane, 0.6% Polyester, 0.1% Spandex.
- · Insulation: Top hand: 200g PrimaLoft Gold, Palm: 133g PrimaLoft grip control and 30g of 60% goose down, 40% waterfowl feathers.

446318 · XS, S, M, L, XL, 2XL

- · Waterproof, windproof and breathable mitt insert.
- Naturally moisture-wicking and antimicrobial wool blend lining.
- Leather palm and fingers with grip reinforcement.
- Long gauntlet.
- · Reflective details.

Black (90)



DEXTERITY

•0000

MITTS & GLOVES

NEW X-TEAM NYLON GLOVES



- Outershell: 96.5% Nylon, 3.5% Polyurethane.
- Insulation: Top hand: 200g PrimaLoft Gold, Palm: 133g PrimaLoft grip control.
- · Waterproof, windproof and breathable glove insert.
- New moisture-wicking and antimicrobial wool blend lining.

446322 • XS, S, M, L, XL, 2XL, 3XL

- · Wider and longer cuff.
- Box fingertips to avoid air infiltration.
- Grip control technology for a better grip in palm.
- Touch screen index finger.
- Improved visor/goggle wiper.
- Reflective details for better visibility.

Black (90), Charcoal Grey (07)

WARMTH







NEW X-TEAM LEATHER GLOVES





- Outershell: 100% Genuine
- Insulation: Top hand: 200g PrimaLoft Gold, Palm: 133g PrimaLoft grip control.
- · Waterproof, windproof and breathable glove insert.
- · Naturally moisture-wicking and antimicrobial wool blend lining.

446328 • S, M, L, XL, 2XL, 3XL

- · Box fingertips to avoid air infiltration.
- · Grip control technology for a better grip in palm.
- Touch screen index finger.
- Improved visor/goggle wiper.

WARMTH



Black (90), Red (30)





MOUNTAIN GLOVES



- Outershell: 54% Leather, 41% Nylon, 5% Polyurethane.
- · mcFIT technology for a better grip.
- Mild-weather glove with lining.

446222 • S, M, L, XL, 2XL, 3XL

· Waterproof, windproof and breathable glove insert.

Black (90)

WARMTH lacktriangle





GRIP GLOVES



- Outershell: 45% Leather, 45% Nylon, 9% Chloroprene Rubber, 1% Polyester.
- Insulation: 100g PrimaLoft Gold top hand.
- mcFIT† technology for a better grip and added tactility and dexterity.
- · Box fingertips to avoid air infiltration.

446234 • S, M, L, XL, 2XL, 3XL

- · Leather palm with grip reinforcement.
- · Visor wiper.
- · Waterproof, windproof and breathable glove insert.
- · Antibacterial, stay-dry moisture management lining.
- Reflective details.

Black (90)



DEXTERITY



X-TEAM CREW GLOVES



- Outershell: 55% Nylon, 23% Polyester, 18% Polyurethane, 4% Spandex.
- Soft, durable, flexible and breathable.

446297 • S, M, L, XL, 2XL, 3XL

• Stretch wrist for easy in and out.

Black (90)



DEXTERITY

NEW WOOLLY GLOVES





- Outershell: 65% Nylon, 35% Goat Naturally moisture-wicking and
- Insulation: Top hand: 200g PrimaLoft Gold, Palm: 133g PrimaLoft grip control.
- · Waterproof, windproof and breathable glove insert.

446327 • XS, S, M, L, XL, 2XL

- antimicrobial wool blend lining.
- Leather palm and fingers with grip reinforcement.
- Touch screen index finger.
- Improved visor/goggle wiper.

Army Green (**77**), Black (**90**), Coral (**13**)



DEXTERITY

BOOTS NEW TEC+ BOOTS 444253 • 5, 6, 7, 8, 9, 10, 11, 12, 13 Black (90) · Improved comfort and flex. · Leather outer layer WARMTH incorporates HydroGuard† · Removable insole. waterproof membrane. • Unisex, smaller sizes added for RIGIDITY • Tapered rear shape for better ladies. achilles and ankle support. • Kevlar reinforced laces. · Abrasion and impact resistant • Moisture-wicking inner ice breaker toe piece. liner material. · Aggressive, durable • 600 g PrimaLoft ECO FOOTWEAR anti-slip outsole for running insulation for maximum comfort. board traction. **TEC+ REC BOOTS** 444240 • 5, 6, 7, 8, 9, 10, 11, 12, 13 Black (90) • Tough abrasion resistant leather • Rugged ultra-grip outsole WARMTH MEN'S outer. design · Breathable waterproof · Removable/inner liner. RIGIDITY membrane. ••000 · Limit of comfort temperature range: -40°F to -58°F or -40°C to **TEC+ REC BOOTS 444241** • 6, 7, 8, 9, 10 Black (90) • Tough abrasion resistant leather • Rugged ultra-grip outsole WARMTH · Breathable waterproof • Removable/inner liner. RIGIDITY membrane. ••000

SOCKS

ACTIVE/RACE SOCKS

444229 • S, M, L

Blue (80), Black (90), Sunburst Yellow (96)



 41% Nylon, 38% Merino Wool, 19% polypropylene, 2% elastane.

 Limit of comfort temperature range: -40°F to -58°F or -40°C to -50°C*.

- Engineer-knitted with Isolfil[†] yarn designed to keep skin dry, with built-in polypropylene fibers that trap warm air and slow the dispersion of body heat.
- Reinforced toe and heel, plus added protection above the boot line.
- Special padding for pressure reduction and buffered protection.

THERMAL SOCKS

444230 • S, M, L

Raspberry (**39**), Black (**90**), Sunburst Yellow (**96**)



- 40% Polyester Thermocool[†], 25% Nylon, 17% Wool, 16% polypropylene.
- Same thickness as competing thermal socks, but lighter, warmer and better moisture-wicking performance.
- Thermolite¹ hollow-core fibers deliver new generation of warmth-comfort fusion.

HEADWEAR & BALACLAVAS

NEW SUBLIMATED BALACLAVA

448679 • One size

Hi-Vis Yellow (26), Red (30)

1EN'S

LADIES





- 91% Polyester, 9% Spandex.
- Stretch, antibacterial fabric with brushed inner surface.
- Moisture-wicking anti-odor treatment.
- · Flatlocked seams prevent skin chafing.

NEW SUBLIMATED BALACLAVA

448701 • One size

Blue [80]



- 91% Polyester, 9% Spandex.
- Stretch, antibacterial fabric with brushed inner surface.
- Moisture-wicking anti-odor treatment.
- Flatlocked seams prevent skin chafing.

TECHNICAL BALACLAVA

445950 • One size

Black (90)



- 100% Polyester.
- Strategically placed mesh for breathability.
- · Windproof neck bib.
- Lower at back of neck for increased motion range.
- · Flatlocked seams prevent skin chafing.

BASIC BALACLAVA

447449 • One size

Black (**90**)



- 80% Nylon, 20% Spandex.
- Flatlocked seams prevent skin chafing.

MICROFLEECE BALACLAVA

447565 • One size

Black (**90**)



- 100% Polyester.
- Stretch, antibacterial warming fleece fabric with brushed inner surface.
- Flatlocked seams prevent skin chafing.

ULTIMATE TRAIL BALACLAVA

447736 • S/M, L/XL

Black (**90**)



- 60% Polyester, 30% Nylon, 10% Spandex.
- \bullet Perfect when used with the OXYGEN, BV2S or Modular 3 helmets.
- Keeps you warm while providing breathable and windproof performance.
- \bullet Waterproof, windproof and breathable fabric at neck.
- Moisture-wicking fabric.
- \bullet Elastic channel at sides for contoured fit.

MOUNTAIN BALACLAVA

448234 • One size

Black (**90**)



- 65% Nylon, 20% Polyester, 10% Spandex, 5% Synthetic Rubber.
- Stretch, quick-dry fabric with brushed inner surface.
- Neoprene face guard for effective moisture exchange to promote breathing in extreme cold with removable rubber part in pocket.
- · Flatlocked seams prevent skin chafing.
- Good fit with open face helmets.

Army Green (77), Black (90), Heather Grey (27), Red (30)

NEW REVERSIBLE BEANIE

448677 • One size

Black [90), Coral [13], Heather Grey [27], Light Blue [81], Orange [12], Red [30], Sunburst Yellow [96]



- 95% Acrylic, 4% Nylon, 1% Spandex.
- 2 in 1 reversible hat with knit in logos.

COMPACT THIN BEANIE

447704 • One size

Black (90)



- 88% Polyester, 12% Spandex fleece.
- · Light beanie.

SKI-DOO X HAT

447777 • One size

Black (90), Heather Grey (27)





- 100% Acrylic.
- Beanie with knit in X logo and Ski-Doo patch.

HEADWEAR & BALACLAVAS

LANDING HAT

454298 • One size

Black (90), Coral (13), Heather Grey (27), Orange (12)



• 95% Acrylic, 4% Nylon, 1% Spandex.

NEW FLEX FIT X-TEAM CAP

448698 · S/M, L/XL, 2XL

Black (90), Heather Grey (27)



• 97% Cotton, 3% Spandex (Black), 100% Cotton (Heather Grey).

NEW FREESTYLE CAP

448681 • One size

Black (90), Heather Charcoal (29), Navy (89)



- 60% Polyester, 40% Cotton (Black, Navy), 50% Polyester, 50% Cotton (Heather Charcoal).
- Snapback closure at back.
- Flat peak.

NEW SIGNATURE CAP

448682 • One size

Black (90), Coral (13), Heather Charcoal (29), Heather Grey (27), Sunburst Yellow (96), White (01)



- 100% Cotton (All colors except Heather Charcoal), 60% Cotton, 40% Polyester (Heather Charcoal).
- Snapback closure at back.

NEW X-TEAM CAP

448685 • One size

Black (90), Navy (89), Red (30),



- 100% Cotton.
- · Snapback closure at back.

BASE LAYERS

THERMAL BASE LAYERS

NEW THERMAL BASE LAYER (TOP)

454376 • S, M, L, XL, 2XL, 3XL

Black (90), Charcoal Grey (07)

- 95% Polyester, 5% Spandex
- Made of high-filament polyester enhanced by slight brushing to provide softness and warmth.
- Mesh paneled under arms for better ventilation and accelerated drying.
- · Antimicrobial.

454374 • S, M, L, XL, 2XL, 3XL

Black (90)

MEN'S



• 95% Polyester, 5% Spandex (Brushed)

- Made of high-filament polyester enhanced by slight brushing to provide softness and warmth.
- · Antimicrobial.

NEW THERMAL BASE LAYER (TOP)

454375 • XS, S, M, L, XL, 2XL, 3XL

Black (90), Charcoal Grey (07)



• 95% Polyester, 5% Spandex

- Made of high-filament polyester enhanced by slight brushing to provide softness and warmth.
- Mesh paneled under arms for better ventilation and accelerated drying.
- · Antimicrobial.

NEW THERMAL BASE LAYER (BOTTOM)

454373 • XS, S, M, L, XL, 2XL, 3XL

Black (90)



• 95% Polyester, 5% Spandex

- Made of high-filament polyester enhanced by slight brushing to provide softness and warmth.
- · Antimicrobial.

MERINO BASE LAYERS

NEW MERINO BLEND BASE LAYER (TOP)

454377 • S, M, L, XL, 2XL, 3XL

Black (90)



- 70% Merino Wool, 30% Nylon
- Permanent anti-odor performance.
- · Moisture wicking.
- Body temperature regulator.
- · Weight: 210gms.

NEW MERINO BLEND BASE LAYER (BOTTOM)

454378 • S, M, L, XL, 2XL, 3XL

Black (90)



- 70% Merino Wool, 30% Nylon
- Permanent anti-odor performance.
- · Moisture wicking.
- Body temperature regulator.
- Elastic waist band.
- Weight: 210gms.

NEW MERINO BASE LAYER (TOP)

454379 · XS, S, M, L, XL, 2XL, 3XL

Black (90)



- 70% Merino Wool, 30% Nylon
- Permanent anti-odor performance.
- · Moisture wicking.
- Body temperature regulator.
- Weight: 210gms.

NEW MERINO BASE LAYER (BOTTOM)

454380 • XS, S, M, L, XL, 2XL, 3XL

Black (90)



- 70% Merino Wool, 30% Nylon
- Permanent anti-odor performance.
- Moisture wicking.
- Body temperature regulator.
- Elastic waist band.
- · Weight: 210gms.

MID LAYERS

TECH+

NEW SKI-DOO WINDPROOF JACKET

454492 • S, M, L, XL, 2XL, 3XL

Black (90)



- 96% Polyester, 4% Spandex.
- Lightweight, windproof, water-resistant and quick-dry jacket.
- Brushed fabric interior for exceptional comfort.
- 2 exterior hand pockets.

• Reflective logos on front and back.

NEW PACKABLE JACKET

440916 • S, M, L, XL, 2XL, 3XL

Army Green (77), Black (90), Red (30), Silver (08)



- Shell and lining: 100% Nylon.
- Use as a light jacket for cool dry weather or as a very warm mid layer.
- Drawcord hem adjustment in pockets.
- Down-like insulation with high compression.
- Shaped sleeves.

NEW MID-LAYER FLEECE

454387 • S, M, L, XL, 2XL, 3XL

Blue Teal (19), Heather Grey (27)



- 96% Polyester, 4% Spandex.
- Heavyweight fleece for maximum warmth.
- Zippered hip and chest pockets.

TECH MID LAYER FLEECE

454188 · S, M, L, XL, 2XL

Black (90), Heather Grey (27)



- \bullet 100% Polyester with antimicrobial.
- Heavyweight fleece for maximum warmth.
- Zippered hips and chest pockets.

NEW PACKABLE JACKET

440917 • XS, S, M, L, XL, 2XL, 3XL

Black (90), Blue Teal (19), Red (30), Silver (08)



- \bullet Shell and lining: 100% Nylon.
- Use as a light jacket for cool dry weather or as a very warm mid layer.
- Drawcord hem adjustment in pockets.
- Down-like insulation with high compression.
- Shaped sleeves.

MID-LAYERS

NEW X-TEAM MICRO-FLEECE

454389 • S, M, L, XL, 2XL, 3XL

Black (90), Charcoal Grey (07), Red (30)

- 100% Polyester micro polar
- Mid weight microfleece excellent for warmth as a second layer.
- Moisture-wicking fabric.
- Zippered hand pockets.

DIES

454403 • S, M, L, XL, 2XL, 3XL

Army Green (77), Black (90), Blue Teal (19), Heather Grey (27)

MEN'S



• 96% Polyester, 4% Spandex

· Heavyweight fleece for maximum warmth.

NEW X-TEAM MICRO-FLEECE

454388 • XS, S, M, L, XL, 2XL, 3XL

Black (90), Heather Grey (27)



• 100% Polyester micro polar

- Midweight microfleece excellent for warmth as a second layer.
- Moisture-wicking fabric.
- · Zippered hand pockets.

NEW SNO-X FLEECE ZIP-UP

454405 • XS, S, M, L, XL, 2XL, 3XL

Black (**90**), Blue Teal (**19**), Heather Grey (**27**)



• 96% Polyester, 4% Spandex

· Heavyweight fleece for maximum warmth.

WINDPROOF ZIP-UP

454285 • XS, S, M, L, XL, 2XL, 3XL

Black (90)



• 96% Polyester, 4% Spandex

- · Windproof, water-resistant membrane.
- 2 zippered hip pockets.
- Cuff feature thumb holes.
- · Logo on shoulder.
- Reflective details on back.

MEN'S SPORTSWEAR

NEW SOFTSHELL JACKET

454412 • S, M, L, XL, 2XL, 3XL

Black with graphics (94), Dark Navy (16)

· Sleeve hem velcro adjustment.

• Two hand pockets and two chest pockets.



• 100% Polyester.

- Lightweight softshell construction.
- Windproof, water-resistant membrane.
- Breathable wicking technology for all outdoor activities.
- Backed by micro-fleece for a soft feel.
- Insulation: 340 gsm micro polar fleece.

NEW CABIN OVERSHIRT

454385 • S, M, L, XL, 2XL, 3XL

Blue (**80**)



- 100% Cotton.
- Plaid flannel overshirt.
- \bullet Front opening with snap buttons.
- \bullet Two chest pockets and two hand pockets.
- Pencil insert.
- Sherpa lining.

MEN'S SPORTSWEAR

NEW PULLOVER HOODIE SKI-DOO

454386 • S, M, L, XL, 2XL, 3XL

Black (90), Blue Teal (19), Heather Grey (27)







- 60% Cotton, 40% Polyester.
- One side brushed fleece.
- · Handwarmer kangaroo pocket.
- Hood with drawcord.
- · Rib on cuffs and hem.

NEW SKI-DOO ZIP-UP HOODIE

454390 • S, M, L, XL, 2XL, 3XL

Army Green (**77**), Black (**90**), Heather Grey (**27**)







• 60% Cotton, 40% Polyester. • Full Zip.

- Split, inset kangaroo hand pocket.
- · Rib on cuffs and hem.

NEW SIGNATURE SWEATSHIRT

454396 • S, M, L, XL, 2XL, 3XL

Army Green (**77**), Black (**90**), Heather Grey (**27**)







• 60% Cotton, 40% Polyester.

- Dropped, set-in sleeves.
- Rib on collar, cuffs and hem.

NEW CLUB HOUSE SWEATER

454383 • S, M, L, XL, 2XL

Heather Grey [27]



- 40% Acrylic, 55% Polyester, 5% Wool.
- An heritage look and a rich blend of wool and synthetic materials are all your need to be cozy on the trails.
- 1/4 zipper.



454517 • S, M, L, XL, 2XL

Navy (89)



- 67% Polyester, 19% Viscose, 14% Wool.
- · Heritage look and a rich blend of wool and synthetic materials.
- $\frac{1}{4}$ opening with buttons.
- Jacquard design at back.

NEW SKI-DOO TURTLENECK

454381 • S, M, L, XL, 2XL, 3XL

Black (90), Heather Grey (27)



- 90% Polyester, 10% Spandex.
- · Stretch fabric.
- Moisture wicking, anti-microbial treatment and anti-pilling.

NEW SKI-DOO FLANNEL SHIRT

454395 • S, M, L, XL, 2XL, 3XL

Black (90)



- 100% Cotton.
- Two pockets at chest.
- Pencil insert.

NEW SKI-DOO BOX LOGO T-SHIRT

454407 • S, M, L, XL, 2XL, 3XL

Black (90), Blue (80), Heather Grey (27)





• 100% Cotton.

NEW SKI-DOO SIGNATURE T-SHIRT

454421 • S, M, L, XL, 2XL, 3XL

Army Green (77), Black (90), Heather Grey (27), Navy (89), Red (30), White (01)



• 100% Cotton (All colors, except Heather Grey), 60% Cotton/40% Polyester (Heather Grey).

NEW SKI-DOO BASEBALL TEE

454449 • S, M, L, XL, 2XL, 3XL

Black (90), Navy (89)



- 60% Cotton, 40% Polyester.
- Vintage sporty style, baseball look.
- Raglan sleeves.

NEW GRAPHIC SKI-DOO T-SHIRT

454450 • S, M, L, XL, 2XL, 3XL

Heather Grey (27), White (01)



• 100% Cotton (White), 60% Cotton/40% Polyester (Heather Grey).

NEW SUMMIT LONG SLEEVE TEE

454401 • S, M, L, XL, 2XL, 3XL

Black [**90**], White [**01**]





• 100% Cotton.

NEW X-TEAM T-SHIRT

454399 • S, M, L, XL, 2XL, 3XL

Black (90), Navy (89), Sunburst Yellow (96)



• 100% Cotton.

MEN'S SPORTSWEAR

NEW ONE TRACK MIND T-SHIRT

454400 • S, M, L, XL, 2XL, 3XL

Black (90), Blue (80)



• 100% Cotton.

SKI-DOO PIT SHIRT

454281 • S, M, L, XL, 2XL, 3XL

Black (90)



- 60% Cotton, 40% Polyester.
- Chest pocket.
- Back pleats for ease of movement.
- Back loop to hang shirt.

NEW X-RACE JERSEY

454393 • S, M, L, XL, 2XL

Black (90), Orange (12)





- 100% Polyester.
- · V-neck jersey.
- Antibacterial, moisture-wicking fabric.
- Underarm mesh.
- · Sublimated print.

NEW HIGHMARK JERSEY

454394 • S, M, L, XL, 2XL

Army Green (77), Red (30)



- 100% Polyester.
- V-neck jersey.
- · Antibacterial, moisture-wicking fabric.
- Underarm mesh.
- Sublimated print.

LADIES' SPORTSWEAR

NEW LADIES' POLAR FLEECE

454446 • XS, S, M, L, XL, 2XL, 3XL

Black (90), Heather Grey (27), Light Blue (81)



- 100% Polyester
- · Polar fleece fabric.
- Brushed on the inside for a super-soft feel.
- Embossed binding at bottom hem.
- Quarter-zip with zipper guard.

NEW LADIES' CABIN OVERSHIRT

454382 • XS, S, M, L, XL, 2XL

Burgundy (35)



- 100% Cotton.
- Plaid flannel overshirt.
- Front opening with press buttons.
- Two chest pockets.
- Sherpa lining.
- · Pencil insert.

454414 · XS, S, M, L, XL, 2XL, 3XL

Blue (**80**), Coral (**13**), Heather Grey (**27**)







- 60% Cotton, 40% Polyester.
- · Hood with drawcord.
- Handwarmer kangaroo pocket.
- Rib on cuffs and hem.
- One side brushed fleece.

NEW LADIES' SKI-DOO ZIP-UP HOODIE

454404 • XS, S, M, L, XL, 2XL, 3XL

Black (**90**), Blue (**80**), Heather Grey (**27**)



- 60% Cotton, 40% Polyester.
- Split, inset kangaroo hand pocket.
- · Rib on cuffs and hem.

NEW LADIES' SKI-DOO TURTLENECK

454472 · XS, S, M, L, XL, 2XL, 3XL

Black (90), Heather Grey (27)



- 90% Polyester, 10% Spandex.
- Moisture wicking, anti-microbial treatment and anti-pilling.

MUSKOKA SUPER SOFT SHIRT

454320 · XS, S, M, L, XL, 2XL

Black (90), Heather Grey (27)



- 80% Polyester, 20% Spandex.
- $\bullet \ \ \text{Heavyweight super soft fabric for maximum heat}.$

NEW LADIES' SKI-DOO SIGNATURE T-SHIRT

454422 • XS, S, M, L, XL, 2XL, 3XL

Black (90), Coral (13), Heather Grey (27), White (01)



- 95% Cotton, 5% Spandex jersey.
- V-neck t-shirt.

NEW LADIES' LONG SLEEVES SIGNATURE TEE

454420 • XS, S, M, L, XL, 2XL

Black (**90**), Blue Teal (**19**), Heather Grey (**27**)



- 95% Cotton, 5% Spandex jersey.
- V-neck t-shirt.

NEW LADIES' BASEBALL TEE

454397 • XS, S, M, L, XL, 2XL, 3XL

Black (90), Blue Teal (19)



- 60% Cotton, 35% Polyester, 5% Spandex.
- Vintage sporty style, baseball look.
- · Raglan sleeves.



454398 • XS, S, M, L, XL, 2XL

Heather Grey (27), White (01)



• 60% Cotton, 35% Polyester, 5% Spandex jersey.

LADIES'S SPORTSWEAR

NEW LADIES' X-RACE JERSEY

454392 • S, M, L, XL, 2XL

Blue (80), Heather Grey (27)



• 100% Polyester.

- Semi-fitted V-neck jersey.
- · Antibacterial, moisture-wicking fabric.
- · Sublimated print.

KIDS' & TEEN WEAR

NEW TEENS' X-TEAM JACKET



• Outershell: 66% Polyester, 34% Nylon.

- 100% waterproof, breathable and windproof.
- Insulation: 200g PrimaLoft Black.
- Radiant Core technology to keep you warm.
- \bullet 100% seams and logos sealed.
- Double center front flap insulated for heat retention and wind protection.

440891 • 7, 8, 10, 12, 14, 16

- Polar fleece at front body and top arms for added warmth.
 Reflective Ski-Doo logos for
- Additional removable collar to seal air entry.

maximum visibility.

- Zipper puller on Coral version: Charcoal Grey.
- Zipper puller on Black with graphics version: Black.
- Zipper puller on Heather Grey version: Charcoal Grey.

Black with graphics (94), Coral (13), Heather Grey (27)





WATERPROOFNESS/WINDPROOFNESS



BREATHABILITY

• • • • • •

TEENS' X-TEAM HIGHPANTS



• Outershell: 60% Polyester, 40% Nylon.

- Highly windproof, waterproof and breathable.
- Insulation: 200g Thermal Loft.
- 100% seams and logos sealed.
- Articulated, padded and shaped knees.
- Adjustable waist.
- Full-length side zippers.

441605 • 7, 8, 10, 12, 14, 16

- Growing-leg system for lengthening legs by 4" (10 cm) as child gets taller.
- Reinforced seat, knees and inner
 leas
- legs.Water-resistant YKK zippers at
- pockets.
 Storm gaiters.
- Polar fleece-lined seat for added warmth.

Black (**90**)

WARMTH • • • • • • •

WATERPROOFNESS/WINDPROOFNESS



BREATHABILITY

••••••

TEENS' X-TEAM FLEECE

454258 • 7-8, 10-12, 14-16

Charcoal Grey (07)



 \bullet 100% Polyester .

Midweight polar fleece.Handwarmer pockets.

NEW YOUTH X-TEAM JERSEY

454406 • 3-4, 5-6, 7-8, 10-12, 14-16

Blue (**80**)



• 100% Polyester

- V-neck jersey.
- Antibacterial, moisture-wicking fabric.
- Underarm mesh.

454415 • 7-8, 10-12, 14-16

Heather Grey (27), Navy (89)



• 100% Cotton (Navy), 60% Cotton/40% Polyester (Heather Grey).

TEENS' X-TEAM GLOVES



- Outershell: 65% Nylon, 15% Polyester, 20% Polyurethane.
- Insulation: Top hand: 240g Thermal Loft, Palm: 100g Thermal Loft.
- Waterproof and breathable membrane
- 4-way stretch fleece cuff.

446289 · 6-8, 10-12, 14-16

- · Drawstring closure.
- Adjustable hook and loop web strap.
- Brushed polyester lining with Microban[†] anti-microbial product protection.
- · Reflective details.

Black (90)



DEXTERITY



TEENS' X-TEAM MITTS

TEEN



- Outershell: 5% Nylon, 15% Stretch Polyester, 20% Polyurethane.
- Insulation: Top hand: 240g Thermal Loft, Palm: 140g Thermal
- Waterproof and breathable membrane.
- Drawstring closure.

446303 • 6-8, 10-12, 14-16

- · Adjustable hook and loop web strap with slip keep. Micropolyester lining with Microban anti-microbial product protection.
- · Heat pack pocket built into inner mitt lining.
- · Reflective details.

Black (90)





YOUTH BASIC BALACLAVA

445685 • S/M, L/XL

Black (**90**)



- 80% Nylon, 20% Spandex
- Designed for warmth, dryness and comfort.
- · Flatlocked seams to prevent skin chafing.

NEW STORM HAT

448678 • One size

Black (90), Coral (13)



- 100% Acrylic
- · Knitted hat with micro fleece lining.

NEW KIDS' X-TEAM JACKET



- Outershell: 66% Polyester, 34% Nylon.
- 100% waterproof, breathable and windproof.
- Insulation: 200g PrimaLoft Black.
- Radiant Core technology to keep vou warm.
- 100% seams and logos sealed.
- Double center front flap insulated for heat retention and wind protection.

440920 • 3, 4, 5, 6

- Polar fleece at front body and top arms for added warmth.
- Reflective Ski-Doo logos for maximum visibility.
- Additional removable collar to seal air entry.
- Zipper puller on Coral version: Charcoal Grey.
- Zipper puller on Black with graphics version: Black.
- Zipper puller on Heather Grey version: Charcoal Grey.

Black with graphics (94), Coral (13), Heather Grey (27)

$\bullet \bullet \bullet \bullet \circ$



WATERPROOFNESS/WINDPROOFNESS



BREATHABILITY



TEKVEST

SKI-DOO TRAILMASTER TEKVEST

469308 · XS, S, M, L, XL

469309 · 2XL, 3XL

Grey (**09**)



• 100% Polyester.

- XS (100-130 lbs / 45-60 kg) , S (130-150 lbs / 60-70 kg), M (150-185 lbs / 70-85 kg), L (185-210 lbs / 85-95 kg), XL (210-240 lbs / 95-110 kg), 2XL (240-270 lbs / 110-125 kg), 3XL (270-300 lbs / 125-140 kg)
- Zip-up fleece collar.

- 2 body-heated pockets are roomy enough to hold up to 4 smart phones/battery boosters in a vertical position.
 A perfect spot for a small wallet, a trail map or special medication.
- Insulated on the outside with a reflective aluminium layer.
- Quick attach points included for optional shoulder pads.

BAGS

UNISEX

NEW SKI-DOO STAND-UP ROLLER GEAR BAG

469319 • One size

Black (**90**)



- · Your ultimate gear bag.
- Structural skeleton ensures stand-up stability when loaded or unloaded.
- Waterproof cover included for extra protection against the elements.
- Compartmentalized design places helmets, goggles, boots and your gear in dedicated zones.
- 140-liter capacity.
- Heavy duty 900D polyester material.

NEW SKI-DOO 90 L GEAR BAG

469321 • One size

Black (**90**)



- Large main compartment with easy access to all gear.
- Large separated boot pocket.
- · Zippered accessory pocket.
- Easy grab handles for transport.

- $\bullet \ {\tt Detachable} \ {\tt shoulder} \ {\tt strap}.$
- Heavy-duty reinforced base.
- 90-liter capacity.
- 900 D polyester.

NEW SKI-DOO DUFFLE BACKPACK

469322 • One size

Black (90)



- Duffle bag with shoulder strap, can transform into a backpack.
- Adjustable shoulder and chest straps.
- · Handy bottle holder.

- Foam padding on straps for comfort.
- 45-liter capacity.
- 900 D polyester.

NEW SKI-DOO LAPTOP BACKPACK

469323 • One size

Black (**90**)



- Laptop/Tablet pocket holds up to 15" laptop.
- Fleece lined sunglasses pocket.
- · Adjustable shoulder and chest straps.
- Organization pocket with key clip.
- \bullet Foam padding on straps and back for comfort.
- Easy grab zipper pulls.
- Carry-on slider.
- Water bottle side pouch.
- 900 D polyester.

PLAY & LICENSING PRODUCTS

WINTER FUN

NEW 3-SKI SNOW SLED



- Ski-Doo 3-Ski Snow Sled for single rider.
- Sturdy design features a strong tubular aluminum frame, high-density polyethylene hood and transparent windshield.
- · Handlebars and 3 grooved skis enhance steering and maneuverability.
- Brake system and non-slipping seat offer a controlled ride.
- · Suspension spring system ensures a steady and comfortable slide.

B103900000

- Ski-Doo Renegade X-RS UV resistant decals.
- Tow leash to help transport uphill.
- · Easy assembly.
- For ages 6 and up.
- Dimensions: 52" L x 20" W x 14" H.
- Weight: 5 lb.
- · Maximum weight capacity: 250 lb.

NEW MINI SNOW SLED



- Mini Ski-Doo Snow Sled for single rider.
- High-density durable plastic construction.
- Compact, lightweight and easy to carry uphill.
- · Centered handle for enhanced steering and control.
- Textured seat for extra grip.
- Safe feet-first design to easily slow down or stop using feet.

B106800000

- · For ages 6 and up.
- Dimensions: 22" L x 13 1/2" W x 15" H.
- · Weight: 3.5 lb.
- · Maximum weight capacity: 165 lb.

NEW FOAM SLED (55" X 21 1/2")



- Ski-Doo Foam Sled for up to two riders.
- · Lightweight and easy to carry uphill.
- $\bullet \ Revolution ary \ patented \ polymer \ foam \ bonding \ construction. \quad \bullet \ Parabolic \ rails \ for \ great \ stability \ and \ maneuverability.$
- EPS core absorbs shocks and integrates 4 molded handles.
- Water-resistant XPE top skin with colorful graphic designs.
- 3D padded textured grip deck.

B106830000/B106840000

- · High-density polyethylene slick bottom for ultimate glide
- For ages 6 and up.
- Dimensions: 55" L x 21 1/2" W.

SIZING CHART HOW TO MEASURE

- For best results, have someone else take measurements.
- · Measure body in underwear.
- · Tape must be snug but not tight.
- · If measurements fall between two sizes, order the larger size.

HEIGHT: Without shoes, standing with heels and back against a wall.

HEAD: Around your head, from the center of the forehead, above the ears and over the natural bump at the back of the head.

ARM LENGTH: Let the hands hang down on the side in a slightly bent position. Measure from the center of the back of your neck, along the length of your arm, to the wrist.

CHEST / BUST: Measure under your arms, around the fullest part of your chest.

WAIST: Measure around your natural waistline, keeping one finger between the tape and body.

HIPS: Across the fullest part of the seat.

INSEAM: Without shoes, from crotch to the floor.

GLOVES: Measure palm width.

BOOTS: Foot lenght from heel to toe.

// WHAT CODE REPRESENTS YOUR SIZE?

1. Find your size.

2. The corresponding code is THE CODE you use to complete the part number on your order. **Example:** 440227__90 Size: M = Code "**06**", therefore 4402270690

SIZE	CODE
One Size	00
XS	02
S	04
М	06
MT	07
L	09
LT	10

SIZE	CODE
XL	12
XLT	13
2XL	14
2XLT	15
3XL	16
3XLT	17
4XL	18

SIZE	CODE	SIZE
4XLT	19	6
5XL	88	7
1	20	8
2	21	9
3	22	10
4	23	11
	2/1	12

TALL 6'1"- 6'4 MT

38-41

32-35

38-41

331/2

MT LT

37-40

31-34

40-43

8

4'5" 27

23

27

241/2

241/2

311/2

32

LT

41-45

35-39

41-45

341/2

34

TALL 5'9"- 6'0"

40-43

34-37

43-46

321/2

32

XLT

45-49

39-43

45-49

351/2

34

XLT

43-47

37-42

46-50

321/2

10

4'8"

281/2

24

281/2

281/2

261/4

32

ODE	SIZE	CODE
25	13	33
27	14	34
28	16	35
29	18	78
30	3-4	79
31	5-6	52
32	6-8	48

4XLT

57-61

52-57

57-61

371/2

34

SS

35-38

29-32

35-38

291/2

291/ 30

SS

35-37

29-31

38-40

281/2

28

14

5'2"

311/2

26

31 1/2

31½

291/2

MS LS

38-41

32-35

38-41

301/2

MS LS

37-40

31-34

40-43

281/2

28

16

33

27

33

33

31

SHORT 5'2'

CO

2XLT

49-53

43-48

49-53

361/2

3XLT

53-57

48-52

53-57

361/2

12

4'11"

30

25

30

30

28

Head

Arm Length

Chest / Bust

Waist

Hips

Inseam

SIZE	CODE
7-8	54
10-12	49
14-16	50
S/M	72
M/L	91
L/XL	73
L/XL	73

XLS

45-49

39-43

45-49

321/2

XLS

43-47

37-42

46-50

291/2

28

30

AND BELOW

41-45

35-39

41-45

40-43

34-37

43-46

18

5'8'

35

293/4

361/2

333/4

31 1/2

291/2

28

311/2

30

AUTER	MID		41/500	0000T0WE40	
UUIEK.	мір 8	RASEL	AYERS +	SPORTSWEAR	

MEN'S - REGULAR 5'7"- 6'0"										
	XS	S	М	L	XL	2XL	3XL	4XL	5XL	
Chest	33-35	35-38	38-41	41-45	45-49	49-53	53-57	57-61	61-65	
Waist	27-29	29-32	32-35	35-39	39-43	43-48	48-52	52-57	57-62	
Hips (Seat)	33-35	35-38	38-41	41-45	45-49	49-53	53-57	57-61	61-65	
Arm Length	30	31	32	33	34	35	35	36	36	
Inseam	31	311/2	32	32	32	32	32	32	32	
LADIES' - REGULAR 5'3"-5'8"										

LADIES' - REGULAR 5'3"-5'8"									
	XS	S	M	L	XL	2XL	3XL	4XL	5XL
Chest	32-35	35-37	37-40	40-43	43-47	47-51	51-55	55-59	59-63
Waist	26-29	29-31	31-34	34-37	37-42	42-46	46-51	51-55	55-60
Hips (Seat)	35-38	38-40	40-43	43-46	46-50	50-54	54-58	58-62	62-66
Arm Length	29	30	30	31	31	32	32	33	33
Inseam	30	30	30	30	30	30	30	30	30

Arm Length Inseam	30	30	30	30	31	32	32	30	33
Hips (Seat)	35-38 29	38-40 30	40-43 30	43-46 31	46-50	50-54 32	54-58 32	58-62 33	62-66 33
Waist		29-31	31-34		37-42				55-60
Chest	32-35	35-37	37-40	40-43	43-47	47-51	51-55	55-59	59-63

Height	2'11"	3'2"	3'5"	3'8"	3'11"	4'2"	
Chest	21	22	23	24	25	26	
Waist	20	201/2	21	211/2	22	221/2	
Hips (Seat)	21	22	23	24	25	26	
Arm Length	151/2	17	181/2	20	211/2	23	
Inseam	131/2	151/2	171/2	191/2	21	223/4	

MEN'S									LAD	E	
	5	6	7	8	9	10	11	12	13	6	
EU-Unisex Shoes Size	37	38	39.5	41	42	43	44.5	46	47	35.5	
Foot (in.)	9	93/8	95/8	10	103/8	105/8	11	113/8	115/8	85/8	- 5
Foot (cm)	23	24	24.5	25.5	26.5	27	28	20	29.5	22	-

13	6	7	8	9	10
47	35.5	37	38	39.5	41
11%	85/8	9	93/8	95/8	10
29.5	22	23	24	24.5	25.5

1	2	3	4	5	6
32	33	34	35.5	37	38
75/s	8	83/8	85/8	9	93/8
19.5	20.5	21.5	22	23	24

GLOVES & MITTS

MEN 3							
	XS	S	М	L	XL	2XL	3XL
Palm (in.)	3	31/4	31/2	4	41/2	5	51/2
Palm (cm)	7.5	8	9	10	11.5	13	14

LAD	ILS				
XS	S	М	L	XL	2XL
21/2	23/4	3	31/2	4	41/2
6	7	8	9	10	11.5

KIDS'			
	2	4	6
Hand circumference (in.)	43/8-5	5-53/8	53/8-53/4
Hand length (in.)	4-41/2	41/2-43/4	43/4-5

HELMETS

MEN'S & LADIES'							
	XS	S	М	L	XL	2XL	3XL
Head (in.)	201/8-211/4	215/8-22	223/8-223/4	231/8-235/8	24-243/8	243/4-251/8	251/2-257/8
Head (cm)	53-54	55-56	57-58	59-60	61-62	63-64	65-66

JUNIOR		
S	М	L
191/4-193/4	20-201/2	201/8-211/4
49-50	51-52	53-54

		.,	,-	- /
.5	Hand length (in.)	4-41/2	41/2-43/4	43/
S	OCKS			

	S	М	L		S/M	L/XL
Men's	_	6-91/2	10-13	Kids	91/2-121/2	13-3
Ladies'	4-8	81/2-12	_			

// NOTES	



LINO BASE KITS REQUIREMENTS CHART FOR OLDER PLATFORMS

COMPATIBILITY / REQUIREMENTS

REV-XM, REV-XS, REV-XP, REV-XU 16" REV-XU 20" - 24"

FOR OLDER PLATFORMS			
LinQ ACCESSORIES WITH 16" BASE	LinQ anchors mounted 16 inches apart, center-to-center Can be used on Can-Am ATV and SSV vehicles, Sea-Doo w		
LinQ OIL CADDY - 1 GAL 860202445	LinQ Cargo Base Kit 860201806		
Ling Stackable fuel Caddy – 4 Gal 860202246	Lin0 Cargo Base Kit 860201806 and Shim Kit 860201432		
LinQ FUEL CADDY - 3 GAL 860202247	LinQ Cargo Base Kit 860201806	LinO Adaptor Plate 860200945 and LinO Cargo Base Kit 860201806	
LinQ DEEP SNOW PRO BAG - 30 L 860202456	LinQ Cargo Base Kit 860201806		
LinQ TRAIL PRO BAG 860201986	and Shim Kit 860201432		
LinQ SLIM WATERPROOF TUNNEL BAG - 26 L 860202451	Not compatible		
SLIM TUNNEL BAG WITH SOFT STRAPS – 15 L 860202440	LinQ Cargo Base Kit 2x 860201806 (Not compatible on REV-XS)	Not compatible	
LinQ SNOWBOARD/SKI RACK 860202191	Not compatible		
LinQ DRY BAG - 40 L 715008110	Lin0 Cargo Base Kit 860201806 and Shim Kit 860201432	LinQ Adaptor Plate 860200945 and LinQ Cargo Base Kit 860201806	
TUNNEL BACKPACK WITH LinQ SOFT STRAP – 28 L 860200939	LinQ Cargo Base Kit 2x 860201806 (Not compatible on REV-XS)		
LinQ ADVENTURE TUNNEL BAG – 40 L 860202444	Not compatible	Not compatible	
LinQ THERMAL BOX - 16 L 219400964	Lin0 Cargo Base Kit 860201806 and Shim Kit 860201432	LinQ Adaptor Plate 860200945 and LinQ Cargo Base Kit 860201806	
LinQ ADVENTURE CARGO BOX - 90 L 860202448	REV-XM requires LinQ Cargo Base Kit 2x 860201806 (Not compatible with REV-XV, REV-XP and REV-XS)		
LinQ CARGO BOX - 62 L 860202446	Not compatible	Not compatible	
LinQ CARGO BOX - 40 L 860202442	REV-XM requires Ling Cargo Base Kit 2x 860201806 (Not compatible with REV-XV, REV-XP and REV-XS)		
LinQ SR 21 TUNNEL BAG – 21 L 860202449	Not compatible		
LinQ SPORT BAG – 17 L 860202447	LinQ Cargo Base Kit 860201806 (Not compatible with REV-XU)		
LinQ TOOL BOX - 19 L 715008111	LinQ Cargo Base Kit 860201806	LinQ Adaptor Plate 860200945 and LinQ Cargo Base Kit 860201806	
Ling MODULAR CARGO BOX - 10 L 715005494	and Shim Kit 860201432		
LinQ RACKS & HOLDERS			
LinQ UNIVERSAL RACK 860202208	LinQ Cargo Base Kit	Not compatible	
LinQ TOOL HOLDER 860201846	860201806	LinQ Cargo Base Kit 860201806	









