



SHERMAN-TANK

Rotational Molding



CUSTOM CHEMICAL
PACKAGING



INTERMEDIATE
BULK CONTAINERS



DEF & LUBRICANT
SOLUTIONS



CUSTOM ROTO-
MOLD



SECONDARY
CONTAINMENT



744-048

a proud affiliate of
nacd

National Association of
Chemical Distributors



ABOUT SHERMAN ROTO-TANK

At Sherman Roto Tank, we understand that your competitive advantage is driven by your ability to quickly adapt to the changes in our industry.

Whether you are an Oil & Gas Operator, a Chemical Company, an Integrator/Distributor, or a Manufacturing Company requiring custom roto-molding services you need dedicated partners who will support your growth by providing fresh solutions to your everyday problems.

That is why we are committed to rapidly delivering innovative chemical packaging and custom roto-mold solutions allowing you to focus on growing your bottomline.



INDUSTRIES WE SERVE



Agricultural



Chemical
Distribution



Industrial
Chemicals



Lubricants



Marine



Oil & Gas

OUR GENERAL USE PHILOSOPHY™

Tanks, Pumps, and fittings are put to the test by chemicals every day in oilfield and industrial settings, and when they fail, it impacts your bottom line.

At Sherman-Tank, we strongly believe that helping our customers achieve realistic expectations of equipment is responsible business.

While over time even the best quality components will eventually break down, with proper material selection and realistic expectations one can significantly prolong equipment life and enhance reliability.



Mitigate Equipment
Failure



Achieve better product
integrity



Prolong the life of
your equipment

TABLE OF CONTENTS

Oil & Gas Packages	5-9
Closed Top (Patriot) Containment Packages	6
Horizontal Open Top Containment Packages	7
Vertical Open Top Containment Packages	8-9
Barrier Enhanced Tanks™	10-14
Barrier Enhanced Horizontal Leg Tanks	13
Barrier Enhanced Vertical Flat Bottom Tanks	14
Tanks, Containments, Stands, and Berms	15-26
Horizontal Leg Tanks	16
Vertical Flat Bottom Tanks	17-18
Flat Bottom Utility Tanks	19
Open Top Containments	20
Patriot Containments	21
Horizontal Basic Stands	22
Horizontal Quick Set Stands	23
Vertical Basic Stands	24-25
Vertical Quick Set Stands	26
Plastic Berms	27





TABLE OF CONTENTS, CONT.


The Sherman Stackable Workhorse IBC	28-31
Intermediate Bulk Containers	29
IBC Accessories	30-31
Sherman Mini Bulk DEF Tank Packages	32-38
DEF Packages	33-34
DEF Pumps	35
DEF Fittings	36-38
Accessories	39-52
Resources & Strapping Charts	53

SHERMAN OIL & GAS PACKAGES

As an oil & gas operator you need innovative partners who will help support your growth by providing creative solutions to your everyday problems.

At Sherman Roto Tank we pride ourselves on our ability to consistently deliver fresh new approaches to our roto-tank product line resulting in:

-  **Better well performance**
-  **Better chemical performance**
-  **Reduced emissions**
-  **Reduced road exposure**



DOWNLOADABLE RESOURCES

[Common Sense Field Guide](#)

[Chemical Compatibility Charts](#)

[Strapping Charts](#)

[Poly Tank Inspection Guide](#)

INDUSTRIES WE SERVE



Agricultural



Chemical Distribution



Industrial Chemicals



Lubricants



Marine



Oil & Gas

All IBC containers UN D.O.T certified to Y1.9/100



135 GALLON HORIZONTAL CLOSED CONTAINMENT BASIN PACKAGE

135 Gallon Horizontal Tank, 135 Gallon Patriot Basin, 3/4" SS Bulkhead Installed

Product code

SRT-H-135PATRIOTSYSTEM



220 GALLON HORIZONTAL CLOSED CONTAINMENT BASIN PACKAGE

220 Gallon Horizontal Tank, 220 Gallon Patriot Basin, 3/4" SS Bulkhead Installed

Product code

SRT-H-220PATRIOTSYSTEM



330 GALLON HORIZONTAL CLOSED CONTAINMENT BASIN PACKAGE

330 Gallon Horizontal Tank, 330 Gallon Patriot Basin, 3/4" SS Bulkhead Installed

Product code

SRT-H-330PATRIOTSYSTEM



130 GALLON VERTICAL CLOSED CONTAINMENT BASIN PACKAGE

130 Gallon Vertical Tank, 130 Gallon Vertical Patriot Stand, 135 Gallon Patriot Basin, 3/4" SS Bulkhead Installed

Product code

SRT-V-130PATRIOTSYSTEM



230 GALLON VERTICAL CLOSED CONTAINMENT BASIN PACKAGE

230 Gallon Vertical Tank, 230 Gallon Vertical Patriot Stand, 220 Gallon Patriot Basin, 3/4" SS Bulkhead Installed

Product code

SRT-H-230PATRIOTSYSTEM



300 GALLON VERTICAL CLOSED CONTAINMENT BASIN PACKAGE

300 Gallon Vertical Tank, 300 Gallon Vertical Patriot Stand, 330 Gallon Patriot Basin, 3/4" SS Bulkhead Installed

Product code

SRT-H-300PATRIOTSYSTEM



65 GALLON HORIZONTAL OPEN TOP CONTAINMENT BASIN PACKAGE

65 Gallon Horizontal Tank, 65 Gallon Horizontal Quick Set Stand, 100 Gallon Open Top Containment Basin, 3/4" SS Bulkhead Installed

Product code

SRT-H-65OPENTOPSYSTEM



135 GALLON HORIZONTAL OPEN TOP CONTAINMENT BASIN PACKAGE

135 Gallon Horizontal Tank, 135 Gallon Horizontal Quick Set Stand, 200 Gallon Open Top Containment Basin, 3/4" SS Bulkhead Installed

Product code

SRT-H-135OPENTOPSYSTEM



220 GALLON HORIZONTAL OPEN TOP CONTAINMENT BASIN PACKAGE

220 Gallon Horizontal Tank, 220 Gallon Horizontal Quick Set Stand, 275 Gallon Open Top Containment Basin, 3/4" SS Bulkhead Installed

Product code

SRT-H-220OPENTOPSYSTEM



330 GALLON HORIZONTAL OPEN TOP CONTAINMENT BASIN PACKAGE

330 Gallon Horizontal Tank, 330 Gallon Horizontal Quick Set Stand, 415 Gallon Open Top Containment Basin, 3/4" SS Bulkhead Installed

Product code

SRT-H-330OPENTOPSYSTEM



550 GALLON HORIZONTAL OPEN TOP CONTAINMENT BASIN PACKAGE

550 Gallon Horizontal Tank, 550 Gallon Horizontal Quick Set Stand, 625 Gallon Open Top Containment Basin, 3/4" SS Bulkhead Installed

Product code

SRT-H-655OPENTOPSYSTEM



75 GALLON VERTICAL OPEN TOP CONTAINMENT BASIN PACKAGE

75 Gallon Vertical Tank, 75 Gallon Vertical Quick Set Stand, 100 Gallon Open Top Containment Basin, 3/4" SS Bulkhead Installed

Product code

SRT-V-75OPENTOPSYSTEM



100 GALLON VERTICAL OPEN TOP CONTAINMENT BASIN PACKAGE

100 Gallon Vertical Tank, 100 Gallon Vertical Quick Set Stand, 200 Gallon Open Top Containment Basin, 3/4" SS Bulkhead Installed

Product code

SRT-V-100OPENTOPSYSTEM



130 GALLON VERTICAL OPEN TOP CONTAINMENT BASIN PACKAGE

130 Gallon Vertical Tank, 130 Gallon Vertical Quick Set Stand, 200 Gallon Open Top Containment Basin, 3/4" SS Bulkhead Installed

Product code

SRT-V-130OPENTOPSYSTEM



230 GALLON VERTICAL OPEN TOP CONTAINMENT BASIN PACKAGE

230 Gallon Vertical Tank, 230 Gallon Vertical Quick Set Stand, 275 Gallon Open Top Containment Basin, 3/4" SS Bulkhead Installed

Product code

SRT-V-230OPENTOPSYSTEM



300 GALLON VERTICAL OPEN TOP CONTAINMENT BASIN PACKAGE

300 Gallon Vertical Tank, 300 Gallon Vertical Quick Set Stand, 415 Gallon Open Top Containment Basin, 3/4" SS Bulkhead Installed

Product code

SRT-V-300OPENTOPSYSTEM



550 GALLON VERTICAL OPEN TOP CONTAINMENT BASIN PACKAGE

550 Gallon Vertical Tank, 550 Gallon Vertical Quick Set Stand, 625 Gallon Open Top Containment Basin, 3/4" SS Bulkhead Installed

Product code

SRT-V-550OPENTOPSYSTEM



1000 GALLON VERTICAL OPEN TOP CONTAINMENT BASIN PACKAGE

1000 Gallon Vertical Tank, 1000 Gallon Vertical Quick Set Stand, 1200 Gallon Open Top Containment Basin, 3/4" SS Bulkhead Installed

Product code

SRT-V-1000OPENTOPSYSTEM

BARRIER ENHANCED TANKS™

Many blends of chemicals are used in the extraction process in the oil and gas industry and in many other industrial settings. These chemicals contain certain hydrocarbon molecules that readily pass through XLPE and HDPE containers.

This constant permeation results in:

⚡ Product loss

Loss factors include:

- Chemistry
- Temperature
- Plastic Material
- Volume/Shape of Container
- Elevation
- Agitation

⚡ Adverse change in Product Integrity/Chemical Efficacy/Performance

⚡ Environmental contamination

⚡ Migration of ingredients, creating an “oily” outside surface.

⚡ Damages to the container due to swelling, softening or embrittlement effect of the contents



Sherman Tank has created The Barrier Enhanced Tank™ and Barrier Enhanced IBCs that have improved resin properties in combination with imparting fluorine to the surface of the vessels and promote the barrier a “General Use™” capacity.

The newly formed Barrier Enhanced, fluorinated plastic delivers PTFE properties by increasing the molecular density and the surface energy to repel hydrocarbons. The Carbon-Fluorine covalent bonds are permanent and will not dissipate or “wear off.”

This new layer is applied on both the inside and outside of the tank and is recyclable in HDPE at the end of its useful life.

HDPE PLASTIC STORAGE TANKS & IBCS

Storage tanks and IBCs made from HDPE plastics have relatively large permeability to certain hydrocarbon gas and liquid molecules of low polarity commonly used in the oil and gas industry. This is a primary factor that HDPE tanks may lose too much of their contents or the composition of the contents may change over time due to differences in content polarity and rate of permeation of the ingredients.

Problems associated with permeation loss are:

- ⚡ Loss, weight and properties change of content
- ⚡ Migration of contents to outer surface causing odor and environmental issues
- ⚡ Migration of ingredients in the plastic wall to outer surface
- ⚡ Mechanical failure of container due to swelling, softening or embrittlement effect of the contents

MITIGATE PERMEATION WITH BARRIER ENHANCED TANKS

Surface barrier fluorination prevents such adverse effects. Fluorinated surfaces act as a barrier against many nonpolar substances, so permeation, diffusion, and migration are greatly reduced.

Fluorination results in the following changes to the surface that lead to decreased permeability:

- ★ Increase the density and decrease the free volume
- ★ Cross-linking
- ★ Increased surface energy of and hence the solubility (also, permeability) of low-polarity organic liquids decreased.




FIGURE 1 CHEMICAL MODIFICATION OF HDPE SURFACE AND SCANNING ELECTRON MICROGRAPH OF MODIFIED HDPE SURFACE.

The permeability value of fluorine-treated HDPE is around 6–7 orders of magnitude lower than HDPE which often translate to reduction of loss by a factor of more than hundreds as demonstrated by results of a controlled test in the table below.




FIGURE 2 RATIO OF PRODUCT LOSS OF UNTREATED AND FLUORINATED HDPE IN A 125ML CONTAINER WITH 1MM WALL THICKNESS AT 50°C

Container surfaces modified by fluorination reduce the permeation of short-chain solvents, coolants, glycerine, and petrol. The diffusion of those molecules through the fluorinated surface is significantly reduced.

The benefits of our Barrier Enhanced storage tanks and containers include:

- ★ Significantly reduced loss of product due to permeation
- ★ Improve resistance to acidic and caustic liquids
- ★ Limit the migration of softeners and other additives
- ★ Limit the migration of softeners and other additives
- ★ Preventing plastics from becoming brittle

These properties of fluorinated storage tanks and containers make it last much longer than regular HDPE containers and are an excellent alternative to stainless steel in terms of chemical compatibility.

65 GAL HORIZONTAL LEG BARRIER ENHANCED TANK

Barrier Enhanced Tank™, Gallons: 65, Weight: 36 lbs, Specific Gravity: 1.9, Height: 25", Width: 24", Length: 40", Lid: 8"



Product code	Weight	Dimensions	Specific Gravity
SRT-H-65B/ETANK	36 lbs	25"x 24" x 40"	1.9

135 GAL HORIZONTAL LEG BARRIER ENHANCED TANK

Barrier Enhanced Tank™, Gallons: 135, Weight: 65 lbs, Specific Gravity: 1.9, Height: 32", Width: 32", Length: 48", Lid: 8"



Product code	Weight	Dimensions	Specific Gravity
SRT-H-135B/ETANK	65 lbs	32"x 32" x 48"	1.9

220 GAL HORIZONTAL LEG BARRIER ENHANCED TANK

Barrier Enhanced Tank™, Gallons: 220, Weight: 89 lbs, Specific Gravity: 1.9, Height: 36", Width: 35", Length: 61", Lid: 8"



Product code	Weight	Dimensions	Specific Gravity
SRT-H-220B/ETANK	89 lbs	36"x 35" x 61"	1.9

330 GAL HORIZONTAL LEG BARRIER ENHANCED TANK

Barrier Enhanced Tank™, Gallons: 330, Weight: 130 lbs, Specific Gravity: 1.9, Height: 40", Width: 39", Length: 74", Lid: 8"



Product code	Weight	Dimensions	Specific Gravity
SRT-H-330B/ETANK	130 lbs	40"x 39" x 74"	1.9

550 GAL HORIZONTAL LEG BARRIER ENHANCED TANK

Barrier Enhanced Tank™, Gallons: 550, Weight: 188 lbs, Specific Gravity: 1.9, Height: 50", Width: 49", Length: 78", Lid: 8"



Product code	Weight	Dimensions	Specific Gravity
SRT-H-550B/ETANK	188 lbs	50"x 49" x 78"	1.9


75 GAL VERTICAL FLAT BOTTOM BARRIER ENHANCED TANK

Barrier Enhanced Tank™, Gallons: 75, Weight: 28 lbs, Specific Gravity: 1.9, Height: 44", Diameter: 22", Lid: 8"

Product code	Weight	Dimensions	Specific Gravity
SRT-V-75B/ETANK	28 lbs	44" x 22"	1.9


100 GAL VERTICAL FLAT BOTTOM BARRIER ENHANCED TANK

Barrier Enhanced Tank™, Gallons: 100, Weight: 45 lbs, Specific Gravity: 1.9, Height: 42", Diameter: 29", Lid: 8"

Product code	Weight	Dimensions	Specific Gravity
SRT-V-100B/ETANK	45 lbs	42" x 29"	1.9


130 GAL VERTICAL FLAT BOTTOM BARRIER ENHANCED TANK

Barrier Enhanced Tank™, Gallons: 130, Weight: 55 lbs, Specific Gravity: 1.9, Height: 52", Diameter: 29", Lid: 8"

Product code	Weight	Dimensions	Specific Gravity
SRT-V-130B/ETANK	55 lbs	52" x 29"	1.9


230 GAL VERTICAL FLAT BOTTOM BARRIER ENHANCED TANK

Barrier Enhanced Tank™, Gallons: 230, Weight: 86 lbs, Specific Gravity: 1.9, Height: 50", Diameter: 40", Lid: 8"

Product code	Weight	Dimensions	Specific Gravity
SRT-V-230B/ETANK	86 lbs	50" x 40"	1.9


300 GAL VERTICAL FLAT BOTTOM BARRIER ENHANCED TANK

Barrier Enhanced Tank™, Gallons: 300, Weight: 105 lbs, Specific Gravity: 1.9, Height: 63", Diameter: 40", Lid: 8"

Product code	Weight	Dimensions	Specific Gravity
SRT-V-300B/ETANK	105 lbs	63" x 40"	1.9


550 GAL VERTICAL FLAT BOTTOM BARRIER ENHANCED TANK

Barrier Enhanced Tank™, Gallons: 550, Weight: 146 lbs, Specific Gravity: 1.9, Height: 66", Diameter: 52", Lid: 8"

Product code	Weight	Dimensions	Specific Gravity
SRT-V-550B/ETANK	146 lbs	66" x 52"	1.9

TANKS, CONTAINMENTS, STANDS, & BERMS



a proud affiliate of
nacd
National Association of
Chemical Distributors

INDUSTRIES WE SERVE



Agricultural



Chemical
Distribution



Industrial
Chemicals



Lubricants



Marine



Oil & Gas

All IBC containers UN D.O.T certified to Y1.9/100

65 GAL HORIZONTAL LEG TANK

Gallons: 65, Weight: 36 lbs, Specific Gravity: 1.9, Height: 25", Width: 24", Length: 40", Lid: 8"



Product code	Weight	Dimensions	Specific Gravity
SRT-H-65TANK	36 lbs	25"x 24" x 40"	1.9

135 GAL HORIZONTAL LEG TANK

Gallons: 135, Weight: 65 lbs, Specific Gravity: 1.9, Height: 32", Width: 32", Length: 48", Lid: 8"



Product code	Weight	Dimensions	Specific Gravity
SRT-H-135TANK	65 lbs	32"x 32" x 48"	1.9

220 GAL HORIZONTAL LEG TANK

Gallons: 220, Weight: 89 lbs, Specific Gravity: 1.9, Height: 36", Width: 35", Length: 61", Lid: 8"



Product code	Weight	Dimensions	Specific Gravity
SRT-H-220TANK	89 lbs	36"x 35" x 61"	1.9

330 GAL HORIZONTAL LEG TANK

Gallons: 330, Weight: 130 lbs, Specific Gravity: 1.9, Height: 40", Width: 39", Length: 74", Lid: 8"



Product code	Weight	Dimensions	Specific Gravity
SRT-H-330TANK	130 lbs	40"x 39" x 74"	1.9

550 GAL HORIZONTAL LEG TANK

Gallons: 550, Weight: 188 lbs, Specific Gravity: 1.9, Height: 50", Width: 49", Length: 78", Lid: 8"



Product code	Weight	Dimensions	Specific Gravity
SRT-H-550TANK	188 lbs	50"x 49" x 78"	1.9


75 GAL VERTICAL FLAT BOTTOM TANK

Gallons: 75, Weight: 28 lbs, Specific Gravity: 1.9, Height: 44", Diameter: 22", Lid: 8"

Product code	Weight	Dimensions	Specific Gravity
SRT-V-75TANK	28 lbs	44" x 22"	1.9


100 GAL VERTICAL FLAT BOTTOM TANK

Gallons: 100, Weight: 45 lbs, Specific Gravity: 1.9, Height: 42", Diameter: 29", Lid: 8"

Product code	Weight	Dimensions	Specific Gravity
SRT-V-100TANK	45 lbs	42" x 29"	1.9


130 GAL VERTICAL FLAT BOTTOM TANK

Gallons: 130, Weight: 55 lbs, Specific Gravity: 1.9, Height: 52", Diameter: 29", Lid: 8"

Product code	Weight	Dimensions	Specific Gravity
SRT-V-130TANK	55 lbs	52" x 29"	1.9


230 GAL VERTICAL FLAT BOTTOM TANK

Gallons: 230, Weight: 86 lbs, Specific Gravity: 1.9, Height: 50", Diameter: 40", Lid: 8"

Product code	Weight	Dimensions	Specific Gravity
SRT-V-230TANK	86 lbs	50" x 40"	1.9


300 GAL VERTICAL FLAT BOTTOM TANK

Gallons: 300, Weight: 105 lbs, Specific Gravity: 1.9, Height: 63", Diameter: 40", Lid: 8"

Product code	Weight	Dimensions	Specific Gravity
SRT-V-300TANK	105 lbs	63" x 40"	1.9


550 GAL VERTICAL FLAT BOTTOM TANK

Gallons: 550, Weight: 146 lbs, Specific Gravity: 1.9, Height: 66", Diameter: 52", Lid: 8"

Product code	Weight	Dimensions	Specific Gravity
SRT-V-550TANK	146 lbs	66" x 52"	1.9



800 GALLON VERTICAL FLAT BOTTOM TANK

Gallons: 800, Weight: 213 lbs, Specific Gravity: 1.9, Height: 72", Diameter: 60", Lid: 8", Optional Lid: Up to 18"

Product code	Weight	Dimensions	Specific Gravity
SRT-V-800TANK	213 lbs	72" x 60"	1.9



1000 GAL VERTICAL FLAT BOTTOM TANK

Gallons: 1000, Weight: 263 lbs, Specific Gravity: 1.9, Height: 88", Diameter: 64", Lid: 8", Optional Lid: Up to 18"

Product code	Weight	Dimensions	Specific Gravity
SRT-V-1000TANK	263 lbs	88" x 64"	1.9



55 GALLON FLAT BOTTOM UTILITY TANK

Gallons: 55, Weight: 32 lbs, Specific Gravity: 1.9, Height: 42", Width: 18", Length: 18", Lid: 8"

Product code	Weight	Dimensions	Specific Gravity
SRT-FBU-55TANK	32 lbs.	42" x 18"	1.9



100 GALLON FLAT BOTTOM UTILITY TANK

Gallons: 100, Weight: 65 lbs, Specific Gravity: 1.9, Height: 42", Width: 48", Length: 13", Lid: 8"

Product code	Weight	Dimensions	Specific Gravity
SRT-FBU-100TANK	65 lbs.	42" x 48"	1.9

100 GALLON OPEN TOP CONTAINMENT BASIN

100 Gallon Open Top Containment Basin, Weight: 27 lbs, Height: 12", Width: 41", Length: 55"



Product code	Gallons	Weight	Dimensions
SRT-100BASIN	100	27 lbs	12" x 41" x 55"

200 GALLON OPEN TOP CONTAINMENT BASIN

200 Gallon Open Top Containment Basin, Weight: 53 lbs, Height: 16", Width: 54", Length: 67"



Product code	Gallons	Weight	Dimensions
SRT-200BASIN	200	53 lbs	16" x 54" x 67"

275 GALLON OPEN TOP CONTAINMENT BASIN

275 Gallon Open Top Containment Basin, Weight: 70 lbs, Height: 16", Width: 60", Length: 80"



Product code	Gallons	Weight	Dimensions
SRT-275BASIN	275	70 lbs	16" x 60" x 80"

415 GALLON OPEN TOP CONTAINMENT BASIN

415 Gallon Open Top Containment Basin, Weight: 86 lbs, Height: 20", Width: 64", Length: 94"



Product code	Gallons	Weight	Dimensions
SRT-415BASIN	415	86 lbs	20" x 64" x 94"

625 GALLON OPEN TOP CONTAINMENT BASIN

625 Gallon Open Top Containment Basin, Weight: 138 lbs, Height: 20", Width: 88", Length: 115"



Product code	Gallons	Weight	Dimensions
SRT-625BASIN	625	138 lbs	20" x 88" x 115"

1,200 GALLON OPEN TOP CONTAINMENT BASIN

1200 Gallon Open Top Containment Basin, Weight: 250 lbs, Height: 31", Width: 99", Length: 121"



Product code	Gallons	Weight	Dimensions
SRT-1200BASIN	1200	250 lbs	31" x 99" x 121"

65 GALLON PATRIOT BASIN

65 Gallon Patriot Basin, Height: 17", Width: 41", Length: 77"



Product code	Dimensions
SRT-H-65 PATRIOT	17" x 41" x 77"

135 GALLON PATRIOT BASIN

135 Gallon Patriot Basin, Gallons: 179, % Containment: 128%, Height: 17", Width: 41", Length: 77"



Product code	Gallons	% Containment	Dimensions
SRT-H-135PATRIOT	179	128%	17" x 41" x 77"

220 GALLON PATRIOT BASIN

220 Gallon Patriot Basin, Gallons: 274, % Containment: 122%, Height: 20", Width: 45", Length: 89"



Product code	Gallons	% Containment	Dimensions
SRT-H-220PATRIOT	274	122%	20" x 45" x 89"

330 GALLON PATRIOT BASIN

330 Gallon Patriot Basin, Gallons: 370, % Containment: 112%, Height: 20", Width: 48", Length: 109"



Product code	Gallons	% Containment	Dimensions
SRT-H-330PATRIOT	370	112%	20" x 48" x 109"



65 GALLON HORIZONTAL BASIC STAND

65 Gallon Horizontal Basic Stand, Height: 18", Width: 24", Length: 27"

Product code	Dimensions
SRT-H-65STAND	18" x 24" x 27"



135 GALLON HORIZONTAL BASIC STAND

135 Gallon Horizontal Basic Stand, Height: 18", Width: 31", Length: 29"

Product code	Dimensions
SRT-H-135STAND	18" x 31" x 29"



220 GALLON HORIZONTAL BASIC STAND

220 Gallon Horizontal Basic Stand, Height: 22", Width: 31", Length: 50"

Product code	Dimensions
SRT-H-220STAND	22" x 31" x 50"



330 GALLON HORIZONTAL BASIC STAND

330 Gallon Horizontal Basic Stand, Height: 22", Width: 38", Length: 50"

Product code	Dimensions
SRT-H-330STAND	22" x 38" x 50"



550 GALLON HORIZONTAL BASIC STAND

550 Gallon Horizontal Basic Stand, Height: 23", Width: 49", Length: 51"

Product code	Dimensions
SRT-H-550STAND	23" x 49" x 51"



65 GALLON HORIZONTAL QUICK SET STAND

65 Gallon Horizontal Quick Set Stand, Height: 18", Width: 24", Length: 41"


Product code	Dimensions
SRT-H-65QSSTAND	18" x 24" x 41"



135 GALLON HORIZONTAL QUICK SET STAND

135 Gallon Horizontal Quick Set Stand, Height: 18", Width: 31", Length: 43"


Product code	Dimensions
SRT-H-135QSSTAND	18" x 31" x 43"



220 GALLON HORIZONTAL QUICK SET STAND

220 Gallon Horizontal Quick Set Stand, Height: 22", Width: 35", Length: 53"


Product code	Dimensions
SRT-H-220QSSTAND	22" x 35" x 53"



330 GALLON HORIZONTAL QUICK SET STAND

330 Gallon Horizontal Quick Set Stand, Height: 22", Width: 38", Length: 58"

Product code	Dimensions
SRT-H-330QSSTAND	22" x 38" x 58"



550 GALLON HORIZONTAL QUICK SET STAND

550 Gallon Horizontal Quick Set Stand, Height: 23", Width: 49", Length: 60"

Product code	Dimensions
SRT-H-550QSSTAND	23" x 49" x 60"



75 GALLON VERTICAL BASIC STAND

75 Gallon Vertical Basic Stand, Width: 24", Length: 24"

Product code	Dimensions
SRT-V-75STAND	24" x 24"



100 GALLON VERTICAL BASIC STAND

100 Gallon Vertical Basic Stand, Width: 30", Length: 30"

Product code	Dimensions
SRT-V-100STAND	30" x 30"



130 GALLON VERTICAL BASIC STAND

130 Gallon Vertical Basic Stand, Width: 30", Length: 30"

Product code	Dimensions
SRT-V-130STAND	30" x 30"



230 GALLON VERTICAL BASIC STAND

220 Gallon Vertical Basic Stand, Width: 40", Length: 40"

Product code	Dimensions
SRT-V-230STAND	40" x 40"



300 GALLON VERTICAL BASIC STAND

300 Gallon Vertical Basic Stand, Width: 40", Length: 40"

Product code	Dimensions
SRT-V-300STAND	40" x 40"



550 GALLON VERTICAL BASIC STAND

550 Gallon Vertical Basic Stand, Width: 53", Length: 53"

Product code	Dimensions
SRT-V-550STAND	53" x 53"



1000 GALLON VERTICAL BASIC STAND

1000 Gallon Vertical Basic Stand, Height: 25", Width: 66", Length: 66"

Product code

SRT-V-1000STAND

Dimensions

25" x 66" x 66"



75 GALLON VERTICAL QUICK SET STAND

75 Gallon Vertical Quick Set Stand, Width: 24", Length: 24"

Product code	Dimensions
SRT-V-75QSSTAND	24" x 24"



100 GALLON VERTICAL QUICK SET STAND

100 Gallon Vertical Quick Set Stand, Width: 30", Length: 30"

Product code	Dimensions
SRT-V-100QSSTAND	30" x 30"



130 GALLON VERTICAL QUICK SET STAND

130 Gallon Vertical Quick Set Stand, Width: 30", Length: 30"

Product code	Dimensions
SRT-V-130QSSTAND	30" x 30"



605 GALLON 60 MIL BERM

6' X 7' X 2' 605 Gallon 60 MIL Berm

Product code	Gallons	MIL	Dimensions
SRT-6X7X2BERM	605	60	6' x 7' x 2'



1,210 GALLON 60 MIL BERM

9' X 9' X 2' 1,210 Gallon 60 MIL Berm

Product code	Gallons	MIL	Dimensions
SRT-9X9X2BERM	1210	60	9' x 9' x 2'



1,810 GALLON 60 MIL BERM

11' x 11' x 2' 1,810 Gallon 60 MIL Berm

Product code	Gallons	MIL	Dimensions
SRT-11X11X2BERM	1810	60	11' x 11' x 2'



2,310 GALLON 60 MIL BERM

13' x 13' x 2' 2,310 Gallon 60 MIL Berm

Product code	Gallons	MIL	Dimensions
SRT-13X13X2BERM	2310	60	13' x 13' x 2'



2,750 GALLON 60 MIL BERM

14' x 14' x 2' 2,750 Gallon 60 MIL Berm

Product code	Gallons	MIL	Dimensions
SRT-14X14X2BERM	2750	60	14' x 14' x 2'



3,300 GALLON 60 MIL BERM

15' x 15' x 2' 3,300 Gallon 60 MIL Berm






Product code	Gallons	MIL	Dimensions
SRT-15X15X2BERM	3300	60	15' x 15' x 2'

CUSTOM SIZES AVAILABLE ON REQUEST – CALL US FOR A QUOTE

THE SHERMAN STACKABLE WORKHORSE IBC

The Sherman-Tank Stackable Workhorse intermediate bulk containers (IBCs) are uniquely designed to last long, while improving the safety and performance of transporting, storing, and dispensing materials for your company and on-site at your customers' plants.

The top reasons you need the Sherman Stackable Workhorse IBC.

-  **No More Heel:** specifically engineered to eliminate the heel, leaving no costly chemical waste behind.
-  **Minimize Failure:** manufactured using a single parting line to minimize points of failure.
-  **Quick & Easy Access:** the largest doghouse in the industry for quick and easy access to drain valve.
-  **Universal Design:** allows for easy inter stacking with other all poly returnable IBC's.
-  **Lower Deliver Costs:** Sherman is typically able to provide substantially lower (over 85% lower) delivery fees per truckload.



a proud affiliate of

National Association of
Chemical Distributors

INDUSTRIES WE SERVE



Agricultural



Chemical
Distribution



Industrial
Chemicals



Lubricants



Marine



Oil & Gas

All IBC containers UN D.O.T certified to Y1.9/100


275 GALLON STACKABLE WORKHORSE IBC-NO VENT PACKAGE

275 Gallon Stackable Workhorse IBC – No Vent Package, Gallons: 275, Tare Weight: 255, UN/DOT Rating: Y1.9/100, Height: 55", Width: 45", Length: 45", Lid Dimensions: 7"

Product code	Tare Weight	Dimensions	UN/DOT Rating
SRT-275WHBCNV	255	55" x 45" x 45"	Y1.9/100


275 GALLON STACKABLE WORKHORSE IBC-EPDM PACKAGE

275 Gallon Stackable Workhorse IBC – EPDM Package, Gallons: 275, Tare Weight: 255, UN/DOT Rating: Y1.9/100, Height: 55", Width: 45", Length: 45", Lid Dimensions: 7"

Product code	Tare Weight	Dimensions	UN/DOT Rating
SRT-275WHIBCEPDMSV	255	55" x 45" x 45"	Y1.9/100


275 GALLON STACKABLE WORKHORSE IBC-VITON PACKAGE

275 Gallon Stackable Workhorse IBC – Viton Package, Gallons: 275, Tare Weight: 255, UN/DOT Rating: Y1.9/100, Height: 55", Width: 45", Length: 45", Lid Dimensions: 7"

Product code	Tare Weight	Dimensions	UN/DOT Rating
SRT-275WHBCVSV	255	55" x 45" x 45"	Y1.9/100


330 GALLON STACKABLE WORKHORSE IBC-NO VENT PACKAGE

330 Gallon Stackable Workhorse IBC – No Vent Package, Gallons: 330, Tare Weight: 273, UN/DOT Rating: Y1.9/100, Height: 62", Width: 45", Length: 45", Lid Dimensions: 7"

Product code	Tare Weight	Dimensions	UN/DOT Rating
SRT-330WHBCNV	273	62" x 45" x 45"	Y1.9/100


330 GALLON STACKABLE WORKHORSE IBC-EPDM PACKAGE

330 Gallon Stackable Workhorse IBC – EPDM Package, Gallons: 330, Tare Weight: 273, UN/DOT Rating: Y1.9/100, Height: 62", Width: 45", Length: 45", Lid Dimensions: 7"

Product code	Tare Weight	Dimensions	UN/DOT Rating
SRT-330WHIBCEPDMSV	273	62" x 45" x 45"	Y1.9/100


330 GALLON STACKABLE WORKHORSE IBC-VITON PACKAGE

330 Gallon Stackable Workhorse IBC – Viton Package, Gallons: 330, Tare Weight: 273, UN/DOT Rating: Y1.9/100, Height: 62", Width: 45", Length: 45", Lid Dimensions: 7"

Product code	Tare Weight	Dimensions	UN/DOT Rating
SRT-330WHBCVSV	273	62" x 45" x 45"	Y1.9/100



FLUX® DEGASSING INSERT

FLUX® Degassing Inserts make it possible for gaseous substances to diffuse, thereby preventing pressure from building up and decreasing in the containers – including bottles, canisters, drums and IBCs. The membranes are hydrophobic as well as oleophobic, and as a result, they are not saturated even by liquids with a low surface tension.

Product code

SRT-F38LOCK



7 INCH POLYPROPYLENE LID WITH SANTOPRENE GASKET AND 2" NPT OPENING

Chemplas 7" Polypropylene Lid with Santoprene gasket and 2 inch NPT opening

Product code

SRT-C-BNS-07



7 INCH POLYPROPYLENE LID WITH VITON GASKET AND 2" NPT OPENING

Chemplas 7" Polypropylene Lid with Viton gasket and 2 inch NPT opening

Product code

SRT-C-BNV-07



7 INCH BLANK POLYPROPYLENE LID WITH SANTOPRENE GASKET

Chemplas 7" blank Polypropylene Lid with Santoprene gasket

Product code

SRT-BS-07



7" BLANK POLYPROPYLENE LID WITH VITON GASKET

Chemplas 7" blank Polypropylene Lid with Viton gasket

Product code

SRT-BV-07



BALL VALVE SHORT SERIES STANDARD PORT 2 INCH MALE ADAPTER X 2 INCH MALE NPT

Terremax Ball Valve Short Series Standard Port 2 inch Male Adapter x 2 inch Male NPT

Product code

SRT-VSFMT200



2" SAFETY QUICK DISCONNECT DUST CAP POLY

Terremax 2" Safety Quick Disconnect Dust Cap Poly

Product code

SRT-SAF200CAP



2" YELLOW NPS VENTED W/EPDM GASKET

Mauser 2" Yellow NPS Vented w/EPDM Gasket

Product code

SRT-STL16-9WL



2" NPT DUAL ACTION DRUM VENT PLUG

BASCO 2" NPT Dual Action Drum Vent Plug

Product code

SRT-RPV200H



TAMPER EVIDENT WIRE SEAL

Micro Matic Tamper Evident Wire Seal, Secures 2.5" x 5 RSV Container Valve and 6" IBC Center Cap to container and protects container from unauthorized access. 18" (457.2mm) L, 1/16" (1.59mm) Dia.

Product code

SRT-CE-Z11-618

SHERMAN MINI BULK DEF TANK PACKAGES

Sherman Roto Tank has developed a family of insulated, Cold Weather, and non-insulated Warm Weather Diesel Exhaust Fluid (DEF) Tank Systems designed to provide end-users with superior quality and service. Our Mini bulks are custom designed and built to your specifications. Choose the options you need to fit the requirements of each site location.

Sherman Roto Tank brings over 10 years of experience in building tank systems that fit the needs of the customer.

Our DEF tank systems are designed to offer the customer unparalleled features and benefits coupled with superior quality and customer service.



INDUSTRIES WE SERVE



Agricultural



Chemical
Distribution



Industrial
Chemicals



Lubricants



Marine



Oil & Gas

All IBC containers UN D.O.T certified to Y1.9/100


550 GALLON DEF MINI BULK WITHOUT PUMP

550 Gallon Diesel Exhaust Fluid (DEF) Mini Bulk without Pump

Product code	Capacity	Tare Weight	Dimensions
SRT-550DEFW/OPUMP	550	146 lbs	68" x 52"


550 GALLON DEF MINI BULK WITH PUMP

550 Gallon Diesel Exhaust Fluid (DEF) Mini Bulk with Pump

Product code	Capacity	Tare Weight	Dimensions
SRT-550DEFWP	550	146 lbs	70" x 52"


675 GALLON DEF MINI BULK WITHOUT PUMP

675 Gallon Diesel Exhaust Fluid (DEF) Mini Bulk without Pump

Product code	Capacity	Tare Weight	Dimensions
SRT-675DEFW/OPUMP	675	325 lbs	93" x 43" x 50"


675 GALLON DEF MINI BULK WITH PUMP

675 Gallon Diesel Exhaust Fluid (DEF) Mini Bulk with Pump

Product code	Capacity	Tare Weight	Dimensions
SRT-675DEFWP	675	325 lbs	96" x 43" x 50"


1000 GALLON DEF MINI BULK WITHOUT PUMP

1000 Gallon Diesel Exhaust Fluid (DEF) Mini Bulk without Pump

Product code	Capacity	Tare Weight	Dimensions
SRT-1000DEFW/OPUMP	1000	263 lbs	92" x 64"


1000 GALLON DEF MINI BULK WITH PUMP

1000 Gallon Diesel Exhaust Fluid (DEF) Mini Bulk with Pump

Product code	Capacity	Tare Weight	Dimensions
SRT-1000DEFWP	1000	263 lbs	96" x 64"



550 GALLON DEF OVERHEAD GRAVITY DISPENSE SYSTEM

550 Gallon Horizontal Leg Tank 1.9 SG
6 foot tall Angle Iron Stand
4" Lid Opening with Cap
2-2" Low Pressure PRV's
1-2" Opening with Cap (can be used for fluid monitoring)
Fill Arm includes DEF Approved 2" Low Pressure Hose with a Male Camlock connection and Dust Cap
Dispense is through the PIUSI DEF Gravity Kit with Nozzle



THREE25

The PIUSI SuzzaraBlue DEF diaphragm transfer pump can dispense up to 9 GPM, and the kit includes 20 ft. delivery hose, 5 ft. of suction hose and our 4-pin PDC coupler. This kit also includes our premium SB325 automatic metered nozzle with a breakaway spout. This spout can also be upgraded to our Mis-fill spout to prevent DEF from accidentally being dispensed into the diesel tank. Finally, the 3D PIUSI filter helps to maintain the quality of the DEF dispensed, thus extending the life of the catalyst.

SRT-THREE25SYSTEM



SQUALO35

SQUALO35 is our market's first DEF submersible pump especially developed for small and medium dispense systems. The SQUALO is a centrifugal pump fitted with a regenerative turbine, delivery check valve and an innovative integrated pressure regulation system that optimizes flow rate, consistency and precision. Its regulator drastically reduces energy consumption (avoiding peak usage and consuming only the amount necessary for proper operation). The compact size and special design of the pump guarantee an easy installation and suction clearance down to a near-empty tank. The pump is also equipped with a 11 timer to protect against abuse and guarantee its longevity.

SRT-THREE25SYSTEM



CAM LOCK 2 INCH FEMALE COUPLER X 2 INCH HOSE BARB NO LOCK

Cam Lock 2 inch Female Coupler x 2 inch Hose Barb No Lock

Product code

SRT-200C



CAM LOCK (F) 2" MALE ADAPTER X 2" MALE NPT

Cam Lock (F) 2" Male Adapter x 2" Male NPT

Product code

SRT-200F



2" FPT SPIN WELD FLUSH

2" Female Pipe Thread (FPT) Spin Weld Flush

Product code

SRT-58



2" NPT PRESSURE RELIEF VALVE, EPDM SEAL BLUE

2" NPT Pressure Relief Valve, EPDM Seal Blue
760 Valve 1.2 lb Pressure Relief

Product code

SRT-760VALVE



4" SPIN WELD, NPT

4" Spin Weld, NPT

Product code

SRT-96



ELBOW 2" FEMALE NPT X 2" FEMALE NPT

Elbow 2" Female NPT x 2" Female NPT

Product code

SRT-ELF200P

2" WORM HOSE SS CLAMP

2" Worm Hose SS Clamp



Product code

SRT-K6748-2

NIPPLE 2" MALE NPT X 2" MALE NPT X 6" LONG

Nipple 2" Male NPT x 2" Male NPT x 6" Long



Product code

SRT-M2006P

NIPPLE 2" MALE NPT X 2" MALE NPT POLY

Nipple 2" Male NPT x 2" Male NPT Poly



Product code

SRT-NIP200SH

4 INCH SPIN WELD PLUG, NPT

4 Inch Spin Weld Plug, NPT



Product code

SRT-P4

FLEXTRAL 2" TRE-BLUE DEF HOSE SUCTION/ DISCHARGE

FLEXTRAL 2" TRU-BLUE DEF HOSE SUCTION/ DISCHARGE 175 PSI MAX ISO-22241 – 55" in length



Product code

SRT-PE75-200

2" SAFETY QUICK DISCONNECT DUST CAP POLY

2" Safety Quick Disconnect Dust Cap Poly



Product code

SRT-SAF200CAP

BALL VALVE SHORT SERIES STANDARD PORT 2 INCH MALE ADAPTER X 2 INCH MALE NPT

Ball Valve Short Series Standard Port 2 Inch Male Adapter x 2 inch Male NPT



Product code

SRT-VSFMT200

ACCESSORIES



INDUSTRIES WE SERVE



Agricultural



Chemical
Distribution



Industrial
Chemicals



Lubricants



Marine



Oil & Gas

All IBC containers UN D.O.T certified to Y1.9/100



4 KEY RSV/RPV FILL COUPLER THREADED VERTICAL LIQUID INLET, EPDM SEALS

4 Key RSV/RPV Fill Coupler Threaded Vertical Liquid Inlet, EPDM Seals

Product code

SRT-744-027



MICRO MATIC 2.5 INCH X 5, 4 CAM, VITON SEALS

Micro Matic 2.5" x 5, 4 Cam, Viton Seals

Product code

SRT-743-096



MICRO MATIC 2.5 INCH X 5, 4 CAM, EPDM SEALS

Micro Matic 2.5" x 5, 4 Cam, EPDM Seals

Product code

SRT-743-097



4 KEY RSV/RPV FILL COUPLER THREADED VERTICAL LIQUID INLET, VITON SEAL

4 Key RSV/RPV Fill Coupler Threaded Vertical Liquid Inlet, Viton Seals

Product code

SRT-744-026



HIGH MOUNT BRACKET FOR SOLAR SETUPS

High Mount Bracket for Solar Setups

Product code

SRT-HIGHMOUNTBRACKET



135 HIGH PROFILE SOLAR SETUP

135 High Profile Solar Setup

Product code

SRT-135SOLARHIGH



CAM LOCK CAP 2 INCH FEMALE COUPLER CAP NO LOCK

Cam Lock Cap 2 inch Female Coupler Cap No Lock

Product code

SRT-200CAP



CAM LOCK (F) 2" MALE ADAPTER X 2" MALE NPT

Cam Lock (F) 2" Male Adapter x 2" Male NPT

Product code

SRT-200F



220 GALLON NET

220 Gallon Net

Product code

SRT-220NET



135 LOW PROFILE SOLAR SETUP

135 Low Profile Solar Setup

Product code

SRT-135SOLARLOW




135 HIGH PROFILE SOLAR SETUP

135 High Profile Solar Setup

Product code

SRT-135SOLARHIGH



18 INCH DROP IN LID

18 Inch Drop In Lid

Product code

SRT-18INCHLID



CAM LOCK 2 INCH FEMALE COUPLER X 2 INCH HOSE BARB NO LOCK

Cam Lock 2 inch Female Coupler x 2 inch Hose Barb No Lock

Product code

SRT-200C



220 HIGH PROFILE SOLAR SETUP

220 High Profile Setup

Product code

SRT-220SOLARHIGH



220 LOW PROFILE SOLAR SETUP

220 Low Profile Solar Setup

Product code

SRT-220SOLARLOW



2 INCH SS BALL VALVE

2 inch SS Ball Valve

Product code

SRT-2'BALLVALVE




2" STAINLESS STEEL BALL PLUG

2" SS Plug

Product code

SRT-2"SSPLUG UVI



2 IN. SS BULKHEAD

2 in. SS Bulkhead

Product code

SRT-2'SSBH

3/4 THREAD AND CAP ASSEMBLY

3/4 Thread and Cap Assembly



Product code

SRT-3/4THREAD

330 GALLON NET

330 Gallon Net



Product code

SRT-330NET

330 GALLON SHELL NET

330 Gallon Shell Net



Product code

SRT-330SHELLNET

330 GAL HI PROFILE SETUP

330 Gal Hi Profile Setup



Product code

SRT-330SOLARHIGH

330 LOW PROFILE SOLAR SETUP

330 Low Profile Solar Setup



Product code

SRT-330SOLARLOW

550 GALLON SHELL NET

550 Gallon Shell Net



Product code

SRT-550SHELLNET

Manufacturer

1 1/4" FPT FLUSH SPIN WELD HEAVY DUTY

1 1/4" FPT Flush Spin Weld Heavy Duty



Product code

SRT-55HD

2" BUTTRESS FEMALE/2" NPT MALE

2" Buttress Female/2" NPT Male



Product code

SRT-560102

1-1/2" FPT SPIN WELD FLUSH

1-1/2" FPT Spin Weld Flush



Product code

SRT-57HD

2" FPT SPIN WELD FLUSH

2" FPT Spin Weld Flush



Product code

SRT-58

2" FPT HEAVY DUTY SPIN WELD FLUSH

2" FPT Heavy Duty Spin Weld Flush



Product code

SRT-58HD

2" FPT SPIN WELD HD FLUSH BUTTRESS THREAD

2" FPT Spin Weld HD Flush Buttress Thread



Product code

SRT-58HD-BT-LL



3" FPT SPIN WELD FLUSH

3" FPT Spin Weld Flush

Product code

SRT-60



VACUUM BREAKER GREEN VALVES

Vacuum Breaker Green Valves

Product code

SRT-752VALVE



COMBINATION VENT FOR DEF APPLICATIONS

Combination Vent for DEF Applications

Product code

SRT-760AB



COMBO VENT VALVE W/EPDM SEALS AND HASTELLOY SPRINGS

Combo Vent Valve w/EPDM Seals and Hastelloy Springs

Product code

SRT-760DOT-EPH




2" NPT PRESSURE RELIEF VALVE, EPDM SEAL BLUE

760 Valve 1.2 lb Pressure Relief

Product code

SRT-760VALVE



8" DROP IN LID FOR TANK, W/GASKET

8" Drop in Lid for Tank, W/Gasket

Product code

SRT-8" DROPLID W/GASKET

1/4 INCH SPIN WELD FLUSH

1/4 Inch Spin Weld Flush



Product code

SRT-84

1" SPIN WELD FLUSH

1" Spin Weld Flush



Product code

SRT-87

BUNG W/EPDM GASKET

Bung w/EPDM Gasket



Product code

SRT-BUNGEPDM

BUNG W/VITON GASKET

Bung w/Viton Gasket



Product code

SRT-BUNGVITON

7 INCH POLYPROPYLENE LID WITH SANTOPRENE GASKET AND 2 INCH NPT OPENING

7 inch Polypropylene Lid with Santoprene gasket and 2 inch NPT opening



Product code

SRT-C-BNS-07

7 INCH POLYPROPYLENE LID WITH VITON GASKET AND 2 INCH NPT OPENING

7 inch Polypropylene Lid with Viton gasket and 2 inch NPT opening



Product code

SRT-C-BNV-07



7 INCH BLACK POLYPROPYLENE LID WITH SANTOPRENE GASKET

7 inch blank Polypropylene Lid with Santoprene gasket

Product code

SRT-BS-07



7 INCH BLANK POLYPROPYLENE LID WITH VITON GASKET

7 inch blank Polypropylene Lid with Viton gasket

Product code

SRT-BV-07

CONTAINMENT MANIFOLD KIT

Containment Manifold Kit



Product code

SRT-CMKIT



ELBOW 2" FEMALE NPT X 2" FEMALE NPT

Elbow 2" Female NPT x 2" Female NPT

Product code

SRT-ELF200P

HIGH MOUNT BRACKET FOR SOLAR SETUPS

H-Bracket for 330 Patriots



Product code

SRT-HBRACKET



HIGH MOUNT HARDWARE KIT

High Mount Hardware Kit

Product code

SRT-HMHW-01

HOSE CLAMP .75" -1.75"

Hose Clamp .75"-1.75"



Product code

SRT-K6720-1

WORM HOSE CLAMP 200SS (1.5" -3")

Worm Hose Clamp 200SS (1.5"-3")



Product code

SRT-K6748-1

NIPPLE 2" MALE NPT X 2" MALE NPT

Nipple 2" Male NPT x 2" Male NPT



Product code

SRT-M2000P

NIPPLE 2" MALE NPT X 2" MALE NPT X 6" LONG

Nipple 2" Male NPT x 2" Male NPT x 6" Long



Product code

SRT-M2006P

3/4" MNPT TO 3/4" MNPT NIPPLE

3/4" MNPT to 3/4" MNPT Nipple



Product code

SRT-M3400P

2 INCH SPIN WELD PLUG

2 Inch Spin Weld Plug



Product code

SRT-P2

3" PLUG FOR SPIN WELD

3" Plug for Spin Weld



Product code

SRT-P3

4 INCH SPIN WELD PLUG

4 Inch Spin Weld Plug



Product code

SRT-P4

MOUNTING BRACKETS FOR SOLAR SETUPS TO PATRIOTS

Mounting Brackets for Solar Setups to Patriots



Product code

SRT-PATRIOTBRACKET

HARDWARE KIT FOR PATRIOTS

Hardware Kit for Patriots



Product code

SRT-PATRIOTHW

PRESSURE SEAL HD HOSE CLAMP 300SS

Pressure Seal HD Hose Clamp 300SS



Product code

SRT-PC325

QUICK SET BRACKET

Quick Set Bracket



Product code

SRT-QUICKSETBRACKET



SAFETY CAM LOCK 2 INCH FEMALE COUPLER X 2 INCH HOSE BARB

Safety Cam Lock 2 inch Female Coupler x 2 inch Hose Barb

Product code

SRT-SAF200C




2" SAFETY QUICK DISCONNECT DUST CAP POLY

Safety Cam Lock 2 inch Female Coupler Cap

Product code

SRT-SAF200CAP




STAINLESS STEEL 3/4 INCH BULKHEAD

Stainless Steel 3/4 Inch Bulkhead

Product code

SRT-SS3/4BH



1 IN. SS BULKHEAD

Stainless Steel Bulkhead 1 Inch

Product code

SRT-SSBH01



2" YELLOW NPS VENTED W/EPDM GASKET

2" Yellow NPS Vented w/EPDM Gasket

Product code

SRT-STL16-9WL



TAMPER EVIDENT SEAL

Tamper Evident Seal

Product code

SRT-TESEAL

3/4" PLASTIC BULKHEAD

3/4" Plastic Bulkhead



Product code

SRT-TF075

1" PLASTIC BULKHEAD

1" Plastic Bulkhead



Product code

SRT-TF100

1.5" PLASTIC BULKHEAD

1.5" Plastic Bulkhead



Product code

SRT-TF150

2" PLASTIC BULKHEAD

2" Plastic Bulkhead



Product code

SRT-TF200

3" PLASTIC BULKHEAD

3" Plastic Bulkhead



Product code

SRT-TF300

4" PLASTIC BULKHEAD

4" Plastic Bulkhead



Product code

SRT-TF400

TANK MANIFOLD KIT

Tank Manifold Kit











Product code

SRT-TMKIT

RESOURCES & STRAPPING CHARTS

Looking for spec sheets, strapping charts, chemical compatibility charts, or other documents and resources? Check out our online document library and get instant access to all of these helpful resources.

Get Access To:

-  **Common Sense Field Guild**
-  **Poly Tank Inspection Guide**
-  **Strapping Charts**
-  **Spec Sheets**
-  **Chemical Compatibility Charts**
-  **Forms & Guidelines**
-  **Product Brochures**
-  **Custom Projects**

[ACCESS RESOURCES](#)

INDUSTRIES WE SERVE



Agricultural



Chemical
Distribution



Industrial
Chemicals



Lubricants



Marine



Oil & Gas

All IBC containers UN D.O.T certified to Y1.9/100



SHERMAN-TANK
Rotational Molding

a proud affiliate of
naccd
National Association of
Chemical Distributors

