



SUREFIRE®

2026 PRODUCT CATALOG



THE WORLD'S FINEST ILLUMINATION TOOLS AND TACTICAL ACCESSORIES
FOR THOSE WHO GO IN HARM'S WAY, AND FOR THOSE WHO DEMAND
THE ULTIMATE IN QUALITY, INNOVATION, AND PERFORMANCE.







CONTENTS

BEAM PATTERN	04
HANDGUN WEAPONLIGHTS	06
XC3 SERIES	10
FULL-SIZE	12
MASTERFIRE®	14
XVL2	16
LONG-GUN WEAPONLIGHTS	18
SCOUT LIGHT® PRO SERIES	20
WEAPONLIGHT PARTS	25
SPECIALIZED ILLUMINATION	28
HANDHELD LIGHTS	30
EVERYDAY CARRY	33
MULTIPLE SPECTRUM	36
UDR DOMINATOR®	37
COMBAT GRIP	38
GENERAL PURPOSE	39
HANDS-FREE LIGHTS	40
BATTERIES	46
HEARING PROTECTION	50
SUPPRESSORS	56
SOCOM4 SUPPRESSORS	60
SOCOM SUPPRESSORS	62
MUZZLE DEVICES	64
FLASH HIDERS	67
MUZZLE BRAKES	70
HUBS, TRAINERS & SAFETY DEVICES	72
WEAPON COMPONENTS	75
APPAREL & ACCESSORIES	76

BEAM PATTERN

SureFire has always been a proponent of having the right tool for the right job. That is why we offer products in a variety of beam patterns to suit your needs. Beam pattern describes how the emitted light is distributed in the beam of a given illumination tool. Throughout this catalog, you'll see products with beam pattern descriptors such as Turbo, MaxVision Beam[®] and Hybrid. But which one is best for you?

LUMENS VS. CANDELA

When choosing a SureFire light, consider how much light you need and where you want it concentrated. Lumens are the measurement of the total amount of light emitted by the device. In general, the more light available, the better, especially in deadly force situations. In low light and darkness, self-supplied illumination will often be required to locate and identify potential threats. However, there are times when you may want less light, such as when reading a map, which is why many SureFire products let you select from multiple output levels.

Candela is the light intensity unit that quantifies the beam's brightest spot. The brightest (i.e., highest candela value) light is at the beam's center, and it gradually or abruptly diminishes in brightness as it moves out to the far edge of the beam, depending on the optic. Broadly speaking, the candela rating of a light is indicative of how far a light will reach.

SUREFIRE SOLUTIONS

Our Turbo Series lights produce a narrow far-reaching beam, generally with higher candela ratings, and are the best option for illuminating objects at longer distances. For those more concerned with shorter-range applications, our MaxVision Beam lights are a good choice. MaxVision produces a very wide and even beam pattern that is perfect for a wide field of view, with illumination optimized for close-range identification. Lastly, many SureFire illumination tools utilize a Hybrid beam pattern that provides an excellent medium-range hot spot while also delivering ample spill light to the periphery so you can monitor your surroundings. The Hybrid beam pattern is a great all-around choice for general-purpose use.

TURBO



SureFire's Turbo beam pattern delivers a concentrated, far-reaching shaft of light. Turbo products are best suited for long-range applications.

HYBRID



SureFire's Hybrid beam pattern is ideal for tactical applications because the beam clearly illuminates the main object of interest while providing substantial surround light to maintain situational awareness.

MAXVISION



SureFire's patented MaxVision Beam pattern is tailored to the human eye response for the entire field of view, ideal for closer-range applications and maintaining maximum situational awareness.






HANDGUN WEAPONLIGHTS



TOOLS THAT HELP YOU WIN THE FIGHT

For over 40 years, SureFire has led the way in designing and manufacturing durable, high-performance handgun WeaponLights trusted by professionals and civilians alike. We created a legacy by innovating new lights to help you positively identify a potential threat in high-stress, low-light conditions. The latest addition to the XC3 family, the new XC3 Sub continues this legacy in 2026, raising the standard for subcompact and micro-compact concealed carry with rugged construction and powerful white-light capability. It joins SureFire's proven lineup—including the full-size X300/400 series and the mission-ready XVL2—offering configurations for white light only, light and laser, infrared illumination, infrared laser, or combinations of all. Every SureFire WeaponLight is built to help you identify threats and maximize your advantage—without adding unnecessary weight to your handgun.

HOW TO CHOOSE YOUR HANDGUN WEAPONLIGHT



THE SUREFIRE DIFFERENCE

SureFire illumination tools use only the highest-quality, most reliable light-emitting diodes in the world—period. This is important because not all LED emitters are created equal. There are wild fluctuations in LED quality; an inferior LED means a subpar beam with poor performance. You can count on your SureFire to deliver unrivaled light intensity, dependable illumination, optimized beams, and flawless white light.





XC3 SERIES

The XC3 Series delivers all the duty-grade durability and dependability of our full-size X-Series weaponlights in a form factor that fits subcompact and micro-compact handguns. The new XC3 Sub adds to the family's reputation of unmatched performance and switching ergonomics, incorporating a new mount, and 80% more candela and lumens when powered by its included SFRCR123 rechargeable battery.

» DUTY & CONCEALMENT

Lightweight and compact, yet robust and rugged enough for duty use as well as for concealed carry applications

» INTUITIVE SWITCHING

Intuitive, ambidextrous switching provides positive tactile feel for unmatched control in momentary- and constant-on activation modes

» VERSATILE

The XC3's streamlined design results in a form factor that fits numerous holsters already commercially available



Xc3

XC3

PART #	UPC	DESCRIPTION
XC3-A	084871333962	COMPACT LED HANDGUN LIGHT



OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BATTERIES
550	1.75	7,200	2.65 OZ (75 G)	2.6 IN (6.6CM)	(1) 123A

NEW XC3 SUB

PART #	UPC	DESCRIPTION
XC3-SUB-A	084871334501	SUBCOMPACT LED HANDGUN LIGHT



OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BATTERIES
1,000	1.25	13,000	2.65 OZ (75 G)	2.6 IN (6.6CM)	(1) RCR123



X300T

PART #	UPC	DESCRIPTION
X300T-A	084871331593	HIGH-CANDELA HANDGUN LIGHT, LEVER LATCH MOUNT - BLACK
X300T-A-TN	084871331609	HIGH-CANDELA HANDGUN LIGHT, LEVER LATCH MOUNT - TAN
X300T-B	084871331616	HIGH-CANDELA HANDGUN LIGHT, THUMBSCREW CLAMP MOUNT - BLACK
X300T-B-TN	084871331623	HIGH-CANDELA HANDGUN LIGHT, THUMBSCREW CLAMP MOUNT - TAN

TURBO

HIGH-CANDELA


Tightly concentrated beam pattern is optimized for positive target ID at longer distances



X300T-A



X300T-B



LEVER LATCH MOUNTS (A-MOUNT)

Attaches securely to Universal and Picatinny rails via Lever Latch or Rail-Lock® system



THUMBSCREW CLAMP MOUNT (B-MOUNT)

Attaches securely to Universal and Picatinny rails via slotted thumbscrew clamp

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
650	1.5	66,000	4.0 OZ (113 G)	3.6 IN (9.1 CM)	1.125 IN (2.9 CM)	(2) 123A

Note: X300T Series has the same exterior dimensions as the X300U Series for holster compatibility.

X300U

PART #	UPC	DESCRIPTION
X300U-A	084871319065	ULTRA-HIGH-OUTPUT HANDGUN LIGHT NSN 6230-DI-617-8332
X300U-A-TN	084871320252	ULTRA-HIGH-OUTPUT HANDGUN LIGHT NSN 6230-DI-681-4750
X300U-B	084871324939	ULTRA-HIGH-OUTPUT HANDGUN LIGHT NSN 6230-DI-649-7363
X300U-B-TN	084871324946	ULTRA-HIGH-OUTPUT HANDGUN LIGHT



X300U-A



X300U-B

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
1,000	1.25	11,300	4.0 OZ (113 G)	3.6 IN (9.1 CM)	1.125 IN (2.9 CM)	(2) 123A

X300V

PART #	UPC	DESCRIPTION
X300V-B	084871325547	INFRARED / WHITE HANDGUN LIGHT NSN 6230-DI-669-1760



MULTI-SPECTRUM

For use with night vision devices, the X300V's twist bezel allows instant switching to white light, infrared illumination, or disable.

OUTPUT (LUMENS / mW)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BATTERIES
350 LUMENS / 120 MW (860 NM)	2.5 / 16.75	13,000	4.0 OZ (113 G)	4.0 IN (10.0 CM)	(2) 123A

X400T

PART #	UPC	DESCRIPTION
X400T-A-GN	084871331647	HIGH-CANDELA HANDGUN LIGHT + GREEN LASER SIGHT
X400T-A-RD	084871331630	HIGH-CANDELA HANDGUN LIGHT + RED LASER SIGHT

Note: X400T Series has the same exterior dimensions as the X400U Series for holster compatibility.

PART #	OUTPUT (LUMENS/mW)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BATTERIES
X400T-A-GN	650 LUMENS / <5.0 MW (515 NM)	1.5 / 10 (LASER)	66,000	4.9 OZ (139 G)	3.6 IN (9.1 CM)	(2) 123A
X400T-A-RD	650 LUMENS / <5.0 MW (635 NM)	1.5 / 24 (LASER)	66,000	4.9 OZ (139 G)	3.6 IN (9.1 CM)	(2) 123A



X400U

PART #	UPC	DESCRIPTION
X400U-A-GN	084871321198	ULTRA-HIGH-OUTPUT HANDGUN LIGHT + GREEN LASER SIGHT
X400U-A-RD	084871321211	ULTRA-HIGH-OUTPUT HANDGUN LIGHT + RED LASER SIGHT NSN 6230-DI-652-9018

PART #	OUTPUT (LUMENS/mW)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BATTERIES
X400U-A-GN	1,000 LUMENS / <5.0 MW (515 NM)	1.25 / 10 (LASER)	11,300	4.9 OZ (139 G)	3.75 IN (9.5 CM)	(2) 123A
X400U-A-RD	1,000 LUMENS / <5.0 MW (635 NM)	1.25 / 24 (LASER)	11,300	4.9 OZ (139 G)	3.75 IN (9.5 CM)	(2) 123A



DG SWITCH & PART KITS


PART #	UPC	DESCRIPTION
DG-11	084871852807	GLOCK 17,17L,18,19,20,21,22,23,24,31,32,34,35 RAILS, BERETTA PX4 FULL SIZE, HGK P2000 NSN 5930-DI-640-9794
DG-12	084871311458	SMITH & WESSON M&P
DG-14	084871852791	SIG SAUER P226R, P320 COMPACT, HGK P30 NSN 5930-DI-560-3165
DG-15	084871852937	H&K USP COMPACT 40/45 (USING MR08) NSN 5930-DI-534-7002
DG-18	084871851251	STANDARD 1911 (WITH RAILS)
DG-18A	08487131557	KIMBER TLE (WITH RAILS), SPRINGFIELD TRP, 1911, SPRINGFIELD OPERATOR
DG-19	084871851268	H&K USP FULL SIZE 40/45 (USING MR09) NSN 5930-DI-540-3215
DG-23	084871310376	SIG SAUER 226 (USING MR14A OR MR14B) NSN 5930-DI-547-7717
Z89	084871328937	MOUNT PARTS KIT, X300(T/U/V)-A - BLACK
Z89-TN	084871331265	MOUNT PARTS KIT, X300(T/U) - TAN
Z90	084871328944	MOUNT PARTS KIT, X300(T/U/V)-B, X400(T/U/V), XH30 - BLACK
Z90-TN	084871328951	MOUNT PARTS KIT, X300(T/U) - TAN
Z-XBC	084871312530	X300/X400 SERIES SWITCH ASSEMBLY - BLACK
Z-XBC-TN	084871331357	X300/X400 SERIES SWITCH ASSEMBLY - TAN



Note: DG, XT07 AND Z-XBC switches not compatible with XH50G. All DG switches are compatible with X300/X400 Series.

MASTERFIRE[®]

HOLSTER & WEAPONLIGHTS



LEVEL-3 RETENTION

Proprietary lug-and-cam system locks the firearm in place, utilizing primary and secondary locking mechanisms released by an ergonomic thumb latch and secondary lock

HOLSTER POSITION

Optimized angle for a fast, consistent draw stroke every time

ADJUSTABILITY

Customizable for personal preferences and adjustable to fit most any pistol belt

COMPATIBILITY

Accommodates a wide variety of handguns; interfaces with Safariland QLS system

VIRTUALLY UNBREAKABLE

With the secondary lock mechanism engaged, it takes 600 lbs. of force to break a weapon out of the MasterFire holster

INSTANT ACTIVATION

The MasterFire's switch can be set to automatically activate any SureFire H-Series WeaponLight on the draw, saving precious time in high-stress situations

LOCKOUT FEATURE

The MasterFire deactivates the WeaponLight when the gun is holstered, and can be set to prevent light activation on the draw

SUPPRESSORS & RED DOTS

Open design accommodates red dot optics and suppressors, including the SF[®] RYDER Series



REMOVABLE COVER
(included)



REMOVABLE LEG STRAP
(included)

MASTERFIRE[®] HOLSTER PRO

PART #	UPC	DESCRIPTION
HDI-R-PRO	084871330046	RAPID DEPLOY HOLSTER WITH COVER - RIGHT HAND - BLACK
HDI-L-PRO	084871330060	RAPID DEPLOY HOLSTER WITH COVER - LEFT HAND - BLACK
HDI-R-TN-PRO	084871330053	RAPID DEPLOY HOLSTER WITH COVER - RIGHT HAND - TAN
HDI-L-TN-PRO	084871330077	RAPID DEPLOY HOLSTER WITH COVER - LEFT HAND - TAN

X400TH

PART #	UPC	DESCRIPTION
X400TH-A-GN	08487132361	HIGH-CANDELA HANDGUN HOLSTER LIGHT + GREEN LASER
X400TH-A-RD	08487132354	HIGH-CANDELA HANDGUN HOLSTER LIGHT + RED LASER



PART #	OUTPUT (LUMENS/mW)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BATTERIES
X400TH-A-GN	650 LUMENS / <5.0 MW (515 NM)	1.5 / 10 (LASER)	66,000	4.9 OZ (139 G)	3.75 IN (9.5 CM)	(2) I23A
X400TH-A-RD	650 LUMENS / <5.0 MW (635 NM)	1.5 / 24 (LASER)	66,000	4.9 OZ (139 G)	3.75 IN (9.5 CM)	(2) I23A

X400UH

PART #	UPC	DESCRIPTION
X400UH-A-GN	084871326421	ULTRA-HIGH-OUTPUT HANDGUN HOLSTER LIGHT + GREEN LASER
X400UH-A-RD	084871326414	ULTRA-HIGH-OUTPUT HANDGUN HOLSTER LIGHT + RED LASER



PART #	OUTPUT (LUMENS/mW)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BATTERIES
X400UH-A-GN	1,000 LUMENS / <5.0 MW (515 NM)	1.25 / 10 (LASER)	11,300	4.9 OZ (139 G)	3.75 IN (9.5 CM)	(2) I23A
X400UH-A-RD	1,000 LUMENS / <5.0 MW (635 NM)	1.25 / 24 (LASER)	11,300	4.9 OZ (139 G)	3.75 IN (9.5 CM)	(2) I23A

X400VH

PART #	UPC	DESCRIPTION
X400VH-B-IRC	084871326605	INFRARED/WHITE HANDGUN HOLSTER LIGHT + INFRARED LASER NSN 6230-01-691-8561



OUTPUT (LUMENS / mW / IR mW)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BATTERIES
350 LUMENS / 120 MW / <0.7 MW (850 NM)	2.5 / 16.75 / 20	12,750	4.9 OZ (139 G)	4.0 IN (10.1 CM)	(2) I23A

XH30[®]

PART #	UPC	DESCRIPTION
XH30	084871327619	ULTRA-HIGH DUAL-OUTPUT HOLSTER WEAPONLIGHT WITH STROBE



OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
1,000 / 300	1.25 / 2.5	11,300	4.8 OZ (136 G)	3.7 IN (9.4 CM)	1.25 IN (3.175 CM)	(2) I23A

XVL2



XVL2 SERIES

PART #	UPC	DESCRIPTION
XVL2	084871327602	PISTOL & CARBINE LIGHT / LASER MODULE SYSTEM - CLASS IIIb NSN 6230-01-674-5624
XVL2-TN	084871327633	PISTOL & CARBINE LIGHT / LASER MODULE SYSTEM - CLASS IIIb NSN 6230-01-721-1981
XVL2-IRC	084871329095	PISTOL & CARBINE LIGHT / LASER MODULE SYSTEM - CLASS IIIa
XVL2-TN-IRC	084871329101	PISTOL & CARBINE LIGHT / LASER MODULE SYSTEM - CLASS IIIa
Z88	084871328012	PARTS KIT FOR XVL2 / XVL2-IRC
Z88-TN	084871328210	PARTS KIT FOR XVL2 / XVL2-IRC



CO-ALIGNED IR & GREEN LASERS

XVL2 - GN Laser : <47.0 mW and <5.0 mW IR Laser: <3.0 mW and <0.7 mW
XVL2-IRC - GN Laser: <5.0 mW IR Laser: <0.7 mW

IR & WHITE ILLUMINATOR

Virtually indestructible white-light and infrared LEDs regulated to maximize output and runtime

MAXVISION BEAM®

The ideal beam pattern for close-quarter use, providing a smooth and seamless wall of light with no hot spots



PART #	OUTPUT	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BATTERIES
XVL2	WH: 400 LUMENS IR: 300 MW GN LASER: <5.0 MW (520 NM) / <47.0 MW IR LASER: <0.7 MW (850 NM) / <3.0 MW	WH: 1.5 IR: 2.75	820	3.3 OZ (95 G)	4.5 IN (11.43 CM)	(1) 123A
XVL2-IRC	WH: 400 LUMENS IR: 300 MW GN LASER: <5.0 MW (520 NM) IR LASER: <0.7 MW (850 NM)	WH: 1.5 IR: 2.75	820	3.3 OZ (95 G)	4.5 IN (11.43 CM)	(1) 123A



KEY ATTRIBUTES

- + MULTI-FUNCTION WEAPONLIGHT, OPTIMIZED FOR HANDGUNS AND PDWS
- + CO-ALIGNED VISIBLE AND IR LIGHT/LASER
- + RUGGED AND RELIABLE—TRUST IT IN ANY HOSTILE ENVIRONMENT

XVL2 REMOTE SWITCH PISTOL

PART #	UPC	DESCRIPTION
RSP-D1	084871327930	GLOCK FULL SIZE AND COMPACT GEN3/GEN4/GEN5 FRAMES NSN 5930-01-701-9701
RSP-D2	084871327954	HECKLER & KOCH P30 & VP9 SERIES PISTOL FRAMES
RSP-D3	084871327978	SIG SAUER FULL SIZE/COMPACT P320, M17, M18, X-CARRY, X5 FULL-SIZE, X-VTAC AND P226R
RSP-D4	084871327985	SIG SAUER X-CARRY, X5 FULL-SIZE, X-VTAC AND P226R NSN 5930-01-691-5802



XVL2 SERIES BEZEL

PART #	UPC	DESCRIPTION
KM5-A-BK	084871328005	XVL2 BEZEL - BLACK
KM5-A-TN	084871328166	XVL2 BEZEL - TAN



XVL2 REMOTE SWITCH RIFLE

PART #	UPC	DESCRIPTION
RSR-D7	084871327947	7" SWITCH WITH MOMENTARY-ON PRESSURE PAD
RSR-SR07	084871329491	7" SWITCH WITH MOMENTARY-/CONSTANT-ON PRESSURE PAD NSN 5930-01-701-9722
RSR-SR07-D-XVL	084871332736	REMOTE SWITCH TO SCOUT LIGHT AND XVL2



RSR-D7



RSR-SR07





LONG-GUN WEAPONLIGHTS

**PRECISION PERFORMANCE,
BATTLE-PROVEN DURABILITY**

SureFire Scout Light® Pro WeaponLights deliver without compromise for those who operate in the harshest combat conditions imaginable. For 2026, we are proud to offer the new M640T Turbo Scout Light Pro in response to a military customer request for a non-Dual Fuel variant. Powered by two 123A batteries, the M640T delivers 70,000 blazing candela for positive identification at long distances. Built for extreme hard use, Scout Light Pros are trusted by the world's most elite military and law enforcement units when failure is not an option. They are engineered for maximum durability, relentless dependability, and impeccable performance. SureFire offers the most comprehensive and versatile switching and accessory options in the industry, allowing precise customization to meet operational needs. Backed by decades of real-world experience, Scout Light Pros are tools you can trust with your life.



TURBO SCOUT LIGHT® PRO

M640T PRO

The M640T PRO provides turbo beam performance in a slim form factor. Powered by two 123A batteries, it delivers 700 lumens and 70,000 candela in a tightly focused beam pattern for positive long-range I.D. And it is a SureFire. It's built to win.

» DURABILITY

Mil-Spec hard-anodized aluminum body, tempered window, and O-ring seals ensure rugged, combat-ready durability

» RELIABILITY

Momentary/constant-on push-button switching with protective shroud delivers intuitive, reliable activation

» VERSATILITY

M640T PRO is compatible with numerous SureFire accessory remote switches, comprising the industry's most comprehensive switching array

» LOW-PROFILE MOUNT (LPM)

Our LPM allows users to mount the M640T Pro in the optimal position on any MIL-STD-1913 or M-LOK rail



NEW M640T PRO


PART #	UPC	DESCRIPTION
M640T-BK-PRO	084871334259	TURBO SCOUT LIGHT PRO LONG-GUN WEAPONLIGHT - BLACK
M640T-TN-PRO	084871334488	TURBO SCOUT LIGHT PRO LONG-GUN WEAPONLIGHT - TAN

TURBO



OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BATTERIES
700	1.5	70,000	4.4 OZ (124 G)	5.5 IN (13.9 CM)	(2) 123A

HOW TO CHOOSE YOUR LONG-GUN WEAPONLIGHT



SCOUT LIGHT ANATOMY

PREMIUM LED

We equip every Scout Light Pro with the finest-grade ultra-high-output LED for recoil-proof durability and reliability. Our sophisticated electronics maximize output and runtime

HARD-ANODIZED

All Scout Light Pro models are coated with MIL-A-8625 Type III, Class 2 hard-anodizing for corrosion resistance and durability in the most extreme environments

ACTIVATION

All Scout Light Pro models ship with shrouded tailcaps that provide both momentary-on and constant-on, and protect the switch from accidental light activation

M-LOK MOUNT

SureFire ships every Scout Light Pro with mounting cleats for M-LOK rails and Picatinny rails

LPM: LOW-PROFILE MOUNT

LPM allows you to pivot and lock in the WeaponLight's position, either to clear accessories, or to get the light as close to the weapon as possible for the ultimate low-profile mounting solution

THE SUREFIRE DIFFERENCE

Whether you need long-distance, close-range or IR light, SureFire has a solution for you. Our larger reflectors provide a tighter, more concentrated beam; our smaller reflectors typically provide a wider beam that better accommodates peripheral vision. SureFire reflectors are precisely machined for maximum strength and excellent heat-conducting properties for unmatched reliability. Our proprietary micro-textured coating produces a smooth, precisely modulated beam with no rings, shadows, or hot spots.

M340DFT PRO

PART #	UPC	DESCRIPTION
M340DFT-BK-PRO	084871331555	COMPACT DUAL FUEL HIGH-CANDELA WEAPONLIGHT - BLACK
M340DFT-TN-PRO	084871331562	COMPACT DUAL FUEL HIGH-CANDELA WEAPONLIGHT - TAN

BATTERIES	OUTPUT (LUMENS)	RUNTIME	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER
(1) 18650	650	45 MINUTES	95,000	5.15 OZ (146.1 G)	4.8 IN (12.2 CM)	1.258 IN (3.2 CM)
(1) 3F123	350	1.0 HOUR	55,000			



M640DFT PRO

PART #	UPC	DESCRIPTION
M640DFT-BK-PRO	084871331579	DUAL FUEL HIGH-CANDELA WEAPONLIGHT - BLACK
M640DFT-TN-PRO	084871331586	DUAL FUEL HIGH-CANDELA WEAPONLIGHT - TAN

BATTERIES	OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER
(1) 18650	700	2.75	100,000	6.11 OZ (173.3 G)	5.9 IN (15 CM)	1.258 IN (3.2 CM)
(2) 123A	600	1.75	90,000			



M340C PRO

PART #	UPC	DESCRIPTION
M340C-BK-PRO	084871329224	COMPACT WEAPONLIGHT NSN 6230-DI-705-3268
M340C-TN-PRO	084871329231	COMPACT WEAPONLIGHT

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
500	1	7,600	3.65 OZ (103.5 G)	4.1 IN (10.4 CM)	1.125 IN (2.9 CM)	(1) 123A



M640U PRO

PART #	UPC	DESCRIPTION
M640U-BK-PRO	084871329286	ULTRA-HIGH-OUTPUT WEAPONLIGHT
M640U-TN-PRO	084871329293	ULTRA-HIGH-OUTPUT WEAPONLIGHT NSN 6230-DI-703-5668

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
1,000	1.25	11,300	4.35 OZ (123.3 G)	5.5 IN (13.9 CM)	1.125 IN (2.9 CM)	(2) 123A



M640DF PRO

PART #	UPC	DESCRIPTION
M640DF-BK-PRO	084871329262	DUAL FUEL WEAPONLIGHT - BLACK
M640DF-TN-PRO	084871329279	DUAL FUEL WEAPONLIGHT - TAN

BATTERIES	OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER
(1) 18650	1,500	1.5	16,000	5.5 OZ (156 G)	5.56 IN (14.1 CM)	1.125 IN (2.9 CM)
(2) 123A	1,200	1.25	12,800			





M340V PRO

PART #	UPC	DESCRIPTION
M340V-BK-PRO	084871329248	COMPACT INFRARED / WHITE WEAPONLIGHT - BLACK
M340V-TN-PRO	084871329255	COMPACT INFRARED / WHITE WEAPONLIGHT - TAN

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
250 / 100 MW	1.5 / 6	9,300	3.4 OZ (96.4 G)	4.1 IN (10.4 CM)	1.06 IN (2.7 CM)	(1) 123A



M640V PRO

PART #	UPC	DESCRIPTION
M640V-BK-PRO	084871329309	INFRARED / WHITE SCOUT LIGHT - BLACK
M640V-TN-PRO	084871329316	INFRARED / WHITE SCOUT LIGHT - TAN

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
350 / 120 MW	2.5 / 16.75	12,750	4.15 OZ (117.7 G)	5.5 IN (13.9 CM)	1.06 IN (2.7 CM)	(2) 123A



CSM-07

PART #	UPC	DESCRIPTION
CSM-07	084871332385	M-LOK MOUNT, MOMENTARY/CONSTANT-ON CLICK SWITCH

SWITCH OPERATION

Single, remote-activation click-switch for use on M-LOK rails; press for momentary-on, click for constant-on



CSP-07

PART #	UPC	DESCRIPTION
CSP-07	084871332224	RAIL GRABBER TAPE SWITCH, MOMENTARY/CONSTANT-ON CLICK SWITCH

SWITCH OPERATION

Single, remote-activation click-switch for use on Picatinny rails; press for momentary-on, click for constant-on



ST07

PART #	UPC	DESCRIPTION
ST07	084871852777	REMOTE TAPE SWITCH FOR WEAPONLIGHT NSN 5930-01-531-2192

SWITCH OPERATION

Single switch provides momentary remote activation for any SureFire WeaponLight that has a switch socket



SR07

PART #	UPC	DESCRIPTION
SR07	08487185237	RAIL GRABBER TAPE SWITCH FOR WEAPONLIGHT NSN 5930-01-600-4327

SWITCH OPERATION

Dual switches provide remote activation for any SureFire WeaponLight with a switch socket. Includes a momentary-on pressure pad switch and a constant-on pushbutton switch



SR07-D-IT

PART #	UPC	DESCRIPTION
SR07-D-IT	084871310925	REMOTE DUAL SWITCH FOR WEAPONLIGHT + LASER DEVICE NSN 5930-01-623-5207
SR09-D-IT	084871310949	REMOTE DUAL SWITCH FOR WEAPONLIGHT + LASER DEVICE NSN 5930-01-581-6956

SWITCH OPERATION

Dual independent switches provide remote momentary-on activation, either separately or simultaneously, for two weapon-mounted illumination tools, such as a SureFire WeaponLight and an ATRIAL or DBAL laser



Z68

PART #	UPC	DESCRIPTION
Z68	084871890687	SCOUT LIGHT CLICK-STYLE TAILCAP NSN 5930-01-605-9781
Z68-TN	084871321662	SCOUT LIGHT CLICK-STYLE TAILCAP



UE / UEE

PART #	UPC	DESCRIPTION
UE-BK	084871321679	SCOUT LIGHT REMOTE SWITCH TAILCAP (DOES NOT INCLUDE SWITCH)
UE-TN	084871321686	SCOUT LIGHT REMOTE SWITCH TAILCAP (DOES NOT INCLUDE SWITCH)
UEE-BK	084871331890	ONLY DUAL FUEL SCOUT LIGHT COMPATIBLE REMOTE SWITCH TAILCAP (DOES NOT INCLUDE SWITCH)
UEE-TN	084871331906	ONLY DUAL FUEL SCOUT LIGHT COMPATIBLE REMOTE SWITCH TAILCAP (DOES NOT INCLUDE SWITCH)



DS00 / DSE

PART #	UPC	DESCRIPTION
DS00	084871323840	SCOUT LIGHT REMOTE SWITCH TAILCAP NSN 5930-01-664-4488
DS00-TN	084871327558	SCOUT LIGHT REMOTE SWITCH TAILCAP NSN 5930-01-705-9199
DSE-BK	084871332026	ONLY DUAL FUEL SCOUT LIGHT COMPATIBLE REMOTE SWITCH TAILCAP
DSE-TN	084871332033	ONLY DUAL FUEL SCOUT LIGHT COMPATIBLE REMOTE SWITCH TAILCAP



NOTE
UEE AND DSE PRODUCTS ARE ONLY COMPATIBLE WITH DUAL FUEL SCOUT LIGHTS

DS07

PART #	UPC	DESCRIPTION
DS07	084871323857	SCOUT LIGHT WATERPROOF SWITCH
DS07-TN	084871327565	SCOUT LIGHT WATERPROOF SWITCH



UE07

PART #	UPC	DESCRIPTION
UE07	084871859073	SCOUT LIGHT REMOTE SWITCH NSN 6150-DI-594-3669
UE07-TN	084871324038	SCOUT LIGHT REMOTE SWITCH



DS-SR07

PART #	UPC	DESCRIPTION
DS-SR07	084871323864	SCOUT LIGHT WATERPROOF SWITCH
DS-SR07-TN	084871327534	SCOUT LIGHT WATERPROOF SWITCH



UE-SR07

PART #	UPC	DESCRIPTION
UE-SR07-BK	084871323826	SCOUT LIGHT REMOTE SWITCH
UE-SR07-TN	084871323833	SCOUT LIGHT REMOTE SWITCH



DS-SR07-D-IT

PART #	UPC	DESCRIPTION
DS-SR07-D-IT	084871325301	DUAL REMOTE SWITCH FOR SCOUT LIGHT + LASER DEVICE NSN 5930-DI-697-6811
DS-SR07-D-IT-TN	084871327541	DUAL REMOTE SWITCH FOR SCOUT LIGHT + LASER DEVICE



XM07

PART #	UPC	DESCRIPTION
XM07	084871852739	MILLENNIUM WEAPONLIGHT REMOTE DUAL SWITCH TAILCAP ASSEMBLY NSN 5340-DI-528-3149



XT00

PART #	UPC	DESCRIPTION
XT00	084871312523	X-SERIES WEAPONLIGHTS TAILCAP ASSEMBLY WITH DISABLE



XT07

PART #	UPC	DESCRIPTION
XT07	084871851282	X-SERIES WEAPONLIGHTS TAILCAP + SWITCH ASSEMBLY WITH DISABLE NSN 5930-DI-601-4631



SCOUT LIGHT PRO MOUNTS

PART #	UPC	DESCRIPTION
M-1913-S-BK	084871329347	MIL-STD-1913 PICATINNY SCOUT SWIVEL MOUNT, BLACK
M-1913-S-TN	084871329354	MIL-STD-1913 PICATINNY SCOUT SWIVEL MOUNT, TAN
M-MLOK-S-BK	084871329323	MLOK SCOUT SWIVEL MOUNT, BLACK
M-MLOK-S-TN	084871329330	MLOK SCOUT SWIVEL MOUNT, TAN
Z93	084871329361	SHOULDER SCREW, 8-32, DUAL-DRIVE, BLACK SS

**BOTH M-1913-S AND M-MLOK-S MOUNTS
ARE INCLUDED WITH ALL SCOUT LIGHT PRO PURCHASES**



KF1

PART #	UPC	DESCRIPTION
KF1-A-DFT-BK	084871332514	M340DFT PRO SERIES SCOUT LIGHT BEZEL
KF1-A-DFT-TN	084871332521	M340DFT PRO SERIES SCOUT LIGHT BEZEL



KF2

PART #	UPC	DESCRIPTION
KF2-A-DFT-BK	084871332538	M640DFT PRO SERIES SCOUT LIGHT BEZEL
KF2-A-DFT-TN	084871332545	M640DFT PRO SERIES SCOUT LIGHT BEZEL



KE1

PART #	UPC	DESCRIPTION
KE1H-BK	084871327312	M300C/M340C PRO SERIES SCOUT LIGHT BEZEL
KE1H-TN	084871327329	M300C/M340C PRO SERIES SCOUT LIGHT BEZEL



KE2

PART #	UPC	DESCRIPTION
KE2-B-BK	084871327671	M600U/M640U PRO SERIES SCOUT LIGHT BEZEL
KE2-B-TN	084871327688	M600U/M640U PRO SERIES SCOUT LIGHT BEZEL



NEW KE2-T

PART #	UPC	DESCRIPTION
KE2-T-A-BK	084871334273	M640T TURBO SCOUT LIGHT BEZEL
KE2-T-A-TN	084871334495	M640T TURBO SCOUT LIGHT BEZEL



KM1

PART #	UPC	DESCRIPTION
KM1-E-BK	084871327411	M300V/M340V PRO SERIES SCOUT LIGHT BEZEL NSN 6230-DI-682-3188
KM1-E-TN	084871327428	M300V/M340V PRO SERIES SCOUT LIGHT BEZEL



KM2

PART #	UPC	DESCRIPTION
KM2-C-BK	084871327398	M600V/M640V PRO SERIES SCOUT LIGHT BEZEL
KM2-C-TN	084871327404	M600V/M640V PRO SERIES SCOUT LIGHT BEZEL



MH31

PART #	UPC	DESCRIPTION
MH31-BK	084871329439	BODY ASSY, SCOUT LIGHT M3XX, SWIVEL, BLACK
MH31-TN	084871329446	BODY ASSY, SCOUT LIGHT M3XX, SWIVEL, TAN



MH61

PART #	UPC	DESCRIPTION
MH61-BK	084871329453	BODY ASSY, SCOUT LIGHT, M6XX, SWIVEL, BLACK
MH61-TN	084871329460	BODY ASSY, SCOUT LIGHT, M6XX, SWIVEL, TAN



MH62

PART #	UPC	DESCRIPTION
MH62-BK	084871329477	BODY ASSY, SCOUT LIGHT, DF, M6XX, SWIVEL, BLACK
MH62-TN	084871329484	BODY ASSY, SCOUT LIGHT, DF, M6XX, SWIVEL, TAN





BALLISTIC SHIELD LIGHT (BSL)

PART #	UPC	DESCRIPTION
BSL-A	084871333306	BALLISTIC SHIELD LIGHT
ST23	084871334167	23" ST REMOTE SWITCH FOR BSL

The Ballistic Shield Light leverages four decades of SureFire expertise. It installs easily on most ballistic shields, providing critical illumination with its ultra-high-output LED. Our intuitive momentary-on/constant-on switching facilitates one-handed shield use and unmanned shield placement. The Ballistic Shield Light is built to perform no matter how demanding the mission. Every BSL-A also includes a rubber cover and protective lens to prevent damage when used with training rounds.

BEAM PATTERN

The BSL's Hybrid beam pattern combines excellent throw for medium- to long-distance ID with ample surround light for situational awareness

ACTIVATION


The BSL provides one-handed momentary-on control while holding the shield with the use of a remote tape switch

ACTIVATION

Constant-on pushbutton switch allows strategic shield placement to light up an area while unmanned



BATTERIES	OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	BEZEL DIAMETER
(1) 18650	1,500	2.5	32,000	1.24 LB	1.7 IN
(2) 123A	1,100	1.5	23,000		(4.32 CM)



HELLFIGHTER® 5

PART #	UPC	DESCRIPTION
HF5	084871321068	ULTRA HID WEAPONLIGHT / SEARCHLIGHT 6,000 LUMEN, 890K CANDELA, T-RAIL MOUNT, HANDCARRY, DC POWER CORD

VERSATILE

The HF5 includes a SureFire T-slot rail mount along with integrated folding carry handles for handheld use. It also accommodates screw-in filters or hinged swing-open filters for mission-specific needs

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	POWER OPTIONS
6,000	INTERNAL BATTERY: 2 HOURS EXTERNAL POWER: CONTINUOUS	890,000 PBCP NOMINAL	5.1 LBS (2.3 KG)	8.7 IN (22.1 CM)	4.6 IN (11.9 CM)	INTEGRAL RECHARGEABLE BATTERY II-32 VDC POWER AC POWER



HELLFIGHTER® 5 ACCESSORIES

PART #	UPC	DESCRIPTION
ARC-CASE	084871323420	POLYMER HARD CASE FOR HF5 ACCESSORY SECTION
ARC-AC	84871323437	AC POWER SUPPLY AND CHARGER FOR HF5
ARC-DC	84871 323444	DC VEHICLE CORD, CIGARETTE LIGHTER CONNECTOR FOR HF5
ARC-F-RD	84871 323451	RED SCREW ON FILTER FOR HF5
ARC-F-BL	84871 323468	BLUE SCREW ON FILTER FOR HF5
ARC-F-GN	84871 323475	GREEN SCREW ON FILTER FOR HF5
ARC-F-AMBER	84871 323550	AMBER SCREW ON FILTER FOR HF5
ARC-F-IR830	84871 323482	830NM IR SCREW ON FILTER FOR HF5
ARC-SWING-RD	084871 324250	SWING FILTER ASSEMBLY, RED - HF5
ARC-SWING-BL	084871 324236	SWING FILTER ASSEMBLY, BLUE - HF5
ARC-SWING-GN	084871 324243	SWING FILTER ASSEMBLY, GREEN - HF5
ARC-SWING-AMBER	084871 324199	SWING FILTER ASSEMBLY, AMBER - HF5
ARC-SWING-IR830	084871 324205	SWING FILTER ASSEMBLY, IR830 - HF5
ARC-COVER	84871 322101	PROTECTIVE RUBBER HEAD COVER FOR HF5
HF5-ENDCAP	84871322119	REPLACEMENT END CAP WITH ELECTRONICS FOR HF5
HF5-BATTERY	84871 322126	REPLACEMENT BATTERY PACK FOR HF5
ARC-LAMP	84871 322133	REPLACEMENT REFLECTOR LAMP ASSEMBLY FOR HF5
M87	084871860871	HELLFIGHTER SHORT BARREL MOUNT
M88	084871860888	HELLFIGHTER SHIELD BARREL MOUNT








HANDHELD LIGHTS

**UNMATCHED VERSATILITY,
NO MATTER THE TASK**

We build the world's finest handheld flashlights for every mission—because there's no one-size-fits-all solution when lives or outcomes depend on them. SureFire created an industry with its compact, high-performance flashlight in the 1980s, and our bold, pioneering spirit lives on today in versatile handheld models engineered for maximum output, reliability, and ruggedness in the smallest possible form factors. From our long-range Turbo Series to our everyday-ready EDC family, each SureFire handheld is purpose-built with premium LEDs, precision electronics, and ultra-durable bodies to perform in the most demanding conditions. Whether you're operating in combat or navigating daily tasks, SureFire offers a range of beam patterns, switching styles, and more features to match your mission. These are illumination tools you can trust—backed by decades of innovation and trusted by professionals around the world.

HOW TO CHOOSE YOUR HANDHELD LIGHT



THE SUREFIRE DIFFERENCE

We machine our rugged illumination tool bodies from solid aerospace-grade aluminum stock, mold them from high-quality glass filled polymer, or utilize a combination of the two. Both materials are lightweight and resist abrasion, corrosion, crushing, and bending. Our aluminum bodies are precision-machined with knurling and ergonomics for a secure grip, coated with Mil-Spec hard anodizing for max durability in the harshest conditions, and O-ring and gasket sealed to keep out moisture.

STILETTO®



» PROFILE

Sleek, slim shape fits easily into any pocket or pack; robust pocket clip allows storage

» SWITCHING

Configure your Stiletto's intuitive primary and tactical switches to meet your individual requirements

» RECHARGEABLE

Easy, convenient recharging from a variety of power sources (charging cable included) for everyday use

STILETTO® PRO II

PART #	UPC	DESCRIPTION
PLR-C	084871332156	MULTI-OUTPUT RECHARGEABLE POCKET FLASHLIGHT

DUAL OPTIC

Our dual-optic design maintains the Stiletto's flat profile while providing 35,000 candela in a Hybrid beam pattern that punches farther into the dark without sacrificing spill light, so you maintain situational awareness

HYBRID



OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
25 / 500 / 1,500	23.5 / 1.5 / 1	35,000	5.0 oz (140 g)	4.87 in (12.4 cm)	2x0.88 in (2.2 cm)	Lithium Polymer

STILETTO® PRO

PART #	UPC	DESCRIPTION
PLR-B	084871328814	MULTI-OUTPUT RECHARGEABLE POCKET FLASHLIGHT

MVB



OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
25 / 300 / 1,000	23.5 / 1.5 / 1	5,100	4.0 oz (113 g)	4.5 in (11.4 cm)	0.87 in (2.2 cm)	Lithium Polymer

STILETTO®

PART #	UPC	DESCRIPTION
PLR-A	084871326940	MULTI-OUTPUT RECHARGEABLE POCKET POLYMER FLASHLIGHT

MVB



OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
5 / 250 / 650	30 / 2 / 1.75	1,530	2.8 oz (79 g)	4.45 in (11.3 cm)	0.8 in (2.03 cm)	Lithium Polymer



KEY ATTRIBUTES

- + FAR-REACHING CANDELA IN THE PALM OF YOUR HAND
- + TIGHTLY FOCUSED, HIGH-PENETRATION BEAM PATTERN
- + MINIMAL LIGHT BOUNCE WHEN SHOOTING AROUND BARRICADES

EDC1-DFT

PART #	UPC	DESCRIPTION
EDC1-DFT-BK	084871331494	DUAL FUEL HIGH-CANDELA FLASHLIGHT - BLACK
EDC1-DFT-HA	084871331500	DUAL FUEL HIGH-CANDELA FLASHLIGHT - GRAY
EDC1-DFT-TN	084871331517	DUAL FUEL HIGH-CANDELA FLASHLIGHT - TAN

TURBO



AVAILABLE COLORS

BLACK
GRAY
TAN

BATTERIES	OUTPUT (LUMENS)	RUNTIME	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER
(1) 18350	25 / 650	11 HRS / 45 MINS	95,000	4.56 oz	4.8 in	1.258 in
(1) 123A	25 / 350	12 HRS / 1 HR	55,000	(129.3 g)	(12.2 cm)	(3.2 cm)

EDC2-DFT

PART #	UPC	DESCRIPTION
EDC2-DFT-BK	084871331524	DUAL FUEL HIGH-CANDELA FLASHLIGHT - BLACK
EDC2-DFT-HA	084871331531	DUAL FUEL HIGH-CANDELA FLASHLIGHT - GRAY
EDC2-DFT-TN	084871331548	DUAL FUEL HIGH-CANDELA FLASHLIGHT - TAN

TURBO



AVAILABLE COLORS

BLACK
GRAY
TAN

BATTERIES	OUTPUT (LUMENS)	RUNTIME	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER
(1) 18650	25 / 700	46.5 HRS / 2.75 HRS	100,000	5.6 oz	5.91 in	1.258 in
(2) 123A	25 / 600	23 HRS / 1.75 HRS	90,000	(158.8 g)	(15 cm)	(3.2 cm)



E2D DEFENDER®

PART #	UPC	DESCRIPTION
E2DLU-A	084871321242	DUAL-OUTPUT POCKET FLASHLIGHT NSN 6230-01-632-3134



OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
5 / 1,000	63 / 2.75	10,600	4.2 oz (119 g)	5.6 in (14.2 cm)	1.125 in (2.85 cm)	(2) 123A

EDCL1-T

PART #	UPC	DESCRIPTION
EDCL1-T	084871326841	DUAL-OUTPUT POCKET FLASHLIGHT



OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
5 / 500	45 / 1	7,600	3.3 oz (95 g)	4.5 in (11.43 cm)	1.125 in (2.85 cm)	(1) 123A

EDCL2-T

PART #	UPC	DESCRIPTION
EDCL2-T	084871326858	DUAL-OUTPUT FLASHLIGHT NSN 6230-01-694-1050



OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
5 / 1,200	60 / 1	11,300	4.1 oz (118 g)	5.84 in (14.8 cm)	1.125 in (2.85 cm)	(2) 123A



AVIATOR®

PART #	UPC	DESCRIPTION
AVIATOR-RD	084871326292	MULTI-SPECTRUM DUAL-OUTPUT POCKET FLASHLIGHT NSN 6230-01-531-7033



LED COLOR	OUTPUT	RUNTIME	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
WHITE	5 / 250	20.5 / 1.5	9,300	3.1 oz (88 g)	4.18 in (10.6 cm)	1.06 in (2.7 cm)	(1) 123A
RED	1 / 39	57 / 3	-	-	-	-	-

RED LED

Minimizes degradation of night-adapted vision; ideal for red-light readable topographic maps

MULTIPLE SPECTRUMS

Twist to select between White LED and Red LED



VI-B VAMPIRE®

PART #	UPC	DESCRIPTION
VI-B-BK	084871325356	MULTI-SPECTRUM DUAL-OUTPUT POCKET FLASHLIGHT NSN 6230-01-662-9886



LED	OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
WHITE	5 / 250	6 / 1.5	9,300	3.1 oz (88 g)	4.18 in (10.6 cm)	1.06 in (2.7 cm)	(1) 123A
IR	5 / 100 mW	57 / 20.5	-	-	-	-	-

VI-C VAMPIRE®

PART #	UPC	DESCRIPTION
VI-C-BK	084871326452	MULTI-SPECTRUM SINGLE-OUTPUT LED POCKET FLASHLIGHT



LED	OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
RED	0.4	100	-	3.1 oz (88 g)	4.18 in (10.6 cm)	1.06 in (2.7 cm)	(1) 123A
IR	100	8.75	-	-	-	-	-

FILTERS

PART #	UPC	DESCRIPTION
F07-A	084871324649	SLIP ON CLEAR PROTECTIVE COVER ASSY, 1.125" BEZEL, FITS X300U, X400U
F05	084871840057	SLIP ON RED FILTER ASSY, 1.0" BEZEL NSN 6230-01-525-3745
F26	084871840262	RED FILTER, TIPOFF, 1.25" BEZEL



F05

F26



UDR DOMINATOR[®]

PART #	UPC	DESCRIPTION
UDR-B-BK	084871332699	RECHARGEABLE ULTRA-HIGH VARIABLE-OUTPUT LED FLASHLIGHT

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL	BATTERIES
40 / 4,400	51 / 1.75	350,000	2.4 lb (108 kg)	11.6 in (29.5 cm)	3.0 in (7.7 cm)	(1) Lithium-ion / (12) 123A

1 OUTPUT

The updated UDR Dominator's upgraded LED and precision-engineered parabolic reflector deliver 80% more lumens and 75% greater candela, extending reach for even greater long-range illumination

2 ACTIVATION

Instantly activate to one of nine useful output levels plus tactical strobe and system-disable settings. Its three-button head switching controls momentary-on, constant-on, or MaxBlast

3 DUAL FUEL

Versatile fueling via the included rechargeable lithium-ion battery for regular use or by 12 disposable 123As in the included battery magazine

4 RECHARGEABLE

Convenient recharging via the included wall charger (AC) with international adapters, or car charger (DC). A fuel gauge makes it easy to monitor remaining battery power





PIRZ-B-DFT

PART #	UPC	DESCRIPTION
PIRZ-B-DFT	084871331869	DUAL FUEL COMBAT GRIP FLASHLIGHT



BATTERIES	OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER
(1) 18650	1,500	2.25	34,000	6.5 oz (184 g)	5.6 in (14.2cm)	1.39 in (3.5cm)
(2) 123A	1,100	1.75	25,000			

PIRZ-IB-DF

PART #	UPC	DESCRIPTION
PIRZ-IB-DF	084871331852	DUAL FUEL COMBAT GRIP FLASHLIGHT



BATTERIES	OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER
(1) 18650	1,500	2.25	34,000	6.5 oz (184.3 g)	5.6 in (14.2cm)	1.39 in (3.5cm)
(2) 123A	1,100	1.75	25,000			

G2ZX COMBATLIGHT

PART #	UPC	DESCRIPTION
G2ZX-C-BK	084871320399	SINGLE-OUTPUT COMBAT GRIP FLASHLIGHT NSN 6230-DI-532-3740



OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
600	1.5	8,700	4.3 oz (121 g)	5.2 in (13.2 cm)	1.25 in (3.175 cm)	(2) 123A

COMBAT RING

Our Combat Ring allows proper two-handed firearm control and significantly easier weapon manipulation



LANYARD

The included lanyard frees your hands for tasks such as opening doors and utilizing other items

FURY[®] TACTICAL

PART #	UPC	DESCRIPTION
FURY-DFT	084871326865	DUAL FUEL TACTICAL FLASHLIGHT



BATTERIES	OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER
(1) 18650	1,500	2.25	34,000	6.5 oz (184 g)	5.6 in (14.2cm)	1.39 in (3.5cm)
(2) 123A	1,100	1.75	25,000			



RECHARGEABLE SF18650B BATTERY INCLUDED

G2X TACTICAL / LE / PRO

PART #	UPC	DESCRIPTION
G2X-C-BK	084871320313	SINGLE-OUTPUT POLYMER FLASHLIGHT - HIGH OUTPUT ONLY NSN 6230-DI-644-3324
G2X-D-BK	084871320351	DUAL-OUTPUT POLYMER FLASHLIGHT - LOW/HIGH OUTPUT NSN 6230-DI-617-9616
G2X-D-FG	084871320368	DUAL-OUTPUT POLYMER FLASHLIGHT - LOW/HIGH OUTPUT
G2X-D-TN	084871320375	DUAL-OUTPUT POLYMER FLASHLIGHT - LOW/HIGH OUTPUT
G2X-D-YL	084871320382	DUAL-OUTPUT POLYMER FLASHLIGHT - LOW/HIGH OUTPUT
G2XLE-BK	084871324892	DUAL-OUTPUT POLYMER FLASHLIGHT - HIGH/LOW OUTPUT



G2X-C-BK / G2X-D-BK / G2XLE-BK



G2X-D-FG



G2X-D-TN



G2X-D-YL

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
15 / 600	1.5 / 52	8,700	4.4 oz (125 g)	5.2 in (13.2 cm)	1.25 in (3.2 cm)	(2) I23A

FLASHLIGHT HOLSTER

PART #	UPC	DESCRIPTION
V70	084871842709	SPEED HOLSTER, BLACK PLASTIC, FOR 6PX, G2X & PIR NSN 6230-DI-523-6437
V70-TN	084871842730	SPEED HOLSTER, TAN PLASTIC, FOR 6PX, G2X & PIR NSN 8465-DI-532-4188



V70



V70-TN



6PX TACTICAL / 6PX PRO

PART #	UPC	DESCRIPTION
6PX-C-BK	084871320283	SINGLE-OUTPUT FLASHLIGHT - HIGH OUTPUT ONLY NSN 6230-DI-623-4223
6PX-D-BK	084871320290	DUAL-OUTPUT FLASHLIGHT - LOW/HIGH OUTPUT



OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	LENGTH	BEZEL DIAMETER	BATTERIES
15 / 600	1.5 / 52	8,700	5.2 oz (147 g)	5.2 in (13.2 cm)	1.25 in (3.175 cm)	(2) I23A




HANDS-FREE LIGHTS



HANDS-FREE, MISSION-READY

SureFire's hands-free illumination tools provide a dependable lighting solution that allows users to work efficiently with both hands free. Whether using head-mounted options like our Maximus and Minimus headlamps, or our military-grade HL HelmetLight series, or opting for the innovative 2211[®] WristLights, users can count on powerful, consistent illumination in any environment. These tools are engineered to meet the same rigorous standards as SureFire's renowned weaponlights and handheld flashlights, ensuring durability and performance in the most demanding conditions. Designed for professionals and outdoor enthusiasts alike, SureFire hands-free lights let you stay focused on the task at hand.

HOW TO CHOOSE YOUR HANDS-FREE LIGHT



HANDS-FREE FACTS

- + SureFire's Maximus and Minimus headlamps and 2211 WristLights utilize our patented MaxVision Beam® technology for a seamless wall of light at close- to medium-range distances where maximum situational awareness is crucial.
- + Designed with input from law enforcement for use with a two-handed pistol grip, SureFire WristLights provide emergency/task lighting that can be carried all day. You can choose between Micro-USB rechargeable or single disposable 123A lithium battery-powered models.
- + SureFire's rugged HelmetLights are used by military forces around the world. They provide trouble-free illumination for close-quarter tasks, and they fit nearly any helmet, including ACH, LWH, MICH, or PASGT, without permanent modification to the helmet.

THE SUREFIRE DIFFERENCE

All SureFire LED illumination tools contain state-of-the-art digital circuitry programmed to harness the output capability of our LEDs. We simply won't trust anyone to print our circuit boards because we know what is on the line in a high-stakes, life-threatening emergency. We produce them in-house, in our own U.S. facilities. We expertly engineer our electronics to deliver the optimum balance of output and runtime while managing associated thermal issues for maximum reliability.



MAXIMUS

PART #	UPC	DESCRIPTION
HS3-A-BK	084871318204	ULTRA-HIGH VARIABLE-OUTPUT HEADLAMP NSN 6230-01-622-0311



OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	DIMENSIONS	BATTERIES
1-1,000	550 / 1.5	4,100	6.9 oz (195 g)	2.55 in x 4.24 in x 1.5 in	Lithium-ion rechargeable

MINIMUS[®]

PART #	UPC	DESCRIPTION
HS2-MV-A-BK	084871325943	VARIABLE-OUTPUT HEADLAMP



REMOVEABLE RED LENS

Detachable red filter included for reduced visible signature and preservation of night adapted vision.

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA	WEIGHT	DIMENSIONS	BATTERIES
5-300	75 / 1.5	1,100	4.0 oz (113 g)	4.46 in x 1.65 in x 1.45 in	(1) 123A

2211 SERIES

PART #	UPC	DESCRIPTION
2211-B-BK-SF	084871325929	VARIABLE-OUTPUT RECHARGEABLE WRISTLIGHT WATCH
2211-A-BK-PLM	084871325318	VARIABLE-OUTPUT RECHARGEABLE WRISTLIGHT
2211X-A-BK	084871323994	VARIABLE-OUTPUT 123A-POWERED WRISTLIGHT



2211-B-BK-SF



2211-A-BK-PLM



2211X-A-BK

OUTPUT (LUMENS)	RUNTIME (HOURS)	CANDELA
300 / 60 / 15	1 / 4 / 13	1,100

COMPATIBILITY

The HL2 is specifically designed to be compatible with the revolutionary Gentex Ops-Core RAILINK® power and data system




HL2

PART #	UPC	DESCRIPTION
HL2-A-BK	084871330237	HELMET LIGHT, DUAL-EMITTER, WHITE LIGHT/850NM IR EMITTER, FITS THE GENTEX OPS-CORE RAILINK® POWER AND DATA SYSTEM NG-HBS HELMET, BLACK
HL2-A-TN	084871331340	HELMET LIGHT, DUAL-EMITTER, WHITE LIGHT/850NM IR EMITTER, FITS THE GENTEX OPS-CORE RAILINK® POWER AND DATA SYSTEM NG-HBS HELMET, TAN

MULTIPLE SPECTRUMS

Both white light and infrared illumination



DUAL-OUTPUT

Easily switch between white light and infrared illumination

IR MODE

Low: Quick tap on pressure pad
High: Second quick tap within short interval

WHITE LIGHT MODE

Low: Long press (> 0.6 seconds)
High: Second press within 3 seconds of long press

BEZEL SWIVEL RANGE

90° above horizon; 25° below horizon; 115° total

OUTPUT (LUMENS)	WEIGHT	DIMENSIONS	BATTERIES
Infrared: Low: 5 / High: 100 milliwatts White: Low: 10 / High: 355 lumens	0.7 oz (20 g)	3.25 in x 0.62 in	NGHBS battery pack



HLI SHOWN WITH ADPT-HLI-DC

HLI & ACCESSORIES

PART #	UPC	DESCRIPTION
HLI-A-TN	08487110464	VARIABLE-OUTPUT MULTI-SPECTRUM - (WHITE / BLUE / IFF) NSN 6220-01-549-4174
HLI-B-TN	08487110488	VARIABLE-OUTPUT MULTI-SPECTRUM - (WHITE / IR / IFF) NSN 6220-01-549-4184
HLI-C-TN	08487110495	VARIABLE-OUTPUT MULTI-SPECTRUM - (WHITE / RED / IFF) NSN 6220-01-549-4203
ADPT-HLI-DC	084871325066	DPS CORE HELMET RAIL MOUNT
HLM-DI-TN	084871316194	HELMET LIGHT RATCHET MOUNT
Z71	084871890717	MOUNTING CLIP NSN 6220-01-549-4288

LED COLOR	OUTPUT (LUMENS)	RUNTIME (HOURS)	WEIGHT	DIMENSIONS	BATTERIES
WHITE	1.4 / 5 / 19.2	48 / 28 / 6	4.0 oz (113g)	2.2 in x 3.2 in x 2.4 in	(1) 123A
YELLOW/GREEN	1.4 / 5 / 19.2	48 / 28 / 6	4.0 oz (113g)	2.2 in x 3.2 in x 2.4 in	(1) 123A
BLUE	0.3 / 0.8 / 2.5	96 / 48 / 20	4.0 oz (113g)	2.2 in x 3.2 in x 2.4 in	(1) 123A
RED	0.3 / 0.8 / 2.5	96 / 48 / 20	4.0 oz (113g)	2.2 in x 3.2 in x 2.4 in	(1) 123A
IR	2 / 10 / 30.5 mW	44 / 17 / 6	4.0 oz (113g)	2.2 in x 3.2 in x 2.4 in	(1) 123A
IR STROBE	1.7 mW	120	-	-	-



HLI (TAN)



ADPT-HLI-DC



Z71





BATTERIES

RELIABLE POWER FOR EXTREME-USE PRODUCTS

SureFire batteries deliver maximum power with energy-dense cells engineered for peak performance. Our 123A lithium primary batteries and rechargeable SF18350 and SF18650 batteries are proudly made in the U.S.A. and engineered with advanced safeguards to prevent overheating—even under intense use—offering power with reliability you can trust. Compact and portable, they're easy to carry as spares, and our 123A batteries even offer a 10-year shelf life, so they'll be ready whenever you need them.



123A

PART #	UPC	DESCRIPTION
SF2-CB	084871820141	2 123A CELLS, CARDED
SF2-SW-BULK	084871331234	PAIRS OF SHRINK WRAPPED 123A BATTERIES, TOTAL 65 PAIRS, CLEAR PLASTIC FISHBOWL WITH LID
SF6-BC	084871310901	6 123A CELLS (Must order in multiples of 6 units)
SF12A-BB CS	084871820196	12 123A CELLS, CLAMSHELL PACKAGE
SF12-BB	084871820134	12 123A CELLS, BOXED NSN 6135-01-351-1131
SF72-BB	084871820165	123A, 6 BOXES OF 12 CELLS
SF400-BULK	084871820240	123A BULK BOX, 400 CELLS
SF800-BULK	084871332675	123A BULK BOX, 800 CELLS
SF38400-BULK	084871820233	123A BULK, 38,400 CELLS

SCI

PART #	UPC	DESCRIPTION
SCI	084871880046	SPARES CARRIER, HOLDS 6 123A CELLS AND ONE P6D/P9D LAMP ASSEMBLY NSN 6240-01-532-4209



SF12-BB



SF72-BB



SF2-CB



SF6-BC



SF12A-BB CS



SF2-SW-BULK



SF18350

PART #	UPC	DESCRIPTION
SF18350	084871330039	LITHIUM ION RECHARGEABLE BATTERY



RECHARGEABLE

Both SF18350 & SF18650B batteries are USB Rechargeable

SF18650B

PART #	UPC	DESCRIPTION
SF18650B	084871328050	LITHIUM ION RECHARGEABLE BATTERY



SFLFP123 & CHARGER KIT

PART #	UPC	DESCRIPTION
SFLFP123	084871329811	2 LITHIUM IRON PHOSPHATE RECHARGEABLE CELLS
SFLFP123-KIT	084871329828	2 LITHIUM IRON PHOSPHATE RECHARGEABLE CELLS & CHARGER



SFLFP123



SFLFP123-KIT




HEARING PROTECTION



SECURE FIT. SUPERIOR SEAL. SERIOUS PROTECTION.

SureFire Sonic Defenders® represent the pinnacle of non-electronic hearing protection. They deliver exceptional noise reduction—safeguarding your hearing in both constant-noise and impulse-noise environments above 85 dB. You can choose between two styles: full-block for maximum protection on the range or filtered to eliminate harmful noise while allowing you to hear tactical communication and ambient sounds. Our patented EarLock® retention ring comfortably locks the earplug in place for a secure fit and optimal seal within the ear canal for maximum protection. Designed for all-day wear, Sonic Defenders offer exceptional comfort, are reusable, and built for long-term durability. Whether you're at the shooting range, on a tactical mission, or working in a high-noise industrial setting, Sonic Defenders deliver unmatched performance and reliability.


HOW TO CHOOSE YOUR EARPRO



EARPRO FACTS

- + Sonic Defenders provide a cool, all-day comfort fit. They are minimally obtrusive and do not affect cheek weld on the stock when firing a rifle like earmuff-style hearing protection does.
- + Sonic Defenders are available in Black, Orange or Clear. Every set comes in a convenient carrying case and includes a retention lanyard.
- + Sonic Defenders filters reduce harmful sound while allowing users to hear conversations. Users can easily open or close the caps; the closed position provides greater NRR/impulse noise attenuation.
- + SureFire full-block Sonic Defenders provide maximum NRR/impulse noise attenuation and are intended for users who don't need to hear conversational tones.

- + SureFire's EarLock retention rings lock the earplug/piece in place with seven "grab points," ensuring a proper fit and protective seal inside the ear canal. You can choose between SureFire's ergonomically correct curved flanges or replaceable Comply® Canal foam tips.



THE SUREFIRE DIFFERENCE

SureFire's patented innovative EarLock outer rings lock the earplug in place with seven unique grab points to ensure proper sealing. Cheap earplugs can work their way loose or won't seal the ear canal. Whether the opening is the size of a pin or a pencil, harmful sounds can still get through and damage the ear canal. Our hearing protection will keep your ears safe all day long. Their low-profile design allows for easy wearing under a hat, helmet, mask, headset, or supplemental muffs.



EP5

PART #	UPC	DESCRIPTION
EP5-BK-MPR	084871317931	TRIPLE-FLANGED, FULL-BLOCK EARPLUGS, MEDIUM, 1 PAIR, BLACK
EP5-BK-MPR-BULK	084871318020	TRIPLE-FLANGED, FULL-BLOCK EARPLUGS, MEDIUM, 25 PAIR, BLACK

AVAILABLE COLORS



NRR RATING	SNR RATING
26	31

EP10


PART #	UPC	DESCRIPTION
EP10-BK-MPR	084871323222	COMPLY FOAM-TIPPED, FULL-BLOCK EARPLUGS, MEDIUM, 1 PAIR, BLACK
EP10-BK-MPR-BULK	084871323239	COMPLY FOAM-TIPPED, FULL-BLOCK EARPLUGS, MEDIUM, 25 PAIR, BLACK

AVAILABLE COLORS



NRR RATING	SNR RATING
30	33

FILTERED EARPRO® TECHNOLOGY



EP4

PART #	UPC	DESCRIPTION
EP4-BK-MPR	084871315197	TRIPLE-FLANGED, FILTERED EARPLUGS, MEDIUM, 1 PAIR, BLACK NSN 6515-01-661-2344
EP4-BK-MPR-BULK	084871314978	TRIPLE-FLANGED, FILTERED EARPLUGS, MEDIUM, 25 PAIR, BLACK NSN 6515-01-606-4552

AVAILABLE COLORS



EP7

PART #	UPC	DESCRIPTION
EP7-BK-MPR	084871319423	COMPLY FOAM-TIPPED, FILTERED EARPLUGS, MEDIUM, 1 PAIR, BLACK
EP7-BK-MPR-BULK	084871319515	COMPLY FOAM-TIPPED, FILTERED EARPLUGS, MEDIUM, 25 PAIR, BLACK NSN 6515-01-622-2539
EP7-COMPLY-ST-3SPR	084871320023	6 EA SHORT SLIM, COMPLY TIPS, BLISTER NSN 5965-01-643-9010
EP7-COMPLY-ST-3MPR	084871320030	6 EA SHORT STD, COMPLY TIPS, BLISTER NSN 5965-01-643-9238
EP7-COMPLY-ST-3LPR	084871320047	6 EA SHORT LARGE, COMPLY TIPS, BLISTER NSN 5965-01-643-9240

AVAILABLE COLORS






UNIVERSAL ACOUSTIC COUPLER ASSEMBLY

PART #	UPC	DESCRIPTION
EA10-UAC-ST	084871328784	UNIVERSAL ACOUSTIC COUPLER ASSEMBLY

CLEAR COMMUNICATION

The Universal Acoustic Coupler is the world's only non-electronic, filtered, hearing protection that integrates a two-way radio. Durable and highly effective, its high-strength polymer interface brings communication and non-electronic hearing protection together

- 1 VERSATILITY**
Designed to fit either left or right Filtered Series EarPro without compromising the filter or radio acoustic tubing
- 2 INNOVATIVE**
Cap can be closed, without removing EarPro, to maintain highest level of hearing protection
- 3 ADAPTABILITY**
Two-position cap; provides situational awareness and accommodates two-way radio communication
- 4 COMPATIBILITY**
The SureFire UAC coupler accept modern acoustic sound tubes for ultimate compatibility








SUPPRESSORS

UNMATCHED DURABILITY, BUILT FOR THE FIGHT

SureFire SOCOM FastAttach[®] suppressors won the most rigorous suppressor trial in U.S. military history, and we continue to build the world's finest combat suppressors today. New for 2026 and available in RC4 and MINI4 models for 5.56mm and 6mm ARC, the SOCOM-4 series builds upon the SOCOMRC3's revolutionary low-back-pressure design with next-generation gasflow dynamics that further reduce muzzle viewable internal flash and a rugged new front plate for unmatched durability when subjected to combat-level abuse. SOCOM suppressors are made in the U.S.A., utilizing the finest U.S. mill-certified materials and most advanced manufacturing techniques. They deliver minimal, consistent sub-MOA POI shift, unmatched flash reduction, and supreme durability in the harshest combat environments through hundreds of thousands of rounds fired. SureFire's patented FastAttach[®] system allows instantaneous hot or cold attachment/removal. SureFire SOCOM suppressors are built for the fight.

HOW TO CHOOSE YOUR SUPPRESSOR



THE SUREFIRE DIFFERENCE

We require more from our suppressors than merely suppressing the sound of the gunshot. SureFire suppressors maintain strict standards for accuracy even with repeated attachment and removal of the suppressor. Our painstaking design results in significant flash reduction, which helps keep the shooter's position virtually undetectable. Cutting-edge materials, redundant welding, and advanced engineering ensure that a SureFire suppressor withstands the punishment of extreme combat with a service life that exceeds tens of thousands of rounds.



FAST-ATTACH

SYSTEM

Our proprietary Fast-Attach® mounting system provides rock-solid attachment without requiring any tools. Simply slide the suppressor over the SureFire muzzle adapter indexing on the built-in slot and secure the lock ring at the base. It's on or off in seconds—hot or cold. And when it's mounted, it stays mounted solidly and securely, regardless of the number of rounds fired.



SLIDE SUPPRESSOR OVER ADAPTER



TIGHTEN LOCKING RING



SOCOM4

LOW BACK PRESSURE WITHOUT COMPROMISE



EVOLUTION AT THE SPEED OF SOUND

The new SureFire SOCOM-4 series suppressors are the world's finest fighting suppressors, delivering the ideal combination of extreme durability, low-back-pressure performance, and industry-leading flash reduction—wrapped up in a compact SOCOM Fast-Attach® package.

SOCOM556-RC4

PART #	UPC	DESCRIPTION	CALIBER	WEIGHT	LENGTH	CONSTRUCTION
SOCOM556-RC4-BK	084871334303	BLACK, OPTIMIZED FOR 10" OR LONGER BARRELS	5.56 mm / .223 Cal	17.0 oz (482 g)	6.3 in (16 cm)	HIGH-TEMP ALLOY
SOCOM556-RC4-DE	084871334310	DARK EARTH, OPTIMIZED FOR 10" OR LONGER BARRELS				



THE NEXT GENERATION OF COMBAT SUPPRESSORS

» NEW MUZZLE DESIGN

All-new muzzle design significantly reduces frontal flash detection and provides improved durability from physical impacts

» FLASH REDUCTION

Unmatched flash reduction, from the first round to the last, significantly improved with fourth-generation flow dynamics

» LOW BACK PRESSURE

60% lower back pressure means less toxic gas, improved reliability, superior recoil control, and a cleaner firearm

» COMPACT DESIGN

Low-profile design minimizes added length and bulk, maintaining firearm maneuverability

» DURABILITY

Extreme durability with Inconel construction, delivering the combat-proven reliability that established SureFire's suppressor legacy

» SOCOM FAST-ATTACH®

Backward compatible with SureFire's SOCOM Fast-Attach® muzzle devices for unrivaled accuracy & repeatability

SOCOM556-MINI4

PART #	UPC	DESCRIPTION
SOCOM556-MINI4-BK	084871334327	BLACK, OPTIMIZED FOR 14.5" OR LONGER BARRELS
SOCOM556-MINI4-DE	084871334334	DARK EARTH, OPTIMIZED FOR 14.5" OR LONGER BARRELS



CALIBER	WEIGHT	LENGTH	CONSTRUCTION
5.56 mm / .223 Cal	15 oz (425 g)	5.5 in (14 cm)	HIGH-TEMP ALLOY

SOCOM6-MINI4

PART #	UPC	DESCRIPTION
SOCOM6-MINI4-BK	084871334426	BLACK, OPTIMIZED FOR 11.5" OR LONGER BARRELS
SOCOM6-MINI4-DE	084871334433	DARK EARTH, OPTIMIZED FOR 11.5" OR LONGER BARRELS



CALIBER	WEIGHT	LENGTH	CONSTRUCTION
6 mm / .243 Cal	16 oz (454 g)	5.8 in (14.7 cm)	HIGH-TEMP ALLOY

SOCOM556-RC2

PART #	UPC	DESCRIPTION
SOCOM556-RC2-BK	084871324564	BLACK, FOR 10" OR LONGER BARRELS NSN 1005-DI-668-4190
SOCOM556-RC2-DE	084871324571	DARK EARTH, FOR 10" OR LONGER BARRELS NSN 1005-DI-681-5089



CALIBER	WEIGHT	LENGTH	CONSTRUCTION
5.56 mm / .223 Cal	17.0 oz (482 g)	6.4 in (16.3 cm)	HIGH-TEMP ALLOY & SS

SOCOM556-MINI2

PART #	UPC	DESCRIPTION
SOCOM556-MINI2-BK	084871324465	BLACK, OPTIMIZED FOR 14.5" OR LONGER BARRELS NSN 1005-DI-715-8040
SOCOM556-MINI2-DE	084871324472	DARK EARTH, OPTIMIZED FOR 14.5" OR LONGER BARRELS NSN 1005-DI-690-7385



CALIBER	WEIGHT	LENGTH	CONSTRUCTION
5.56 mm / .223 Cal	15 oz (425 g)	5.0 in (12.7 cm)	HIGH-TEMP ALLOY & SS

SOCOM556-SB2

PART #	UPC	DESCRIPTION
SOCOM556-SB2-BK	084871324489	BLACK, FOR 10" OR SHORTER BARRELS NSN 1005-DI-675-0311
SOCOM556-SB2-DE	084871324496	DARK EARTH, FOR 10" OR SHORTER BARRELS



CALIBER	WEIGHT	LENGTH	CONSTRUCTION
5.56 mm / .223 Cal	17.0 oz (482 g)	6.4 in (16.3 cm)	HIGH-TEMP ALLOY & SS

SOCOM300-SPS

PART #	UPC	DESCRIPTION
SOCOM300-SPS-BK	084871324540	BLACK, OPTIMIZED FOR .300 BLK WEAPON SYSTEMS
SOCOM300-SPS-DE	084871324557	DARK EARTH, OPTIMIZED FOR .300 BLK WEAPON SYSTEMS



CALIBER	WEIGHT	LENGTH	CONSTRUCTION
7.62 mm / .308 Cal	20 oz (568 g)	7.9 in (20.0 cm)	HIGH-TEMP ALLOY & SS

SOCOM762-RC2

PART #	UPC	DESCRIPTION
SOCOM762-RC2-BK	084871324502	BLACK, FOR 7.62 SELECT FIRE & .300 WM SNIPER RIFLES NSN 1010-DI-716-2965
SOCOM762-RC2-DE	084871324519	DARK EARTH, FOR 7.62 SELECT FIRE & .300 WM SNIPER RIFLES



CALIBER	WEIGHT	LENGTH	CONSTRUCTION
7.62 mm / .308 Cal	21 oz (595 g)	8.4 in (21.3 cm)	HIGH-TEMP ALLOY & SS

SOCOM762-MINI2

PART #	UPC	DESCRIPTION
SOCOM762-MINI2-BK	084871324526	BLACK, OPTIMIZED FOR 16" OR LONGER BARRELS
SOCOM762-MINI2-DE	084871324533	DARK EARTH, OPTIMIZED FOR 16" OR LONGER BARRELS



CALIBER	WEIGHT	LENGTH	CONSTRUCTION
7.62 mm / .308 Cal	17.0 oz (482 g)	6.4 in (16.3 cm)	HIGH-TEMP ALLOY & SS



SOCOM762-Ti2

PART #	UPC	DESCRIPTION
SOCOM762-Ti2-BK	084871331838	BLACK, FOR 7.62 BOLT ACTION & .300 WM SNIPER RIFLES
SOCOM762-Ti2-DE	084871331845	DARK EARTH, FOR 7.62 BOLT ACTION & .300 WM SNIPER RIFLES



CALIBER	WEIGHT	LENGTH	CONSTRUCTION
7.62 mm / .308 Cal	11 oz (312 g)	7.9 in (20.1 cm)	TITANIUM

SOCOM338-Ti

PART #	UPC	DESCRIPTION
SOCOM338-Ti-BK	084871324137	BLACK, FOR BOLT-ACTION PRECISION RIFLES
SOCOM338-Ti-DE	084871324144	DARK EARTH, FOR BOLT-ACTION PRECISION RIFLES



CALIBER	WEIGHT	LENGTH	CONSTRUCTION
.338 Cal	22.0 oz (623 g)	9.9 in (25.1 cm)	TITANIUM

SF RYDER 22-S

PART #	UPC	DESCRIPTION
SF RYDER 22-S	084871318679	THREAD-ON SOUND SUPPRESSOR, 1/2-28 THREADED BARRELS

REBUILDABLE

Built to exacting standards like our SOCOM Fast-Attach® suppressors, the SF RYDER™ 22-S delivers superior sound attenuation with reduced muzzle blast. Its rebuildable design offers easy cleaning without sacrificing accuracy or durability.



CALIBER	WEIGHT	LENGTH	CONSTRUCTION
.22 LR / .17 HMR / .22 WMR	5 oz (141 g)	5.4 in (13.7 cm)	STAINLESS STEEL & ALUMINUM

BORE ALIGNMENT RODS

PART #	UPC	DESCRIPTION
SF-RDD-6	084871334471	BORE ALIGNMENT ROD FOR 6 MM
SF-RDD-9	084871330343	BORE ALIGNMENT ROD FOR 9 MM
SF-RDD-556	084871325875	BORE ALIGNMENT ROD FOR 5.56 MM
SF-RDD-65	084871325899	BORE ALIGNMENT ROD FOR 6.5 MM
SF-RDD-68	084871325905	BORE ALIGNMENT ROD FOR 6.8 MM NSN 5220-DI-682-3196
SF-RDD-762	084871325882	BORE ALIGNMENT ROD FOR 7.62 MM
SF-RDD-338	084871325912	BORE ALIGNMENT ROD FOR .338 CALIBER



PROPER ALIGNMENT



OUT OF ALIGNMENT






MUZZLE DEVICES

**DESIGNED TO PERFORM,
BUILT TO LAST**

SureFire muzzle devices deliver uncompromising strength, performance, and ease of use. Designed, engineered, and precision-machined in the U.S.A., our WARCOMP® adapters, flash hiders, muzzle brakes, and training tools are built from premium U.S.-sourced materials to exacting standards. They withstand extreme use—often outliving the barrels they serve. Our Blank Firing Adapters and Suppressor Trainers faithfully replicate suppressor behavior for realistic, safe training, and Blank Safety Devices add essential protection during drills. Our Warden® blast regulators direct blast pressure forward of the muzzle for a cleaner, safer shooting experience. You can count on SureFire muzzle devices for rugged reliability and consistent field performance day in and day out.

HOW TO CHOOSE YOUR MUZZLE DEVICE



MUZZLE DEVICE FACTS

- + Designed to meet the needs of our warfighters and law enforcement officers as well as law-abiding citizens, SureFire SF3P flash hidere eliminate 99% of muzzle flash from the very first round fired, helping to ensure that the shooter's position will not be compromised by excess flash when the weapon is fired. They interface seamlessly with SureFire SOCOM suppressors.
- + The SureFire WARCOMP is the world's most shootable flash hider, eliminating 98% of muzzle flash and reducing muzzle rise to help the shooter stay on target and achieve faster follow-up shots.
- + Every SureFire SF3P flash hider or SFMB muzzle brake is precision-machined from U.S. mill-certified stainless-steel bar stock, heat-treated, and DLC-coated for extreme durability and corrosion resistance.
- + Every SureFire SFMB muzzle brake utilizes SureFire's Impulse Diffusion design to help protect others who may be positioned to the left or the right of the weapon. The design incorporates venting that also mitigates blast and rear concussion directed toward the shooter, allowing for easier target tracking and faster shot-to-shot recovery.

THE SUREFIRE DIFFERENCE

SureFire SOCOM muzzle devices pioneered the use of multiple precision-machined bearing surfaces, spread as far apart as possible, to ensure optimum suppressor alignment for unmatched accuracy and repeatability with every shot fired. A muzzle device with a single bearing surface is not ideal because any play in the surface can cause the suppressor to tip out of alignment. Our superior design simply won't allow that to happen.

SF3P 3-PRONG FLASH HIDER

PART #	UPC	DESCRIPTION
SF3P-556-1/2-28	084871319119	3-PRONG FLASH HIDER FOR M4/M16/AR VARIANTS NSN: 1005-DI-626-8770
SF3P-556-5/8-24	084871334358	3-PRONG FLASH HIDER FOR M4/M16/AR VARIANTS
SF3P-762-5/8-24	084871319171	3-PRONG FLASH HIDER FOR AR10/LR308 NSN: 1001-DI-630-7113

OPEN-TINE

Provides approximately 99% reduction in muzzle flash compared to a bare muzzle; conceals the shooter's location and preserves dark-adapted vision



FH 4-PRONG FLASH HIDER

PART #	UPC	DESCRIPTION
FH556RC-1/2-28	084871318631	4-PRONG FLASH HIDER FOR M4/M16/AR VARIANTS NSN: 1005-DI-599-7048

4-PRONG

The flash hider that won the SOCOM contract; available for those who want to replicate SOCOM weapon platforms



SFCT CLOSED-TINE FLASH HIDER

PART #	UPC	DESCRIPTION
SFCT-556-1/2-28	084871325103	CLOSED-TINE FLASH HIDER FOR M4/M16/AR VARIANTS
SFA2-556-1/2-28	084871331432	A2 FLASH HIDER FOR M4/M16/AR VARIANTS. CAN BE USED WITH COMMERCIAL BFA'S

CLOSED-TINE

Provides excellent flash attenuation; reduces chance of snagging the muzzle in high-debris environments



SF3P 50 BMG FLASH HIDER (NOT SUPPRESSOR COMPATIBLE)

PART #	UPC	DESCRIPTION
SF3P-50BMG-M2HB	084871327374	3-PRONG FLASH HIDER FOR M2HB, FOR UNTHREADED BARREL NSN: 1005-DI-711-0242

M2HB WEAPON PLATFORM

Attaches to unthreaded M2HB barrels

CALIBER	WEIGHT	LENGTH
.50 cal	36 oz (1020 g)	6.1 in (15.5 cm)



3P ELIMINATOR FLASH HIDER (NOT SUPPRESSOR COMPATIBLE)

PART #	UPC	DESCRIPTION
3P-ELIMINATOR-556-1/2-28	084871323505	3-PRONG FLASH HIDER FOR M4/M16/AR VARIANTS & 1/2-28 THREADS
3P-ELIMINATOR-762-5/8-24	084871324380	3-PRONG FLASH HIDER FOR 7.62 CALIBER & 5/8-24 THREAD

FLASH HIDER

The ideal flash hider option when a suppressor is not required



WARCOMP[®]



WARCOMP[®] SPORT (NOT SUPPRESSOR COMPATIBLE)

PART #	UPC	DESCRIPTION
WARCOMP-SPORT-556-1/2-28	084871332170	PORTED 3-PRONG FLASH HIDER FOR M4/M16/AR VARIANTS
WARCOMP-SPORT-762-5/8-24	084871332187	PORTED 3-PRONG FLASH HIDER FOR 7.62 CALIBER



PORTS

The WARCOMP SPORT's proprietary porting mitigates muzzle rise for faster follow-up shots while still eliminating 98% of muzzle flash



FLASH HIDER

Provides approximately 98% reduction in muzzle flash compared to a bare muzzle; helps conceal the shooter's location and preserves dark-adapted vision



PRECISION-MACHINED

Every SureFire muzzle device is precision-machined in the U.S.A. to the utmost tolerances for repeatable accuracy and supreme durability



WARCOMP®

PART #	UPC	DESCRIPTION
WARCOMP-556-1/2-28	084871324625	PORTED 3-PRONG FLASH HIDER FOR M4/M16/AR VARIANTS NSN 1005-D1-646-9074
WARCOMP-762-5/8-24	084871324632	PORTED 3-PRONG FLASH HIDER FOR 7.62 CALIBER



STRONG & DURABLE

Manufactured from U.S. mill-certified stainless steel bar stock, heat-treated, and DLC-coated for extreme durability and corrosion resistance

WARCOMP® CTN

PART #	UPC	DESCRIPTION
WARCOMP-556-CTN-1/2-28	084871325516	CLOSED-TINE FLASH HIDER FOR M4/M16/AR VARIANTS



FAST-ATTACH® COMPATIBILITY

WARCOMPS readily accept SOCOM Fast-Attach suppressors, providing rock-solid attachment with no tools required



SFMB MUZZLE BRAKE

PART #	UPC	DESCRIPTION
SFMB-556-1/2-28	084871319256	MUZZLE BRAKE / ADAPTER FOR 5.56 CALIBER NSN 1005-01-668-7486
SFMB-6-3/4-24	084871334518	MUZZLE BRAKE / ADAPTER FOR 6 MM CALIBER
SFMB-6-5/8-24	084871334525	MUZZLE BRAKE / ADAPTER FOR 6 MM CALIBER
SFMB-762-5/8-24	084871319263	MUZZLE BRAKE / ADAPTER FOR AR10/LR308 NSN 1005-01-624-1219
SFMB-338-5/8-24	084871324182	MUZZLE BRAKE / ADAPTER FOR .338 CALIBER



RECOIL REDUCTION

SureFire's Impulse Diffusion design minimizes blast and rear concussion effects for easier target tracking and faster shot-to-shot recovery



STAY ON TARGET

SureFire muzzle brakes improve the shooting experience by eliminating up to 50% rearward thrust while also reducing muzzle rise to keep you on target



FAST-ATTACH® COMPATIBILITY

SFMBs readily accept SOCOM Fast-Attach suppressors, providing rock-solid attachment with no tools required



PROCOMP MUZZLE BRAKE (NOT SUPPRESSOR COMPATIBLE)

PART #	UPC	DESCRIPTION
PROCOMP-556-1/2-28	084871323512	MUZZLE BRAKE (NON-SDCOM ADAPTER) FOR M4/M16/AR VARIANTS
PROCOMP-762-5/8-24	084871323741	MUZZLE BRAKE (NON-SDCOM ADAPTER) FOR 7.62 CALIBER

PRECISION-MACHINED

Like all SureFire adapters, PROCOMP muzzle brakes are precision-machined and individually inspected to ensure concentricity and alignment



ADAPTER CARBON SCRAPING TOOL

PART #	UPC	DESCRIPTION
SF-ACST-556	084871326506	SUREFIRE CLEANING TOOL FOR 5.56 SF3P, SFMB, & WARCOMP ADAPTERS NSN 5110-01-682-2653
SF-ACST-762	084871326513	SUREFIRE CLEANING TOOL FOR 7.62 SF3P, SFMB, & WARCOMP ADAPTERS

MAINTENANCE

The ACST removes carbon fouling from SureFire suppressor adapters, ensuring correct tolerances for suppressor fitment; compatible with most SureFire muzzle brakes, flash hiders, and WARCOMPS





FAST-ATTACH[®] HUB


PART #	UPC	DESCRIPTION
HUB-FA-556-BK	084871333948	FAST-ATTACH HUB, 5.56 MM
HUB-FA-762-BK	084871333955	FAST-ATTACH HUB, 7.62 MM

HUB SUPPRESSOR COMPATIBLE

The SureFire Fast-Attach Hub is compatible with any 1.375"x24 thread-pattern Hub suppressor, allowing users to utilize SureFire's patented Fast-Attach mounting system on SureFire SOCOM muzzle devices

FAST-ATTACH SYSTEM

SureFire's mounting system provides rock-solid attachment of a Fast-Attach equipped suppressor without requiring any tools. Simply slide the suppressor over the SureFire muzzle adapter indexing on the built-in slot and secure the lock ring at the base





WITH WARDEN



WITHOUT WARDEN

WARDEN

PART #	UPC	DESCRIPTION
WARDEN-1/2-28-BK	084871328180	BLACK, 1/2-28 THREAD-ON NSN 1005-DI-682-3204
WARDEN-5/8-24-BK	084871328197	BLACK, 5/8-24 THREAD-ON
WARDEN-BK	084871325080	BLACK, FAST ATTACH, MULTI-CALIBER
WARDEN-DE	084871325097	DARK EARTH, FAST ATTACH, MULTI-CALIBER



RANGE SAFETY

The Warden directs blast concussion forward of the muzzle rather than perpendicular to it like a muzzle brake, increasing safety of shooters to the right and left of the weapon



FAST-ATTACH®

The Fast-Attach Warden provides the same benefits as the thread-on version. It installs quickly and easily onto SureFire Fast-Attach flash hiders and muzzle brakes

SUPPRESSOR TRAINER

PART #	UPC	DESCRIPTION
SF-TRAINER-556-I-BK	084871326360	TRAINING SUPPRESSOR FOR SIMUNITION/FRANGIBLE AMMO
SF-TRAINER-556-I-DE	084871326377	TRAINING SUPPRESSOR FOR SIMUNITION/FRANGIBLE AMMO NSN 1005-01-682-2626
SF-TRAINER-762-I-BK	084871326384	TRAINING SUPPRESSOR FOR SIMUNITION/FRANGIBLE AMMO
SF-TRAINER-762-I-DE	084871326391	TRAINING SUPPRESSOR FOR SIMUNITION/FRANGIBLE AMMO NSN 1005-01-608-7570

MARKING CARTRIDGES / FRANGIBLE AMMUNITION

SureFire Trainers mimic the size and weight of equivalent SureFire SOCOM Fast-Attach® suppressors when using Simunition®/frangible ammunition for training purposes



BLANK FIRING ADAPTER

PART #	UPC	DESCRIPTION
SF-BFA-556	084871319706	BLANK FIRING ADAPTER, FITS ALL SOCOM 5.56 ADAPTERS NSN 1005-01-608-7572
SF-BFA-762	084871319713	BLANK FIRING ADAPTER, FITS ALL SOCOM 7.62 ADAPTERS NSN 1005-01-608-7566

BLANK AMMUNITION FUNCTIONALITY

SureFire Blank Firing Adapters allow gas-operated rifles to cycle and function normally when using blank ammunition for training purposes; BFAs mimic the size and weight of certain SOCOM suppressors



BLANK SAFETY DEVICE

PART #	UPC	DESCRIPTION
SF-BSD-556	084871323758	BLANK SAFETY DEVICE, FOR USE WITH MK18
SF-BSD-556-M4	084871326216	BLANK SAFETY DEVICE, FOR USE WITH M4 NSN 1005-01-660-6656

INCREASED SAFETY

Designed for use with the MK18 rifles with 10-inch to 12-inch barrels, the SF-BSD-556 allows normal weapon cycling and function and provides critical safety during training exercises by containing up to three accidentally loaded live rounds of M855 ammunition; emits a loud warning blast when live ammo is used



SF-BSD-556

INCREASED SAFETY

Designed for use with the M4 and AR-variant rifles with 14.5-inch to 16-inch barrels. The SF-BSD-556-M4 allows normal weapon cycling and function and provides critical safety during training exercises by containing up to three accidentally loaded live rounds of M855 ammunition; emits a loud warning blast when live ammo is used



SF-BSD-556-M4



H9 BUFFER

PART #	UPC	DESCRIPTION
SF-BUFFER-H9	084871330992	9.0 OZ BUFFER FOR STANDARD M4 STYLE WEAPON SYSTEMS, 5.56MM & 7.62MM
SF-BUFFER-HS	084871330947	SUREFIRE BUFFER, HS MODEL, DESIGNED FOR USE WITH THE SUREFIRE SF-DBC-556 CARRIER GROUP, 5.56MM, 3.3OZ



INCREASED MASS

Improves reliability by reducing the rate of fire of an over-gassed rifle when suppressed



APPAREL & ACCESSORIES



GEAR UP AND STAND OUT

SureFire apparel isn't just about what you wear, it's about who you are. SureFire T-shirts, hoodies, and hats blend bold styling and all-day comfort designed for those who demand excellence in every detail. Our latest T-shirt lineup features a premium 60%/40% cotton/poly blend for unbeatable softness, durability, and the perfect fit in sizes S-2XL. Our iconic hats offer a refined yet rugged look that makes a statement wherever you go. And our BPA-, BPS-, and Phthalate-free 1-liter Nalgene bottles deliver hydration with purpose and style. When you are wearing SureFire, you are making the confident statement that you don't settle for less than the best.



PERFORMANCE HOODIE SUN SHIRT

PART #	UPC	DESCRIPTION
LST-SUN-GRY-S	084871332309	PERFORMANCE HOODIE, SF LOGO, 100% POLY INTERLOCK STRETCHABLE, S
LST-SUN-GRY-M	084871332316	PERFORMANCE HOODIE, SF LOGO, 100% POLY INTERLOCK STRETCHABLE, M
LST-SUN-GRY-L	084871332323	PERFORMANCE HOODIE, SF LOGO, 100% POLY INTERLOCK STRETCHABLE, L
LST-SUN-GRY-XL	084871332330	PERFORMANCE HOODIE, SF LOGO, 100% POLY INTERLOCK STRETCHABLE, XL
LST-SUN-GRY-XXL	084871332347	PERFORMANCE HOODIE, SF LOGO, 100% POLY INTERLOCK STRETCHABLE, XXL

1 SUN PROTECTION

The Performance Hoodie Sunshirt provides UPF 35+ sun protection to protect your skin against sunburn during long days at the range

2 BREATHABLE

Our lightweight, high-performance 90/10 polyester spandex jersey blend is breathable, helping to keep you comfortable in hot environments

3 MOISTURE WICKING/QUICK DRY

The Sunshirt's high-performance material also pulls moisture away from your skin, absorbs perspiration and dries quickly to help keep your body temperature regulated

4 DURABLE & WASHABLE

The Sunshirt is durable enough to protect you from brass burns by the buddy that gets too close at the range. Cleaning it is as easy as tossing it in your washing machine

5 POCKET

A zippered back pocket offers convenient storage to help you maintain possession of small or easy-to-lose items





SHOOTING CLUB T-SHIRT

PART #	UPC	DESCRIPTION
SST-SC-MG-S	084871330442	T-SHIRT, SHOOTING CLUB, MILITARY GREEN, 60% COTTON 40% POLY, S
SST-SC-MG-M	084871330459	T-SHIRT, SHOOTING CLUB, MILITARY GREEN, 60% COTTON 40% POLY, M
SST-SC-MG-L	084871330466	T-SHIRT, SHOOTING CLUB, MILITARY GREEN, 60% COTTON 40% POLY, L
SST-SC-MG-XL	084871330473	T-SHIRT, SHOOTING CLUB, MILITARY GREEN, 60% COTTON 40% POLY, XL
SST-SC-MG-2XL	084871330480	T-SHIRT, SHOOTING CLUB, MILITARY GREEN, 60% COTTON 40% POLY, 2XL



MFG CO. T-SHIRT

PART #	UPC	DESCRIPTION
SST-MFG-BK-S	084871330626	T-SHIRT, MFG, BLACK, 60% COTTON 40% POLY, S
SST-MFG-BK-M	084871330633	T-SHIRT, MFG, BLACK, 60% COTTON 40% POLY, M
SST-MFG-BK-L	084871330640	T-SHIRT, MFG, BLACK, 60% COTTON 40% POLY, L
SST-MFG-BK-XL	084871330657	T-SHIRT, MFG, BLACK, 60% COTTON 40% POLY, XL
SST-MFG-BK-2XL	084871330664	T-SHIRT, MFG, BLACK, 60% COTTON 40% POLY, 2XL



SUREFIRE LOGO T-SHIRT

PART #	UPC	DESCRIPTION
SST-SFL-BK-S	084871128278	T-SHIRT, SUREFIRE LOGO, BLACK, S
SST-SFL-BK-M	084871128285	T-SHIRT, SUREFIRE LOGO, BLACK, M
SST-SFL-BK-L	084871128292	T-SHIRT, SUREFIRE LOGO, BLACK, L
SST-SFL-BK-XL	084871128308	T-SHIRT, SUREFIRE LOGO, BLACK, XL
SST-SFL-BK-2XL	084871128315	T-SHIRT, SUREFIRE LOGO, BLACK, 2XL



SF BUTTON LOGO T-SHIRT

PART #	UPC	DESCRIPTION
SST-SFB-HG-S	084871330381	T-SHIRT, SF BUTTON, MILITARY GREEN, 60% COTTON 40% POLY, S
SST-SFB-HG-M	084871330398	T-SHIRT, SF BUTTON, MILITARY GREEN, 60% COTTON 40% POLY, M
SST-SFB-HG-L	084871330404	T-SHIRT, SF BUTTON, MILITARY GREEN, 60% COTTON 40% POLY, L
SST-SFB-HG-XL	084871330411	T-SHIRT, SF BUTTON, MILITARY GREEN, 60% COTTON 40% POLY, XL
SST-SFB-HG-2XL	084871330428	T-SHIRT, SF BUTTON, MILITARY GREEN, 60% COTTON 40% POLY, 2XL
SST-SFB-DG-S	084871128513	T-SHIRT, SF BUTTON, DARK GRAY, 60% COTTON 40% POLY, S
SST-SFB-DG-M	084871128520	T-SHIRT, SF BUTTON, DARK GRAY, 60% COTTON 40% POLY, M
SST-SFB-DG-L	084871128537	T-SHIRT, SF BUTTON, DARK GRAY, 60% COTTON 40% POLY, L
SST-SFB-DG-XL	084871128544	T-SHIRT, SF BUTTON, DARK GRAY, 60% COTTON 40% POLY, XL
SST-SFB-DG-2XL	084871128551	T-SHIRT, SF BUTTON, DARK GRAY, 60% COTTON 40% POLY, 2XL



SST-SFB-DG



SST-SFB-HG





SUNSET MINT T-SHIRT

PART #	UPC	DESCRIPTION
SST-SN-MNT-S	084871331173	T-SHIRT, SUNSET, MINT GREEN, 60% COTTON 40% POLY, S
SST-SN-MNT-M	084871331180	T-SHIRT, SUNSET, MINT GREEN, 60% COTTON 40% POLY, M
SST-SN-MNT-L	084871331197	T-SHIRT, SUNSET, MINT GREEN, 60% COTTON 40% POLY, L
SST-SN-MNT-XL	084871331203	T-SHIRT, SUNSET, MINT GREEN, 60% COTTON 40% POLY, XL
SST-SN-MNT-2XL	084871331210	T-SHIRT, SUNSET, MINT GREEN, 60% COTTON 40% POLY, 2XL



OUTDOOR T-SHIRT

PART #	UPC	DESCRIPTION
SST-OTD-AG-S	084871330879	T-SHIRT, OUTDOORS, ATHLETIC GRAY, 60% COTTON 40% POLY, S
SST-OTD-AG-M	084871330886	T-SHIRT, OUTDOORS, ATHLETIC GRAY, 60% COTTON 40% POLY, M
SST-OTD-AG-L	084871330893	T-SHIRT, OUTDOORS, ATHLETIC GRAY, 60% COTTON 40% POLY, L
SST-OTD-AG-XL	084871330909	T-SHIRT, OUTDOORS, ATHLETIC GRAY, 60% COTTON 40% POLY, XL
SST-OTD-AG-2XL	084871330916	T-SHIRT, OUTDOORS, ATHLETIC GRAY, 60% COTTON 40% POLY, 2XL



1979 T-SHIRT

PART #	UPC	DESCRIPTION
SST-79-CL-S	084871330749	T-SHIRT, 1979, CARDINAL, 60% COTTON 40% POLY, S
SST-79-CL-M	084871330756	T-SHIRT, 1979, CARDINAL, 60% COTTON 40% POLY, M
SST-79-CL-L	084871330763	T-SHIRT, 1979, CARDINAL, 60% COTTON 40% POLY, L
SST-79-CL-XL	084871330770	T-SHIRT, 1979, CARDINAL, 60% COTTON 40% POLY, XL
SST-79-CL-2XL	084871330787	T-SHIRT, 1979, CARDINAL, 60% COTTON 40% POLY, 2XL





TIGER CAMO HAT

PART #	UPC	DESCRIPTION
HAT-TGR-MFG	084871332293	HAT, HIGH PROFILE RICHARDSON HAT, BRANDED PATCH, SNAPBACK





LOWPRO TRUCKER HAT

PART #	UPC	DESCRIPTION
HAT-PTH-SFL	084871330824	HAT, LOW PROFILE RICHARDSON HAT, BRANDED PATCH SNAPBACK



NALGENE® BOTTLE

PART #	UPC	DESCRIPTION
BTL-NG-BR	084871329958	NALGENE® BOTTLE, 32OZ, SUREFIRE LOGO, WOODSMAN BROWN
BTL-NG-BY	084871329941	NALGENE® BOTTLE, 32OZ, SUREFIRE LOGO, SMOKE GRAY





NO-HASSLE GUARANTEE

WE'LL DO WHAT IT TAKES TO KEEP YOUR SUREFIRE GEAR RUNNING SMOOTHLY.

SureFire warrants that if you – our customer – purchase one of our products, and we determine that it is defective in material and/or workmanship during your lifetime, we will repair or replace it – no hassle!

Rechargeable batteries and chargers are warranted for two years from the date of purchase. SureFire warrants our EarPro® products to be free from defects in workmanship and materials for a period of 90 days from the date of purchase. Our warranty does not cover consumables or normal wear-and-tear – things like batteries draining, headbands and headpads wearing out, ink cartridges running out, and switches wearing out – or damage resulting from abuse, alterations, unauthorized repairs, or use contrary to SureFire's user manuals.

Should you need a replacement product, SureFire reserves the right to replace an obsolete product with a current production, like model. In the event that any issue with a SureFire product is not covered under this warranty SureFire can arrange to have the product repaired for a reasonable fee.

For more information, go to: <http://www.surefire.com/warranty>

STANDARD DISCLAIMER

EXCEPT AS SPECIFIED ABOVE OR PROHIBITED BY APPLICABLE LAW: ALL EXPRESS OR IMPLIED CONDITIONS AND WARRANTIES, INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ACCURACY OF ANY INFORMATIONAL CONTENT, ARE HEREBY EXCLUDED AND DISCLAIMED BY SUREFIRE; AND IN NO EVENT WILL SUREFIRE BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES HOWSOEVER ARISING AND REGARDLESS OF THE THEORY OF LIABILITY, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. PRODUCTS, PRICES, AVAILABILITY, SPECIFICATIONS, AND OFFERS ARE SUBJECT TO CHANGE OR CANCELLATION AT ANY TIME WITHOUT NOTICE.

EXPORT CONTROL STATEMENT

THE PRODUCTS SHOWN IN THIS CATALOG ARE SUBJECT TO UNITED STATES GOVERNMENT (USG) EXPORT REGULATIONS. THE SALE, TRANSFER, OR SHIPMENT OF PRODUCTS IN THIS CATALOG EXPORTED OUTSIDE OF THE U.S. MUST COMPLY WITH USG EXPORT REGULATIONS. IT IS THE EXPORTER'S SOLE RESPONSIBILITY TO DETERMINE AND COMPLY WITH THE APPLICABLE USG EXPORT REGULATIONS INCLUDING, BUT NOT LIMITED TO, USG AUTHORIZATION, REPORTING, AND/OR RECORD KEEPING WHERE APPLICABLE. FURTHERMORE, ANY DIVERSION, RE-SALE, RE-EXPORT, RE-TRANSFER, OR TRANSSHIPMENT AFTER AN EXPORT THAT IS CONTRARY TO USG REGULATIONS IS PROHIBITED WITHOUT THE PRIOR WRITTEN AUTHORIZATION FROM USG. FAILURE TO COMPLY MAY RESULT IN FINES AND PENALTIES BY THE USG.

MILITARY ORDERS / NSN INFORMATION

Cage code 0BJZ8
Visit our website <https://www.surefire.com/product-education/nsn-list/>

TO ORDER OR LOCATE A DEALER

www.surefire.com
www.surefire.com/dealer-locator



SUREFIRE

18300 MT. BALDY CIRCLE • FOUNTAIN VALLEY
CA 92708 • U.S.A • SUREFIRE.COM